

HOODS


z						RHCA36
RVED ARTISA						RHCA42
		Indigo	Frost	Blanc	Dove	RHCA48
						RHCA36 TIMBER
		Oyster	Stone	Nickel	Linen	RHCA42 TIMBER
			Cobblestone	Espresso	Horizon	RHCA48 TIMBER
						RHCA36 WALNUT
		Kona				RHCA42 WALNUT
						RHCA48 WALNUT
-: 		Timber	NEW! Walnut			 Includes Full Interior Stainless Steel Liner (liner is user removable) One-Piece Chimney is trimmable on site up to 12" (refer to assembly and installation instructions for more details) Modifications are not available for this item Stainless Steel Liner is compatible with any of Fabuwood's Broan NuTone Ventilation Inserts.





 $\mathbf{\hat{A}} \text{ WARNING: This product can expose you to chemicals including formal dehyde exposure, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.$

HOODS






▲ WARNING: This product can expose you to chemicals including formaldehyde exposure, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

BREAN HOOD VENTILATION SYSTEMS

250 CFM STAINLESS VENTILATOR

RHBB 250 CFM





- Works with Fabuwood Stainless Steel Interior Hood Liners


- Available for all Fabuwood Allure Wood Hoods except RHA483021
 Efficient 300 Max Blower CFM operates at 3 sones at normal speed
 Bright 1-level, heat resistant LED modules enhance your cooking experience.
- 2-Speed rocker controls operate the fan speeds
- Easy-to-clean, fully enclosed bottom with dishwasher-safe aluminum mesh filter
 ADA compliant, remote operation is possible using a standard UL approved wall switch. Requires ADA adapter kit, HAWSK3 (sold separately, contact Customer Service Team to request Custom Accessory)
 Optional non-duct recirculation kit (RHBB DCT) and filters (RHBB FLTR) available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.

NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or

400 CFM STAINLESS VENTILATOR

RHBB 400 CFM





- Works with Fabuwood Stainless Steel Interior Hood Liners.
- · Available for all Fabuwood Allure wood Hoods
- Powerful 450 MAX Blower CFM operates at 1 sone at normal speed.
- Bright 1-level, heat resistant LED modules enhance your cooking experience.
- Up-front 3-Speed rotary controls makes operation easy.
 Dishwasher-safe aluminum mesh filters feature quick-release latch for easy removal.
- ENERGY STAR certified custom range hood insert.
- Optional non-duct recirculation kit (RHBB DCT) and filters (RHBB FLTR) available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.


NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or installation.

BREAN HOOD VENTILATION SYSTEMS

600 CFM STAINLESS VENTILATOR

RHBB 600 CFM





- · Available for all Fabuwood Allure wood Hoods
- Broan* SmartSense* Auto Operation adjusts the fan speed based on the heat coming from your range so you never have to worry about adjusting the speed while cooking.
- Powerful 650 Max Blower CFM and Ultra-quiet 0.5 sone at normal speed.
- WiFi connectivity enables hands-free operation with voice activation using Alexa or Google Assistant.
- 4-Speed back-lit soft touch control features a smooth, easy-to-clean surface
- Bright 2-level, heat resistant LED modules enhance your cooking experience
- Dishwasher-safe hybrid baffle filter offers superior grease capture.
- Code Ready Technology adjusts CFM down to 300 to meet make-up air codes.
 ADA compliant, remote operation is possible using a standard UL approved wall switch. Requires ADA adapter kit, HAWRK5 (sold separately, contact Customer Service Team to request Custom Accessory)
 Optional non-duct recirculation kit (RHBB DCT) and filters available for indoor exhaust recirculation to suit your needs.
- Comes with Broan-NuTone one (1) year Limited Warranty. Refer to installation guide for full details.

NOTE: Dealers should refer to the Heating Appliance Manufacturer's Specifications for individual ventilation requirements. Fabuwood is not responsible for improper blower selection or

INTERIOR DUCTWORK KIT

RHBB DCT



- For ductless application of Broan® RHBB Blower Inserts
- Provides use of an insert in an application where it is not feasible to duct a range hood to an external location
- Includes a RHBB FLTR charcoal filter, a soffit grille, a 90-degree stack boot, a 7 in. round duct and a 6 in. to 7 in round transition
 Use with RHBB FLTR replacement charcoal filter
- Refer to the Installation Guide provided with your range hood for proper installation and

NOTE: Fabuwood recommends that all hoods be vented to the outside - consult local building codes & Heating Appliance requirements prior to ordering.

REPLACEMENT CHARCOAL FILTER

RHBB FLTR



Replacement Charcoal Filter for RHBB DCT Interior Non-Ducted Recirculation Kit

▲ WARNING: This product can expose you to chemicals including formaldehyde exposure, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.