

## Glo Pop - Mixed Berry 7G - lot 6273

METRC Batch:  
METRC Sample:  
**Sample ID: 2311ENC2403\_7529**  
Strain: Mixed Berry  
Matrix: Ingestible  
Type: Soft Chew

Collected: 11/10/2023  
Received: 11/10/2023  
Completed: 11/14/2023  
Sample Size: 10 units;

Distributor  
**Current International**  
  
Lic. #  
1192 E Draper Parkway,  
#465,  
Draper, CA, 84020

Batch#: Lot # 6273



### Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	11/10/2023	LC-DAD	Complete
Water Activity	11/10/2023	Water Activity Meter	0.4884 aw - Pass
Pesticides	11/10/2023	LC-MS	Pass
Mycotoxins	11/10/2023	LC-MS	Pass
Residual Solvents	11/10/2023	HS-GC-MS	Pass
Microbial Impurities	11/13/2023	qPCR	Pass
Heavy Metals	11/13/2023	ICP-MS	Pass
Foreign Matter	11/10/2023	Visual Inspection	Pass

### Cannabinoids

Method: SOP EL-CANNABINOIDS

**18.30 mg/unit**

Total THC

**200.56 mg/unit**

Total CBD

**218.86 mg/unit**

Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.012	0.037	ND	ND	ND
Δ9-THC	0.013	0.040	0.278	2.78	18.30
Δ8-THC	0.015	0.044	ND	ND	ND
THCVa	0.014	0.043	ND	ND	ND
THCV	0.015	0.045	ND	ND	ND
CBDa	0.013	0.039	ND	ND	ND
CBD	0.013	0.038	3.043	30.43	200.56
CBN	0.012	0.036	ND	ND	ND
CBGa	0.014	0.043	ND	ND	ND
CBG	0.013	0.039	ND	ND	ND
CBCa	0.011	0.035	ND	ND	ND
CBC	0.013	0.041	ND	ND	ND
<b>Total THC</b>			<b>0.278</b>	<b>2.78</b>	<b>18.300</b>
<b>Total CBD</b>			<b>3.043</b>	<b>30.43</b>	<b>200.559</b>
<b>Total Cannabinoids</b>			<b>3.321</b>	<b>33.21</b>	<b>218.859</b>
<b>Sum of Cannabinoids</b>			<b>3.321</b>	<b>33.21</b>	<b>218.859</b>

1 Unit = 6.59g;

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 11/14/2023



## Glo Pop - Mixed Berry 7G - lot 6273

METRC Batch:  
METRC Sample:  
**Sample ID: 2311ENC2403\_7529**  
Strain: Mixed Berry  
Matrix: Ingestible  
Type: Soft Chew

Collected: 11/10/2023  
Received: 11/10/2023  
Completed: 11/14/2023  
Sample Size: 10 units;

Distributor  
**Current International**  
  
Lic. #  
1192 E Draper Parkway,  
#465,  
Draper, CA, 84020

Batch#: Lot # 6273

### Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.30	ND	Pass	Fludioxonil	0.01	0.05	30.00	ND	Pass
Acephate	0.002	0.01	5.00	ND	Pass	Hexythiazox	0.005	0.02	2.00	ND	Pass
Acequinocyl	0.01	0.02	4.00	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	5.00	ND	Pass	Imidacloprid	0.005	0.02	3.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	1.00	ND	Pass
Azoxystrobin	0.005	0.02	40.00	ND	Pass	Malathion	0.02	0.05	5.00	ND	Pass
Bifenazate	0.005	0.01	5.00	ND	Pass	Metalaxyl	0.002	0.005	15.00	ND	Pass
Bifenthrin	0.02	0.05	0.50	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	10.00	ND	Pass	Methomyl	0.01	0.02	0.10	ND	Pass
Captan	0.2	0.3	5.00	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	9.00	ND	Pass
Chlorantraniliprole	0.002	0.01	40.00	ND	Pass	Naled	0.01	0.02	0.50	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.20	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.20	ND	Pass
Clofentezine	0.01	0.02	0.50	ND	Pass	Permethrin	0.02	0.05	20.00	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.20	ND	Pass
Cyfluthrin	0.05	0.1	1.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	8.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.40	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.20	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	1.00	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	3.00	ND	Pass
Dimethomorph	0.005	0.02	20.00	ND	Pass	Spinetoram	0.005	0.01	3.00	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	3.00	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	12.00	ND	Pass
Etoazole	0.005	0.02	1.50	ND	Pass	Spirotetramat	0.005	0.01	13.00	ND	Pass
Fenhexamid	0.005	0.02	10.00	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	2.00	ND	Pass
Fenpyroximate	0.005	0.02	2.00	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	4.50	ND	Pass
Flonicamid	0.01	0.02	2.00	ND	Pass	Trifloxystrobin	0.005	0.01	30.00	ND	Pass

Date Tested: 11/10/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 11/14/2023



## Glo Pop - Mixed Berry 7G - lot 6273

METRC Batch:  
METRC Sample:  
**Sample ID: 2311ENC2403\_7529**  
Strain: Mixed Berry  
Matrix: Ingestible  
Type: Soft Chew

Collected: 11/10/2023  
Received: 11/10/2023  
Completed: 11/14/2023  
Sample Size: 10 units;

Distributor  
**Current International**  
  
Lic. #  
1192 E Draper Parkway,  
#465,  
Draper, CA, 84020

Batch#: Lot # 6273

### Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 11/10/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents

Method: EL-RES\_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 11/10/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 11/13/2023



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 11/14/2023



**Glo Pop - Mixed Berry 7G - lot 6273**

METRC Batch:  
METRC Sample:  
**Sample ID: 2311ENC2403\_7529**  
Strain: Mixed Berry  
Matrix: Ingestible  
Type: Soft Chew  
  
Batch#: Lot # 6273

Collected: 11/10/2023  
Received: 11/10/2023  
Completed: 11/14/2023  
Sample Size: 10 units;

Distributor  
**Current International**  
  
Lic. #  
1192 E Draper Parkway,  
#465,  
Draper, CA, 84020

**Heavy Metals**

Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	1.500	<LOQ	Pass
Cadmium	0.015	0.044	0.500	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	3.000	ND	Pass

Date Tested: 11/13/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 11/14/2023



## Glo Pop - Mixed Berry 7G - lot 6273

METRC Batch:  
METRC Sample:  
**Sample ID: 2311ENC2403\_7529**  
Strain: Mixed Berry  
Matrix: Ingestible  
Type: Soft Chew

Collected: 11/10/2023  
Received: 11/10/2023  
Completed: 11/14/2023  
Sample Size: 10 units;

Distributor  
**Current International**  
  
Lic. #  
1192 E Draper Parkway,  
#465,  
Draper, CA, 84020

Batch#: Lot # 6273



### Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Microbial - Other*	11/14/2023	Plating	Complete

### Microbial - Other\*

Method:

Analytes	Result	Status
Heterotrophic Plate Count	0 CFU/g	Complete
Yeast/Mold Plate Count	0 CFU/g	Complete
Staphylococcus spp	Not Detected in 1g	Complete

Date Tested: 11/14/2023

\*Beyond Scope of Accreditation



*Marla Glamuzina*

Marla Glamuzina  
11/14/2023

