

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SPORT™ STRIPES PAINT

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : BLANCHON.

Address : 28, rue Charles Martin B.P. 105.69190.SAINT FONS.FRANCE.

Telephone : 00.33.4.72.89.06.09. Fax : 00.33.4.72.89.06.02.

fds@blanchon.com

1.4. Emergency telephone number : 00.33.1.45.42.59.59.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

Hazard statements :

2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 13463-67-7 EC: 236-675-5 REACH: 01-2119489379-17 TITANIUM DIOXIDE			[1]	0 <= x % < 25
CAS: 14807-96-6 EC: 238-877-9 TALC			[1]	2.5 <= x % < 10
CAS: 104376-72-9 ETHOXYLATED BENZYL-P-HYDROXY-DIPHENYL	Aquatic Chronic 3, H412	R52/53		0 <= x % < 2.5

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

CAS: 34590-94-8 EC: 252-104-2 REACH: 01-2119450011-60-0000 DIPROPYLENE GLYCOL MONOMETHYL ETHER			[1]	0 <= x % < 2.5
INDEX: 612-004-00-5 CAS: 121-44-8 EC: 204-469-4 REACH: 01-2119475467-26 TRIETHYLAMINE	GHS02, GHS05, GHS07 Dgr Flam. Liq. 2, H225 Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Corr. 1A, H314	C,F C;R35 Xn;R20/21/22 F;R11	[1]	0 <= x % < 2.5
CAS: 14808-60-7 EC: 238-878-4 QUARTZ			[1]	0 <= x % < 2.5
CAS: 2682-20-4 EC: 220-239-6 2-METHYL-4-ISOTHIAZOLIN-3-ONE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400 M Acute = 1	T,N T;R24/25 C;R34 Xi;R37-R43-R41 N;R50	[1]	0 <= x % < 2.5
INDEX: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 1,2-BENZISOTHIAZOL-3(2H)-ONE	GHS05, GHS07, GHS09 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1	Xn,N Xn;R22 Xi;R38-R41-R43 N;R50		0 <= x % < 2.5
INDEX: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 POTASSIUM HYDROXIDE	GHS05, GHS07 Dgr Acute Tox. 4, H302 Skin Corr. 1A, H314	C C;R35 Xn;R22	[1]	0 <= x % < 2.5

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

This Safety Data Sheet is prepared in accordance with
Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)
- nitrogen dioxide (NO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)

CAS	VME-mg/m ³ :	VME-ppm :	VLE-mg/m ³ :	VLE-ppm :	Notes :
34590-94-8	308	50	-	-	Peau

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

121-44-8	8.4	2	12.6	3	Peau
----------	-----	---	------	---	------

- France (INRS - ED984 :2008) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
13463-67-7	-	10	-	-	-	-
34590-94-8	50	308	-	-	*	84
121-44-8	1	4.2	3	12.6	*	49, 49 Bis
14808-60-7	-	0.1 A	-	-	-	25
1310-58-3	-	-	-	2	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
13463-67-7	10 mg/m3	-	-	-	TI
14807-96-6	1 mg/m3	-	-	-	R
34590-94-8	50 ppm	-	-	-	-
121-44-8	2 ppm	4 ppm	-	-	-
14808-60-7	0.3 mg/m3	-	-	-	R
1310-58-3	-	2 mg/m3	-	-	-

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Final use: Workers.

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL : 10 ppm

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL : 700 mg/kg body weight/day

Predicted no effect concentration (PNEC):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Environmental compartment: Air.

PNEC : 1667 mg/kg

Environmental compartment: Soil.

PNEC : 100 mg/kg

Environmental compartment: Fresh water.

PNEC : 0.127 mg/l

Environmental compartment: Sea water.

PNEC : 1 mg/l

Environmental compartment: Intermittent waste water.

PNEC : 0.61 mg/l

Environmental compartment: Fresh water sediment.

PNEC : 1000 mg/kg

Environmental compartment: Marine sediment.

PNEC : 100 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC : 100 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

This Safety Data Sheet is prepared in accordance with
Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****General information :**

Physical state : Viscous liquid.

Important health, safety and environmental information

pH : Not relevant.

Boiling point/boiling range : 100 °C.

Flash point interval : Not relevant.

Vapour pressure (50°C) : Not relevant.

Density : > 1

Water solubility : Soluble.

Melting point/melting range : Not relevant.

Self-ignition temperature : Not relevant.

Decomposition point/decomposition range : Not relevant.

9.2. Other information

V.O.C: 70g/l (mixture)

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid**10.5. Incompatible materials****10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)

- nitrogen oxide (NO)

- nitrogen dioxide (NO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

No data available.

11.1.1. Substances

This Safety Data Sheet is prepared in accordance with
Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

Acute toxicity :

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Oral route : LD50 > 4.000 mg/kg

Species : Rat (recommended by the CLP)

Dermal route : LD50 = 9.510 mg/kg

Species : Rabbit (recommended by the CLP)

ETHOXYLATED BENZYL-P-HYDROXY-DIPHENYL (CAS: 104376-72-9)

Oral route : LD50 >= 5000 mg/kg

Species : Rat (recommended by the CLP)

Dermal route : LD50 >= 1130 mg/kg

Species : Rat (recommended by the CLP)

Inhalation route : LC50 >= 1010 mg/m3

Species : Rat (recommended by the CLP)

TITANIUM DIOXIDE (CAS: 13463-67-7)

Oral route : LD50 > 10000 mg/kg

Species : Rat

Dermal route : LD50 > 10000 mg/kg

Species : Rabbit

Inhalation route : LC50 > 6.8 mg/l

Species : Rat

Skin corrosion/skin irritation :

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious damage to eyes/eye irritation :

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitisation :

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 406 (Skin Sensitisation)

Specific target organ systemic toxicity - repeated exposure :

TITANIUM DIOXIDE (CAS: 13463-67-7)

Oral route : C = 3500 mg/kg bodyweight/jour

Species : Rat

Duration of exposure : 90 days

Inhalation route : C = 10 mg/litre/6h/day

Species : Rat

Duration of exposure : 90 days

11.1.2. Mixture**Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION**12.1. Toxicity****12.1.1. Substances**

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)

Fish toxicity : LC50 = 10.000 mg/l

Species : Pimephales promelas

Duration of exposure : 96 h

Crustacean toxicity : EC50 = 1.919 mg/l

Species : Daphnia magna

Duration of exposure : 48 h

Algae toxicity : ECr50 = 1.000 mg/l

Species : Selenastrum capricornutum

Duration of exposure : 72 h

TITANIUM DIOXIDE (CAS: 13463-67-7)

Fish toxicity : LC50 > 100 mg/l

This Safety Data Sheet is prepared in accordance with
Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

Species : Oncorhynchus mykiss
Duration of exposure : 96 h
OECD Guideline 203 (Fish, Acute Toxicity Test)
Crustacean toxicity : EC50 > 100 mg/l
Species : Daphnia magna
Duration of exposure : 48 h
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Algae toxicity : ECr50 = 16 mg/l
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h
Other guideline

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS: 34590-94-8)
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.
ETHOXYLATED BENZYL-P-HYDROXY-DIPHENYL (CAS: 104376-72-9)
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.
TITANIUM DIOXIDE (CAS: 13463-67-7)
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

Exempt from transport classification and labelling.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Regulation EC 1272/2008 modified by regulation EC 618/2012

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014

- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

Title for H, EUH and R indications mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301 + H311	Toxic if swallowed or in contact with skin.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
R 11	Highly flammable.
R 20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R 22	Harmful if swallowed.
R 24/25	Toxic in contact with skin and if swallowed.
R 34	Causes burns.
R 35	Causes severe burns.
R 37	Irritating to respiratory system.
R 38	Irritating to skin.
R 41	Risk of serious damage to eyes.
R 43	May cause sensitisation by skin contact.
R 50	Very toxic to aquatic organisms.
R 52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

This Safety Data Sheet is prepared in accordance with
Annex II to Regulation (EC) No 1907/2006

First editing date : 03/04/2012
Date of last updating : 03/04/2012
Validation date : 26/06/2014