



ADJUSTABLE AUTOMATED AIRFLOW CONTROL DAMPERS



CUSTOMIZED AIRFLOW SOLUTIONS





ENERGY EFFICIENT




Want to learn more?




UL listed 24VAC/20 VA plug-in transformer included

The ZoneMaster™ Motorized Adjustable Airflow Damper is mounted in ductwork to control the amount of airflow in an HVAC system or fresh air intake system.

- Adjustable close or open position range stops
- Shipped as power closed/spring return or power open/spring return
- Available in 6", 8", 10" & 12" diameters
- 20 gauge blade closes against gasket for minimal leakage
- Simple easy-to-wire, two wire installation
- Safe, UL listed 24V 15VA stud mount transformer included
- Tremendous energy saver
- Free-wheeling coupling for long life
- 8" long metal housing



HVAC ZONING - SEASONAL ZONING




FRESH AIR INTAKE

PATENT PENDING COUPLER


Fully adjustable for both powered and unpowered positions for optimal airflow control to suit your specific zoning needs.



Zone Control System:



Stand Alone Device:



Model	Diameter	Power "OFF"	Housing Gauge
ZC206	6"	Closed	25
ZC208	8"	Closed	25
ZC210	10"	Closed	22
ZC212	12"	Closed	22

Model	Diameter	Power "OFF"	Housing Gauge
ZO206	6"	Open	25
ZO208	8"	Open	25
ZO210	10"	Open	22
ZO212	12"	Open	22