

A BIOPRO SOIL CONDITIONER

Benefits of Use:

- May aid in micronutrient uptake
- Easily applied through fertigation, conventional spray or root injection

EnviroPlex is a unique, highly concentrated liquid soil conditioner produced from a proprietary humate extraction process. EnviroPlex contains 22% humic acid derived from Leonardite Ore. Humic acids may aid in the uptake of micronutrients.

2.5 Gal. Jug (9.46 L) Net Wt. 22.4 lbs. (10.2 kg) Model No. 57004

30 Gal. Drum (113.6 L) Net Wt. 268.8 lbs. (121.9 kg) Model No. 57005



EnviroPlex[™]

F002182

APPLICATION INSTRUCTIONS:

EnviroPlex can be applied through fertigation, conventional spray, or root injection. It may be applied alone or tank mixed with other products. Shake well before using.

CONVENTIONAL SPRAY:

Apply 3 to 6 oz. diluted in 1 to 2 gallons of water per 1,000 sq. ft. (1 to 2 gallons diluted in 40 to 80 gallons of water per acre) per month.

ROOT ZONE INJECTION:

Dilution Rate: Mix 12 fl. oz. of EnviroPlex per 100-gallon tank. Apply up to 4 times per year or as needed.

Operating pressure: 150 – 200 lbs PSI or ½ gal per 4 seconds

Area Method:

Trees: Apply 50 gallons of solution per 1,000 sq. ft. Inject 4-8 inches into the soil where the feeder roots typically occur. Begin injections 1-3 feet out from the trunk to avoid injury to large roots and work in a grid pattern away from the tree to within 2 feet of the drip line. Apply 1 pint (16 fl. oz.) of diluted solution per injection site at 18 inch spacing or $\frac{1}{2}$ gallon (64 fl. oz.) of diluted solution per injection site at 3 foot spacing.

Shrubs: Apply 50 gallons of solution per 1,000 sq. ft. Inject one pint (16 fl. oz.) of diluted solution per injection site. Inject 4-6 inches into the soil with 18 inch spacing between injections.

DBH Method: Use the chart below to determine the volume of diluted solution to apply per inch of trunk diameter at breast height (DBH).

Tree Size (DBH Inch)	Diluted Solution / Inch DBH	
Very Small (1-4")	0.5 gallon (64 fl. oz)	
Sm (5-7")	1 gallon	
Sm - Med (8-11")	1.5 gallons	
Medium (12-15")	2 gallons	
Med – Lrg (15-19")	2.5 gallons	
Large (20+")	3 gallons	

COMPATIBILITY: Do not mix with calcium-based and/or high phosphate fertilizers. Perform a standard "jar test" to check compatibility with other products before mixing. Fertilizers with a pH of 4.0 or less may not be compatible.

(!)

WARNING

CAUSES SERIOUS EYE IRRITATION. CAUSES SKIN IRRITATION HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENTS: Keep out of reach of children. Read label before use. If medical advice is needed, have product container or label at hand. Avoid breathing mist or spray. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Recommended PPE: Wear protective gloves, protective clothing, eye protection, face protection, and other personal protective equipment as required.

FIRST AID: IF SWALLOWED: Call a poison center and/or doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing eyes. Seek medical attention if eye irritation persists. IF ON SKIN: Rinse skin with water or shower.

STORAGE & DISPOSAL: Store between 40°-120°F. Avoid direct heat or fire. Decomposition may occur at high temperatures. Avoid freezing. Dispose of contents/container in accordance with local/regional/national and international regulations.

Refer to product SDS for additional safety instructions.

CONTAINS NONPLANT FOOD INGREDIENT:

Active Ingredient:

22% Humic Acids derived from Leonardite ore

Inert Ingredient:

78% Leonardite ore aqueous solution

Physical Characteristics:

8.96 lbs./gal @ 68°F

Information regarding the contents and levels of metals in this product is available on the internet at: http://www.aapfco.org/metals.html

Information about the components of this lot of fertilizer may be obtained by writing to BioPro Technologies, LLC, 4060 SE 45th Court, Ocala, FL 34480

BioPro Technologies, LLC warrants that this product is effective for all of the purposes recommended on this label when applied in accordance with the application instructions.



NAME OF PRODUCT: EnviroPlex TM

FILE NO.: BPTEP-2018Q1

Preparation Date: 12/13/2016 **Revision:** 05/18/2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT CODES: BPT- EP
PRODUCT NAME: EnviroPlex
SYNONYMS: organic acid blend

MANUFACTURER: BioPro Technologies, LLC **ADDRESS:** 4060 SE 45th Court, Ocala, FL 34480

EMERGENCY PHONE: (888) 545-6307

CHEMTREC PHONE:

OTHER CALLS: (352) 620-2020 FAX PHONE: (352) 620-0312

PRODUCT USE: Turf management PREPARED BY: E.F. Wilson III

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Health:	Environmental:	Physical:
Eye Effects: Category 2(b) Respiratory Irritation: Category 3 Skin Irritation: Category 3	Acute Aquatic Toxicity: Unknown	No Physical Hazards Present

GHS Pictogram:



ANSI/Old Pictogram:



Signal Word: Warning

Hazard Statements:

H302 - Harmful if swallowed.

H316 - Causes mild skin irritation.

H320 - Causes eye irritation.

H335 - May cause respiratory irritation.

Precautionary Statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P261: Avoid breathing dust/fume/gas/mist/vapors/spray

P262: Do not get in eyes, on skin, or on clothing

P271: Use only outdoors or in a well ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P281: Use personal protective equipment as required

P353: Rinse skin with water/shower

If swallowed: DO NOT induce vomiting. Call a poison center and/or doctor if you feel unwell.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing eyes. Seek medical attention if eye irritation persists.

NAME OF PRODUCT: EnviroPlex TM

FILE NO.: BPTEP-2018Q1

Preparation Date: 12/13/2016

Revision: 05/18/2018

SECTION 2 NOTES:

Physical Description (also see Section 9): Dark brown to black liquid; slight earthy odor

Medical Conditions Aggravated by Long-Term Exposure:Persons with existing skin lesions should exercise caution when using or handling this product. These individuals should also avoid all contact with possible spray mist.

Chronic Effects: Prolonged or repeated skin contact may cause dermatitis. Ingestion may irritate gastrointestinal tract.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

Organic acids from leonardite ore

Guaranteed Analysis: 22.0% Organic Acids

*AS PER 29 CFR §1910.1200, THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

IF INHALED: Remove to fresh air. Get immediate medical attention.

IF ON SKIN (OR HAIR): Immediately flush with large quantities of water. Remove contaminated clothing under a safety shower. Continue rinsing. Obtain medical attention if irritation occurs.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Remove contact lenses, if present and easy to do. If eye irritation persists: Get medical advice/attention

IF SWALLOWED: DO NOT induce vomiting. If conscious, give large amounts of water to drink. Follow with diluted vinegar, fruit juice or white of eggs beaten with water. Get immediate medical attention.

SECTION 4 NOTES: Provide general supportive measures and treat symptomatically. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Product is corrosive to eyes, skin, and internal organs.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES: Non-flammable

FLASH POINT: Sample begins to boil but no flash is observed

AUTOIGNITION TEMPERATURE: Not applicable, mixture will not auto-ignite

NFPA HAZARD CLASSIFICATION

HEALTH: 1 **FLAMMABILITY:** 0 **REACTIVITY:** 0

OTHER: 0

EXTINGUISHING MEDIA: Water spray, dry chemical, carbon dioxide, or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Prevent runoff from entering water systems. Keep non-essential personnel out of fire area. There are no special firefighting procedures. Cool sealed containers to reduce risk of rupture due to excessive heat.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move containers from fire area if you can do so without risk. Keep containers/storage vessels in fire area cooled with water spray. Move container from fire area if possible without risk.

NAME OF PRODUCT: EnviroPlex TM

Preparation Date: 12/13/2016

FILE NO.: BPTEP-2018Q1

Revision: 05/18/2018

UNUSUAL FIRE AND EXPLOSION HAZARDS: Containers exposed to fire may rupture violently. Keep containers cool with water spray.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Keep people away from any upwind of spill/leak. Keep out of low areas. Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

ENVIRONMENTAL PRECAUTIONS: Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

CONTAINMENT METHODS AND CLEANUP: Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite. Small Spills: Wear protective equipment. Prevent spill from entering water systems. Absorb spill on inert material such as clay, vermiculite or kitty litter. Place absorbed material into labeled container for proper disposal. Dispose of in accordance with local, State, and Federal laws and regulations; see Section 13.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with skin and eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Store in a cool, dry, locked area out of reach of children and animals.

OTHER PRECAUTIONS: THIS PRODUCT IS FOR AGRICULTURAL AND HORTICULTURAL USE ONLY AND IS NOT INTENDED FOR OTHER APPLICATIONS. USE NORMAL SAFE HANDLING PROCEDURES AS WITH ALL CHEMICALS. SEE LABEL FOR APPLICATION INSTRUCTIONS AND DIRECTIONS FOR USE.

SECTION 7 NOTES: Store locked up. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in open, outdoor areas only.

VENTILATION: Not normally needed.

RESPIRATORY PROTECTION: In confined areas, NIOSH/MSMA approved respirator.

EYE PROTECTION: Splash proof goggles are recommended while pouring and handling to prevent eye contact from splash.

SKIN PROTECTION: Rubber/nitrile gloves are recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Wear suitable protective clothing. Wash contaminated clothing prior to reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

WORK HYGIENIC PRACTICES: When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

EXPOSURE GUIDELINES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Dark brown to black

ODOR: slight earth odor
PHYSICAL STATE: Liquid
pH AS SUPPLIED: 10.50

NAME OF PRODUCT: EnviroPlex TM

Preparation Date: 12/13/2016

FILE NO.: BPTEP-2018Q1

Revision: 05/18/2018

WEIGHT: 8.88 lbs. per gal./ 1.06 Kg/L

BOILING POINT:

F: 212 **C**: 100

MELTING POINT/FREEZING POINT:

F: 32 **C**: 0

VAPOR PRESSURE (mmHg): Unknown

VAPOR DENSITY (AIR = 1): Unknown

DENSITY (g/cm3):

SPECIFIC GRAVITY (H2O = 1):

EVAPORATION RATE: Not determined.

BASIS (=1):

SOLUBILITY IN WATER: Complete

PERCENT VOLATILE: No volatility present

VOLATILE ORGANIC COMPOUNDS (VOC): NONE

MOLECULAR WEIGHT: No data present

VISCOSITY: No data present

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID (STABILITY): Avoid extreme heat. Do not freeze.

INCOMPATIBILITY (MATERIAL TO AVOID): Fertilizers with pH less than 4.0 may not be compatible. Do not apply with Calcium based

products.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxides of carbon

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Temperatures above 120°F (49°C) and below 32°F (0°C).

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not determined; no data available.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Accidental spills of undiluted product may cause vegetation kills. Keep out of any body of water; may harm aquatic life.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

NAME OF PRODUCT: EnviroPlex TM

FILE NO.: BPTEP-2018Q1

Preparation Date: 12/13/2016 **Revision:** 05/18/2018

HAZARDOUS WASTE CODE: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

RCRA HAZARD CLASS: NOT APPLICABLE

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: EnviroPlex HAZARD CLASS: Not regulated

OCEAN/WATER TRANSPORTATION

PROPER SHIPPING NAME: EnviroPlex

AIR TRANSPORTATION

PROPER SHIPPING NAME: EnviroPlex

Cargo Aircraft only

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

EPA Regulations: Not regulated by EPA under FIFRA or FQPA.

OSHA Regulations: Refer to Sections 2 & 8.

State Regulations: Check with specific state authorities since regulations vary within states.

Other Regulations:

SARA Title III; Sections 311/312: Sudden Release of Pressure (N), Reactivity (N), Fire (N), Immediate (Acute) Health (Y), Delayed (Chronic) Health (N).

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESS OR IMPLIED. THIS INFORMATION IS FURNISHED AS THAT OF BEING TO THE BEST KNOWLEDGE OF BIOPRO TECHNOLOGIES, LLC AND/OR ECOLOGEL SOLUTIONS, LLC. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIALS DESIGNATED HEREIN. ECOLOGEL SOLUTIONS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OR RELIANCE UPON THIS DATA.