

**FOR THE REMOVAL OF  
LOCALIZED DRY SPOTS...**

**GUARANTEED!**

# FOURPlay™



**Combines the power of:**

- **Hydretain® Root Zone Moisture Manager**
- **SeaXtra™ Proprietary Seaweed Extract**
- **Renewable Resource Non-ionic Surfactant**
- **Potassium Humate Soil Conditioner**

Reduces watering requirements while maintaining proper root zone moisture levels • Optimizes natural root development • Aids penetration through hydrophobic soils and thatch layers • Increases nutrient availability.



**For use on:**

- **Turf • Trees • Shrubs**
- **Ornamentals • Flowers**
- **Fruits • Vegetables**



# FOR THE GUARANTEED REMOVAL OF LOCALIZED DRY SPOTS

**Maximum Water Conservation  
and Drought Protection Technology**



# FOURPlay™

• 76 % Hydretain® • 9.5 % SeaXtra™ • 4.5% Humate • 10% Non-ionic Surfactant

**A unique blend of 4 proven technologies that maximize water efficiency within the soil matrix, improving water penetration and increasing nutrient availability while controlling and eliminating localized dry spots.**

**Application:**

**Existing Turf:** Initial application - Apply 9 oz. of FourPlay diluted in a minimum of one gallon or more of water for each 1,000 sq. ft of turf (3 gallons of FourPlay per acre). Water-in thoroughly after application. Repeat monthly at 3 oz. of FourPlay diluted in one gallon or more of water for each 1,000 sq. ft of turf (1 gallon of FourPlay per acre). For best results apply to moist soil. Water in with at least 1/10 inch of water within the first hour to insure FourPlay is washed off foliage and into the soil. Within 24 hours, follow with enough additional water to carry FourPlay down to and throughout the root zone. (The amount of additional water required to carry FourPlay throughout the root zone is dependant on the depth of the root zone of the treated area. Usually 1/4 to 1/2 inch of water is required.) Additional FourPlay may be applied if necessary to correct extremely difficult localized dry spots.

**Turf Establishment Including Sodding, Seeding and Sprigging:** Apply FourPlay at the same rates as Existing Turf. For hydroseeding mix in hydroseeding tank at a rate of 9 ounces of FourPlay for each 1,000 square feet of hydroseeding area.

**Trees, Shrubs & Individual Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench thoroughly saturating the root zone. For maximum effectiveness on trees apply 4 to 8 ounces of concentrate for each inch of trunk diameter. Dilution rate is variable from 50:1 to 300:1.

**Potted or Containerized Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench, thoroughly saturating the planting media. Media should be dry enough to hold as much diluted FourPlay as possible. FourPlay may be applied through existing injectors at rates between 50:1 and 100:1. Higher dilution rates may require multiple applications to achieve desired results.

**Large Planters & Gardens:** Dilute FourPlay at a rate of 2 oz. per gallon of water or through injectors at a rate of 50:1 to 100:1 and apply at a rate of 2 ounces of concentrate per 60 sq. ft of area. One gallon treats 4,000 square feet.

**For Best Results:** Water thoroughly when re-watering FourPlay treated plants. FourPlay is biodegradable. For maximum effectiveness reapply monthly at a 1/3 rate or when required watering becomes more frequent. Reapply if a reduction in watering is not apparent within the first two weeks.

**Warranty:** Ecologel Solutions, LLC warrants that when used in accordance with label directions this product is reasonably fit for its intended purpose. Since method of application, weather, plant and soil conditions, mixture with other chemicals, etc. are beyond our control, there are no warranties or representations of any kind, express or implied, concerning this product. Ecologel Solutions, LLC is not liable for damages relating to the use or misuse of this product. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at the Company's sole discretion, refunding of the purchase price paid by buyer or replacement of the product used.

**For use on: Turf • Trees • Shrubs • Ornamentals • Flowers • Fruits • Vegetables**

**Made in the USA      Net Contents 2.5 US Gallon 9.46 Liters      NOT A PLANT FOOD**

**Ecologel Solutions, LLC • Ocala, FL • (888) 545-6307 • [www.ecologel.com](http://www.ecologel.com)**

# The Ultimate Solution for Localized Dry Spots

Maximum Water Conservation  
and Drought Stress Protection



# FOURPlay™

Hydretain® • SeaXtra® • Humate • Non-ionic Surfactant

A unique blend of 4 proven technologies that maximize water efficiency within the root zone, improving water penetration and increasing nutrient availability while controlling and eliminating localized dry spots.

For Use On: Turf • Trees • Shrubs • Ornamentals • Flowers • Fruits • Vegetables

Warranty: Ecologel Solutions, LLC warrants that this product is effective for all of the purposes recommended on this label when applied in accordance with the application instructions. Ecologel Solutions, LLC is not liable for damages relating to the use or misuse of this product. No other warranties or representations, express or implied, not herein stated are offered.

Net Contents: 32 oz Quart (.95 L)

Net Weight: 2.65 lbs (1.2 kg)

Treats up to 3,500 sq. ft.

Made in the USA

**Ecologel**  
SOLUTIONS, LLC

**APPLICATION INSTRUCTIONS:**

Shake well before using. Break tab on hose-end sprayer before turning knob to the "on" position.

**Existing Turf:** Initial application - Through hose-end sprayer, apply 9 oz. of FourPlay per 1,000 sq. ft of turf. Water-in thoroughly after application. The amount of water required to carry FourPlay throughout the root zone is dependant on the depth of the root zone of the treated area. (Usually 1/4 to 1/2 inch of water is required.) Repeat monthly at 3 oz. of FourPlay diluted in one gallon or more of water per 1,000 sq. ft of turf. For best results apply to moist soil. Additional FourPlay may be applied if necessary to correct extremely difficult localized dry spots. FourPlay may be applied at up to 5 times the general rate as a single treatment or in multiple applications.

**Turf Establishment Including Sodding, Seeding and Sprigging:** Apply FourPlay at the same rates as existing turf. Water in with only enough water to rinse FourPlay off foliage and into the soil at seed level or the root area of new sod or sprigs. For hydroseeding, mix in tank at a rate of 9 oz per 1,000 sq ft of hydroseeding area.

**Trees, Shrubs & Individual Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench thoroughly saturating the root zone. Apply 4 - 8 oz. of concentrate per inch of trunk diameter.

**Large Planters & Gardens:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply at a rate of 2 ounces of concentrate per 60 sq. ft of area. One quart treats 1,000 square feet.

**Potted or Containerized Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench, thoroughly saturating the planting media. Media should be dry enough to hold as much diluted FourPlay as possible.

**NON PLANT FOOD INGREDIENTS**

Soil Amending Guaranteed Analysis

Active Ingredients:

Humectants .....	41.25%
(sugar alcohols, polysaccharides and neutral salts of alpha-hydroxypropionic acid)	
Non-ionic surfactant .....	10.00%
(alkyl polyglycoside)	
Humic Acid derived from Leonardite Ore. ....	0.90%
Seaweed Extract (microbe food) .....	4.25%
(Ascophyllum nodosum)	
Total Non-amending/Inert Ingredients. ....	43.60%
(Water and <1% Stabilizers)	

**For Best Results:** Water thoroughly when re-watering FourPlay treated plants. FourPlay is biodegradable. For maximum effectiveness reapply monthly at a 1/3 rate or when required watering becomes more frequent. Reapply if a reduction in watering is not apparent within the first two weeks.

**Caution:** If applied to open flower blooms, rinse with plain water to reduce the possibility of pulling moisture from sensitive flower petals.

**GHS CLASSIFICATION:** This product is not classified as hazardous under the Globally Harmonized System of Classification and Labelling of Chemicals.

**STORAGE & DISPOSAL:** Store between 40°-120°F. Avoid direct heat or fire. Decomposition may occur at high temperatures. Avoid freezing. Dispose of contents/container in accordance with local/regional/national and international regulations. Refer to product SDS for additional safety instructions.

**KEEP OUT OF REACH OF CHILDREN**

Ecogel Solutions, LLC

4060 SE 45th Court • Ocala, FL 34480 • 352-390-6502 • [www.ecogel.com](http://www.ecogel.com)

Copyright 2022. Ecogel Solutions, LLC. All Rights Reserved. R20220609



# The Ultimate Solution for Localized Dry Spots

Maximum Water Conservation  
and Drought Stress Protection



# FOURPlay™

**Hydretain® • SeaXtra® • Humate • Non-ionic Surfactant**

A unique blend of 4 proven technologies that maximize water efficiency within the root zone, improving water penetration and increasing nutrient availability while controlling and eliminating localized dry spots.

**For Use On: Turf • Trees • Shrubs • Ornamentals • Flowers • Fruits • Vegetables**

Warranty: Ecologel Solutions, LLC warrants that this product is effective for all of the purposes recommended on this label when applied in accordance with the application instructions. Ecologel Solutions, LLC is not liable for damages relating to the use or misuse of this product. No other warranties or representations, express or implied, not herein stated are offered.

Net Contents: 1 Gallon Jug (3.79 L)

Net Weight: 10.6 lbs (4.79 kg)

Treats up to 14,000 sq. ft.

Made in the USA

**Ecologel**  
SOLUTIONS LLC

**Application Instructions:**

Shake well before using.

**Existing Turf:** Initial application - Apply 9 oz. of FourPlay diluted in a minimum of one gallon of water per 1,000 sq. ft of turf (3 gallons of FourPlay per acre). Water-in thoroughly after application. Repeat monthly at 3 oz. of FourPlay diluted in one gallon or more of water per 1,000 sq. ft of turf (1 gallon of FourPlay per acre). For best results apply to moist soil. Water in with at least 1/10 inch of water within the first hour to ensure FourPlay is washed off foliage and into the soil. Within 24 hours, follow with enough additional water to carry FourPlay down to and throughout the root zone. (The amount of additional water required to carry FourPlay throughout the root zone is dependant on the depth of the root zone of the treated area. Usually 1/4 to 1/2 inch of water is required.) Additional FourPlay may be applied if necessary to correct extremely difficult localized dry spots.

**Turf Establishment Including Sodding, Seeding and**

**Sprigging:** Apply FourPlay at the same rates as existing turf. Water in with only enough water to rinse FourPlay off foliage and into the soil at seed level or the root area of new sod or sprigs. For hydroseeding, mix in tank at a rate of 9 oz per 1,000 sq ft of hydroseeding area.

**Trees, Shrubs & Individual Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench thoroughly saturating the root zone. For maximum effectiveness on trees apply 4 to 8 ounces of concentrate for each inch of trunk diameter. Dilution rate is variable from 50:1 to 300:1.

**Potted or Containerized Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench, thoroughly saturating the planting media. Media should be dry enough to hold as much diluted FourPlay as possible. FourPlay may be applied through existing injectors at rates between 50:1 and 100:1. Higher dilution rates may require multiple applications to achieve desired results.

**Large Planters & Gardens:** Dilute FourPlay at a rate of 2 oz. per gallon of water or through injectors at a rate of 50:1 to 100:1 and apply at a rate of 2 ounces of concentrate per 60 sq. ft of area. One gallon treats 4,000 square feet.

**NON PLANT FOOD INGREDIENTS**

Soil Amending Guaranteed Analysis

Active Ingredients:

Humectants .....	41.25%
(sugar alcohols, polysaccharides and neutral salts of alpha-hydroxypropionic acid)	
Non-ionic surfactant. ....	10.00%
(alkyl polyglycoside)	
Humic Acid derived from Leonardite Ore ...	0.90%
Seaweed Extract (microbe food) .....	4.25%
(Ascophyllum nodosum)	

Total Non-amending/Inert Ingredients. .... 43.60%  
(Water and <1% Stabilizers)

**For Best Results:** Water thoroughly when re-watering FourPlay treated plants. FourPlay is biodegradable. For maximum effectiveness reapply monthly at a 1/3 rate or when required watering becomes more frequent. Reapply if a reduction in watering is not apparent within the first two weeks.

**Caution:** If applied to open flower blooms, rinse with plain water to reduce the possibility of pulling moisture from sensitive flower petals.

**GHS CLASSIFICATION:** This product is not classified as hazardous under the Globally Harmonized System of Classification and Labelling of Chemicals.

**STORAGE & DISPOSAL:** Store between 40°-120°F. Avoid direct heat or fire. Decomposition may occur at high temperatures. Avoid freezing. Dispose of contents/ container in accordance with local/regional/national and international regulations.  
Refer to product SDS for additional safety instructions.

**KEEP OUT OF REACH OF CHILDREN**



**FOR THE REMOVAL OF  
LOCALIZED DRY SPOTS...**

**GUARANTEED!**

**FOURPlay™**



**Maximum Water Conservation  
and Drought Protection Technology**

**76% Hydretain • 9.5% SeaXtra  
4.5% Humate • 10% Non-ionic Surfactant**

**A unique blend of 4 proven technologies that maximize water efficiency within the soil matrix, improving water penetration and increasing nutrient availability while collectively controlling and eliminating LDS (localized dry spots):**

**Hydretain Root Zone Moisture Manager -**

Manages moisture levels at the roots by capturing vapor which would otherwise be lost to evaporation and then converting it back into liquid water that is more available to plant roots, thus sustaining the plant through dry periods which may cause browning and wilt.

**SeaXtra™ Proprietary Seaweed Extract -**

Sourced from high quality Ascophyllum nodosum, SeaXtra contains synergistic bioactive components and organic content that improve nutrient availability and optimize the plant's natural potential for root development and stress tolerance.

**Renewable Resource Non-ionic Surfactant -**

Designed specifically to allow FOURPlay to penetrate through thatch layers and hydrophobic soils, down to and throughout the root zone where Hydretain is designed to function.

**Potassium Humate Soil Conditioner -**

Encourages beneficial soil biology, improves soil structure, increases soil water holding capacity and cation exchange capacity (CEC).

**Application:**

**Existing Turf:** Initial application - Apply 9 oz. of FourPlay diluted in a minimum of one gallon or more of water for each 1,000 sq. ft of turf (3 gallons of FourPlay per acre). Water-in thoroughly after application. Repeat monthly at 3 oz. of FourPlay diluted in one gallon or more of water for each 1,000 sq. ft of turf (1 gallon of FourPlay per acre). For best results apply to moist soil. Water in with at least 1/10 inch of water within the first hour to insure FourPlay is washed off foliage and into the soil. Within 24 hours, follow with enough additional water to carry FourPlay down to and throughout the root zone. (The amount of additional water required to carry FourPlay throughout the root zone is dependant on the depth of the root zone of the treated area. Usually 1/4 to 1/2 inch of water is required.) Additional FourPlay may be applied if necessary to correct extremely difficult localized dry spots.

**Turf Establishment including Sodding, Seeding & Sprigging:** Apply FourPlay at the same rates as Existing Turf. For hydroseeding mix in hydroseeding tank at a rate of 9 ounces of FourPlay for each 1,000 square feet of hydroseeding area.

**Trees, Shrubs & Individual Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench thoroughly saturating the root zone. For maximum effectiveness on trees apply 4 to 8 ounces of concentrate for each inch of trunk diameter. Dilution rate is variable from 50:1 to 300:1.

**Potted or Containerized Plants:** Dilute FourPlay at a rate of 2 oz. per gallon of water and apply by drench, thoroughly saturating the planting media. Media should be dry enough to hold as much diluted FourPlay as possible. FourPlay may be applied through existing injectors at rates between 50:1 and 100:1. Higher dilution rates may require multiple applications to achieve desired results.

**Large Planters & Gardens:** Dilute FourPlay at a rate of 2 oz. per gallon of water or through injectors at a rate of 50:1 to 100:1 and apply at a rate of 2 ounces of concentrate per 60 sq. ft of area. One gallon treats 4,000 square feet.

**For Best Results:** Water thoroughly when re-watering FourPlay treated plants. FourPlay is biodegradable. For maximum effectiveness reapply monthly at a 1/3 rate or when required watering becomes more frequent. Reapply if a reduction in watering is not apparent within the first two weeks.

**100% Money Back Guarantee -** FourPlay is guaranteed, when used in accordance with the manufactures application instructions, to eliminate or control localized dry spot (LDS). If after 90 days (3 applications), LDS are not under control the manufacturer or through the supplying distributor will refund to the original purchaser 100% of their initial FourPlay purchase price. Purchaser agrees to return the unused portion of their initial purchase. This guarantee limited to one case (5 gallons) per customer.

**Not A Plant Food Ingredient**

Hydretain is a registered trademark of Ecologel Solutions, LLC. SeaXtra is a trademark of BioPro Technologies, LLC. FourPlay is manufactured in the United States

**Ecologel Solutions, LLC • Ocala, FL • (888) 545-6307 • [www.ecologel.com](http://www.ecologel.com)**

# SAFETY DATA SHEET

FILE NO.: FP-2015Q2

NAME OF PRODUCT: **FourPlay**

Preparation Date: 01/21/2014

Revision: 05/22/2015

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT CODES:** ESL-FP  
**PRODUCT NAME:** FourPlay  
**SYNONYMS:** Product blend of Hydretain root zone moisture manager, Non-Ionic Surfactant, Potassium Humate, and Seaweed Extract

**MANUFACTURER:** Ecologel Solutions, LLC  
**ADDRESS:** 4060 SE 45<sup>th</sup> Court, Ocala, FL 34480

**EMERGENCY PHONE:** (888) 545-6307  
**CHEMTREC PHONE:** N/A  
**OTHER CALLS:** (352) 620-2020  
**FAX PHONE:** (352) 620-0312

**PRODUCT USE:** Ornamental Turf, Nursery, Landscape Management  
**PREPARED BY:** E.F. Wilson III

## SECTION 2: HAZARDS IDENTIFICATION

**GHS CLASSIFICATION:** This product is NOT classified as hazardous or toxic according to 29 CFR 1910(Subpart Z), amended to conform to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (OSHA / GHS); SOR/88-66, the Canadian Controlled Products Regulations (CPR); and/or NOM-002-SCT-2003 (Mexico); and/or the European Union "Classification, Labelling and Packaging" (CLP), Regulation (EC) 1272/2008.

Potential hazards associated with this product are below the threshold limits for categorization as a "Hazardous Chemical" under the OSHA/GHS standards noted above. As such, this product is not required to bear a GHS compliant label.

Health:	Environmental:	Physical:
Acute Toxicity: None Known (NK) Skin Irritation: Below Category 3 threshold Skin Corrosion: NK Eye Effects: Below Category 2(b) threshold Skin Sensitization in rare instances; NK Mutagenicity/Carcinogenicity: NK Reproductive/Dev.: NK	Acute Aquatic Toxicity: NK Chronic Aquatic Toxicity: NK	No Physical Hazards Present

Hazard Statements:	Precautionary Statements:
H316: Causes mild skin irritation H317: May cause an allergic skin reaction H320: Causes eye irritation H335: May cause respiratory irritation H303: May be harmful if swallowed	P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P103: Read label before use P262: Do not get in eyes, on skin, or on clothing P280: Wear protective gloves/protective clothing/eye protection/face protection P281: Use personal protective equipment as required P353: Rinse skin with water/shower

### SECTION 2 NOTES:

DARK BROWN LIQUID. NO KNOWN TOXIC EFFECTS ASSOCIATED WITH PRODUCT.

SKIN ABSORPTION IS THE PRIMARY ROUTE OF ENTRY. PROLONGED CONTACT MAY PRODUCE IRRITATION AND ITCHING. SOME PERSONS MAY HAVE ALLERGIC REACTIONS IF SENSITIVE TO PLANT EXTRACTS. THIS PRODUCT CONTAINS A HUMECTANT AND IS ONLY SLIGHTLY IRRITATING TO THE EYES. MAY CAUSE SOME IRRITATION, REDDENING, AND/OR TEARING.



# SAFETY DATA SHEET

FILE NO.: FP-2015Q2

NAME OF PRODUCT: **FourPlay**

Preparation Date: 01/21/2014

Revision: 05/22/2015

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

### INGREDIENTS:

A PROPRIETARY BLEND OF HYDRETAIN ROOT ZONE MOISTURE MANAGER (BLEND OF HUMECTANTS AND HYGROSCOPIC COMPOUNDS\*), NON-IONIC SURFACTANT, POTASSIUM HUMATE, AND SEAWEED EXTRACTS.

\*SUGAR ALCOHOLS, POLYSACCHARIDES, NEUTRAL SALTS OF ALPHA-HYDROXYPROPRIONIC ACID

\*AS PER 29 CFR §1910.1200, THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

SARA 313 REPORTABLE - \*\*\*NO TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III AND 40 CFR 372 ARE PRESENT.\*\*\*

### SECTION 2 NOTES:

---

## SECTION 4: FIRST AID MEASURES

---

**IF INHALED:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

**IF ON SKIN (OR HAIR):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: seek medical attention.

**IF SWALLOWED:** For small quantities (less than 2oz.) give large amounts of water or milk; induce vomiting. If large amounts are ingested, seek medical attention; may cause stomach discomfort and/or have a laxative effect.

Note to Medical Response Personnel: Lavage is indicated for ingestion.

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

**FLAMMABLE LIMITS IN AIR, UPPER:** NOT APPLICABLE, MIXTURE CONTAINS NO COMBUSTIBLE GASSES (% BY VOLUME)      **LOWER:** NOT APPLICABLE, MIXTURE CONTAINS TO COMBUSTIBLE GASSES

### FLASH POINT:

**F:** SAMPLE BEGINS TO BOIL BUT NO FLASH IS OBSERVED

**C:** SAMPLE BEGINS TO BOIL BUT NO FLASH IS OBSERVED

### METHOD USED:

**AUTOIGNITION TEMPERATURE:** NOT APPLICABLE, MIXTURE WILL NOT AUTOIGNITE

### NFPA HAZARD CLASSIFICATION

**HEALTH:** NONE

**FLAMMABILITY:** NONE

**REACTIVITY:** NONE

**OTHER:** NONE

### HMIS HAZARD CLASSIFICATION

**HEALTH:** NONE

**FLAMMABILITY:** NONE

**REACTIVITY:** NONE

**PROTECTION:** NONE

**EXTINGUISHING MEDIA:** FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG, OTHER

**SPECIAL FIRE FIGHTING PROCEDURES:** LIQUID MATERIAL DOES NOT BURN. EVAPORATED DRY MATERIAL WILL BURN. THERE ARE NO SPECIAL FIREFIGHTING PROCEDURES. COOL SEALED CONTAINERS TO REDUCE RISK OF RUPTURE DUE TO EXCESSIVE HEAT.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** NONE

**HAZARDOUS DECOMPOSITION PRODUCTS:** CARBON MONOXIDE, CARBON DIOXIDE

# SAFETY DATA SHEET

FILE NO.: FP-2015Q2

NAME OF PRODUCT: **FourPlay**

Preparation Date: 01/21/2014

Revision: 05/22/2015

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**ACCIDENTAL RELEASE MEASURES:** IN CASE MATERIAL IS RELEASED OR SPILLED, FLUSH AND MOP WITH WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE. WASTE DISPOSAL: ON SITE OR IN APPROVED WASTE DISPOSAL FACILITY. DO NOT CONTAMINATE FEED OR FOOD BY STORAGE OR DISPOSAL. OBSERVE ALL FEDERAL, STATE AND LOCAL LAWS.

---

## SECTION 7: HANDLING AND STORAGE

---

**HANDLING AND STORAGE:** STABLE AT TEMPERATURES BETWEEN 40-95°F AND UNDER NORMAL LIGHT CONDITIONS. VERY STABLE WHEN KEPT IN CLOSED ORIGINAL CONTAINER IN A COOL PLACE. KEEP FROM FREEZING. DECOMPOSITION MAY OCCUR AT HIGH TEMPERATURES.

**OTHER PRECAUTIONS:** USE NORMAL SAFE HANDLING PROCEDURES AS WITH ALL CHEMICALS. SEE LABEL FOR APPLICATION INSTRUCTIONS AND DIRECTIONS FOR USE.

**SECTION 7 NOTES:** THIS MATERIAL IS BIODEGRADABLE AND NOT CONSIDERED HAZARDOUS. DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS. REGULATIONS MAY VARY DEPENDING ON JURISDICTION. DO NOT CONTAMINATE FEED OR FOOD BY STORAGE OR DISPOSAL.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**ENGINEERING CONTROLS:** NONE

**VENTILATION :** RECOMMEND LOCAL EXHAUST WELL VENTILATED.

**RESPIRATORY PROTECTION:** NOT NORMALLY NEEDED DUE TO NO TLV ASSOCIATED WITH THIS PRODUCT. USE A NUISANCE CHEMICAL OR DUST MASK IF WORKING IN SPRAY MIST.

**EYE PROTECTION:** SPLASH PROOF GOOGLES ARE RECOMMENDED WHILE POURING AND HANDLING TO PREVENT EYE CONTACT FROM SPLASH.

**SKIN PROTECTION:** RUBBER GLOVES ARE RECOMMENDED FOR NORMAL CLEANLINESS.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** PLASTIC OR RUBBERIZED CLOTHING AND PROTECTIVE ANTI-SKID BOOTS SHOULD BE WORN FOR GOOD SAFE HYGENIC PRACTICES.

**WORK HYGIENIC PRACTICES:** WASH HANDS BEFORE EATING, SMOKING, OR USING RESTROOM.

**EXPOSURE GUIDELINES:** THIS PRODUCT DOES NOT EMIT ANY FORM OF ENERGY, RADIANT OR OTHERWISE.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE:** DARK BROWN VISCOUS LIQUID

**ODOR:** SHARP ORGANIC ODOR

**PHYSICAL STATE:** LIQUID

**pH AS SUPPLIED:** 7.0

**BOILING POINT:**

F:

C:

**MELTING POINT:**

**FREEZING POINT:**

F:

C:

**VAPOR PRESSURE (mmHg):** Unknown

# SAFETY DATA SHEET

FILE NO.: FP-2015Q2

NAME OF PRODUCT: **FourPlay**

Preparation Date: 01/21/2014

Revision: 05/22/2015

VAPOR DENSITY (AIR = 1): GREATER THAN 1

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): 1.2 @ F: 74

EVAPORATION RATE:

BASIS (=1):

SOLUBILITY IN WATER: INFINITE

PERCENT SOLIDS BY WEIGHT: 0%

PERCENT VOLATILE: NO VOLATILITY PRESENT

VOLATILE ORGANIC COMPOUNDS (VOC): NONE

MOLECULAR WEIGHT: NO DATA PRESENT

VISCOSITY: NO DATA PRESENT

SECTION 9 NOTES:

---

## SECTION 10: STABILITY AND REACTIVITY

---

STABILITY: STABLE

CONDITIONS TO AVOID (STABILITY): EXCESSIVE HEAT

INCOMPATIBILITY (MATERIAL TO AVOID): NONE KNOWN

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID (POLYMERIZATION): NOT APPLICABLE

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION: THIS PRODUCT IS MANUFACTURED FROM NON-TOXIC INGREDIENTS. NO KNOWN TOXIC EFFECTS BEYOND THAT HEREIN STATED (REVERSIBLE SKIN IRRITATION, ETC.).

---

## SECTION 12: ECOLOGICAL INFORMATION

---

ECOLOGICAL INFORMATION: NO DATA AVAILABLE;

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: FOLLOW MANUFACTURER DIRECTIONS FOR PRODUCT APPLICATION.

RCRA HAZARD CLASS: NOT APPLICABLE



# SAFETY DATA SHEET

FILE NO.: FP-2015Q2

NAME OF PRODUCT: **FourPlay**

Preparation Date: 01/21/2014

Revision: 05/22/2015

---

## SECTION 14: TRANSPORT INFORMATION

---

### U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: FourPlay  
HAZARD CLASS: NON-HAZARDOUS, NOT A DOT CONTROLLED MATERIAL  
ID NUMBER: NOT APPLICABLE  
PACKING GROUP:  
LABEL STATEMENT:

### WATER TRANSPORTATION

PROPER SHIPPING NAME: FourPlay  
HAZARD CLASS: NON-HAZARDOUS, NOT A DOT CONTROLLED MATERIAL  
ID NUMBER: NOT APPLICABLE  
PACKING GROUP:  
LABEL STATEMENTS:

### AIR TRANSPORTATION

PROPER SHIPPING NAME: FourPlay  
HAZARD CLASS: NON-HAZARDOUS, NOT A DOT CONTROLLED MATERIAL  
ID NUMBER: NOT APPLICABLE  
PACKING GROUP:  
LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

---

## SECTION 15: REGULATORY INFORMATION

---

### U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): NOT APPLICABLE  
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): NOT APPLICABLE  
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): NOT APPLICABLE  
311/312 HAZARD CATEGORIES: NOT APPLICABLE  
313 REPORTABLE INGREDIENTS: NOT APPLICABLE

STATE REGULATIONS: SOME U.S. STATES REQUIRE PRODUCT REGISTRATION

INTERNATIONAL REGULATIONS: CONSULT LAWS OF APPLICABLE JURISDICTION

SECTION 15 NOTES:

---

## SECTION 16: OTHER INFORMATION

---

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESS OR IMPLIED. THIS INFORMATION IS FURNISHED AS THAT OF BEING TO THE BEST KNOWLEDGE OF ECOLOGEL SOLUTIONS, LLC. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIALS DESIGNATED HEREIN. ECOLOGEL SOLUTIONS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OR RELIANCE UPON THIS DATA.