Concentrate 0-0-2 N-5X

GUARANTEED ANALYSIS

GUARANTEED ANALYSIS
Soluble Potash (K2O) 2.0%
Magnesium (Mg) 0.5%
0.5% Water Soluble Magnesium (Mg)
Sulfur (S)
Copper (Cu) 0.05%
Iron (Fe)
Manganese (Mn) 0.25%
0.25% Water Soluble Manganese (Mn)
Zinc (Zn)
Darizad from: Sulfate of Datach

Zinc (Zn) 0.15%
Derived from: Sulfate of Potash,
Magnesium Sulfate, Copper Sulfate,
Ferrous Sulfate, Manganese Sulfate,
Zinc Sulfate, Ascophyllum Nodosum
ALSO CONTAINS NON-PLANT FOOD
INGREDIENT(S):

8.0% Humic Acids

(Derived from Leonardite) 2.0% Kelp (Microbe food)

Purpose Statement:

May increase micronutrient uptake.

May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

1.0 qt = 2.4 lbs at 68° F net volume 1.0 qt (.95 l)

DIV Directions for Use

SHAKE WELL! The mixed product should be agitated prior to and during application.

Turf: Can be aplied as often as monthly during growing season. Aply up to 3-6 ounces of **0-0-2 MicroGreene** diluted with a minimum of 1 quart of water per 1,000 sq. ft.

Plants and Shrubs: Can be applied as often as monthly during growing season. Mix 1-2 ounces of **0-0-2 MicroGreene** in minimum of 1 quart of water and apply to foliage and/or soil. Do not over-water.

Storage: Store in a cool dry place away from sunlight. Product will store for 2 years in normal warehouse conditions.

Page 1 of 2 | See Back Label









Fertility Forward®

GREENECOUNTYFERT.COM/DIY/

SDS & Labels



Manufactured and Guaranteed by Greene County Fertilizer Company, Inc. P.O. BOX 1346, Greensboro, GA 30642 1-855-606-3378 • greenecountyfert.com F2735

1.0 qt = 2.4 lbs at 68° F net volume 1.0 qt (.95 l)





Compatibility: These concentrated materials are compatible with most fertilizers and chemicals but should not be mixed directly with other chemicals. Conduct a jar test as needed to ensure compatibility before mixing.

Apply in accordance with best management practices (BMP's) established by your Cooperative Extension Service.

Observe any State or Local fertilizer application regulations.

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Caution: Apply only to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms. This product may stain concrete, wood and other pervious and impervious surfaces.

Keep out of reach of children. If product comes in contact with skin or eyes flush with water immediately.

Page 2 of 2 | See Front Label for Application Rates

VISIT
GREENECOUNTYFERT.COM/DIY/
FOR HELPFUL APPLICATION TIPS AND MORE



CONDITIONS OF SALE Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under note of the interest of the purpose stated on the label granuler, or directions concerning this product. Because the time, place, rate of application and other confions of use are beyond Seller's comfold-Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price. Buyer assumes all responsibility for after you use not in accordance with label instructions. The product names are registered trademarks of Greene County Fertilizer Company, inc.



GUARANTEED ANALYSIS

Soluble Potash (K2O)	2.0%
Magnesium (Mg)	
0.5% Water Soluble Magn	esium (Mg)
Sulfur (S)	3.0%
Copper (Cu)	0.05%
Iron (Fe)	3.0%
Manganese (Mn)	0.25%
0.25% Water Soluble Man	ganese (Mn)
Zinc (Zn)	0.15%

Derived from: Sulfate of Potash, Magnesium Sulfate, Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate,

Ascophyllum Nodosum

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S):

3.0% Humic Acids (Derived from Leonardite) 2.0% Kelp (Microbe food)

Purpose Statement:

May increase micronutrient uptake.

May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

1.0 gal = 9.7 lbs at 68° F net volume 1.0 gal (3.8 l)

DIY DIRECTIONS FOR USE

SHAKE WELL! The mixed product should be agitated prior to and during application.

Trees/Shrubs: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Apply directly to foliage.

Tropicals/Ornamentals: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Avoid direct contact with flower blooms to prevent staining.

Lawns: Apply with *26-0-0 GreeneCharge*™, *18-0-1 GreenePunch*™ or other Nitrogenous fertilizers at a rate of 1-2 gallons per acre for increased micronutrient uptake and soil conditioning.

Lawns (blackout): Apply at 10-16 ounces per 1,000 sq. ft. or 3-5 gallons per acre every 4-8 weeks during blackout period. Minimum dilution 7:1 with water.


Storage: Store in a cool dry place away from sunlight. Product will store for 2 years in normal warehouse conditions.

Page 1 of 2 See Back Label









Fertility Forward® SDS & Labels

Manufactured and Guaranteed by Greene County Fertilizer Company Inc. • P.O. BOX 1346, Greensboro, GA 30642 • 1-855-606-3378 • F2735



Manufactured and Guaranteed by Greene County Fertilizer Company, Inc. P.O. BOX 1346, Greensboro, GA 30642 1-855-606-3378 • greenecountyfert.com F2735

1.0 gal = 9.7 lbs at 68° F net volume 1.0 gal (3.8 l)



Compatibility: These concentrated materials are compatible with most fertilizers and chemicals but should not be mixed directly with other chemicals. Conduct a jar test as needed to ensure compatibility before tank mixing. Mix in spray tanks with water and proper agitation. Apply in accordance with best management practices (BMP's) established by your Cooperative Extension Service. Observe any State or Local fertilizer application regulations.

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Caution: This product contains the secondary micronutrient iron. Iron may stain concrete, wood and other pervious and impervious surfaces. **Apply only** to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms.

Keep out of reach of children. If product comes in contact with skin or eyes flush with water immediately.

Page 2 of 2 | See Front Label for Application Rates



VISIT
GREENECOUNTYFERT.COM/DIY/
FOR HELPFUL APPLICATION TIPS AND MORE.



CONDITIONS OF SALE Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer or Seller, is authorized to make any warranty, guarantee, or directions concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price. Buyer assumes all responsibility for safety and use not m accordance with label instructions. The product names are registered trademarks of Greene County Fertilizer Company, Inc.



GUARANTEED ANALYSIS

Soluble Potash (K2O)	2.0%
Magnesium (Mg)	
0.5% Water Soluble Magnesium	m (Mg)
Sulfur (S)	
Copper (Cu)	
Iron (Fe)	. 3.0%
Manganese (Mn)	0.25%
0.25% Water Soluble Mangane	ese (Mn)
Zinc (Zn)	0.15%

Derived from: Sulfate of Potash, Magnesium Sulfate, Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate, Ascophyllum Nodosum ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S):

3.0% Humic Acids (Derived from Leonardite) 2.0% Kelp (Microbe food)

Purpose Statement:

May increase micronutrient uptake. May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html



1.0 gal = 9.7 lbs at 68° F net volume 2.5 gal (9.5 l)

DIV Directions For Use

SHAKE WELL! *The mixed product should be agitated prior to and during application.*

Trees/Shrubs: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Apply directly to foliage.

Tropicals/Ornamentals: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Avoid direct contact with flower blooms to prevent staining.

Lawns: Apply with 26-0-0 GreeneCharge™, 18-0-1 GreenePunch™ Lawn Fertilizer, or other Nitrogenous fertilizers at a rate of 1-2 gallons per acre for increased micronutrient uptake and soil conditioning.

Lawns (blackout): Apply at 10-16 ounces per 1,000 sq. ft. or 3-5 gallons per acre every 4-8 weeks during blackout period. Minimum dilution 7:1 with water.

Storage: Store in a cool dry place away from sunlight. Product will store for 2 years in normal warehouse conditions.

Compatibility: These concentrated materials are compatible with most fertilizers and chemicals but should not be mixed directly with other chemicals. Conduct a jar test as needed to ensure compatibility before tank mixing. Mix in spray tanks with water and proper agitation. Apply in accordance with best management practices (BMP's) established by your Cooperative Extension Service. Observe any State or Local fertilizer application regulations. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden. Caution: This product contains the secondary micronutrient iron. Iron may stain concrete, wood and other pervious and impervious surfaces. Apply only to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms. **Keep out of reach of children.** If product comes in contact with skin or eyes flush with water immediately.









Manufactured and Guaranteed by Greene County Fertilizer Company, Inc. • P.O. BOX 1346, Greensboro, GA 30642 • 1-855-606-3378 • F2735

CONDITIONS OF SALE Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer or Seller, is authorized to make any warranty, guarantee, or directions concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control Seller's ilability from andiling, storage and use of this product is limited to replacement of product or refund of pruchase price. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Greene County Fertilizer Company, Inc.







GUARANTEED ANALYSIS

Soluble Potash (K2O) Magnesium (Mg) 0.5% Magnesium (Mg)	
Sulfur (S)	3.0%
Copper (Cu)	0.05%%
Iron (Fe)	3.0%
Manganese (Mn)	0.25%
0.25% Manganese (Mn)	
Zinc (Zn)	0.15%

Derived from: Sulfate of Potash, Magnesium Sulfate, Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate, Ascophyllum Nodosum

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

3.0% Humic Acids (Derived from Leonardite) 2.0% Kelp (Microbe food)

Purpose Statement:

May increase micronutrient uptake. May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

Manufactured and Guaranteed by Greene County Fertilizer Company, Inc. PO Box 1346 • Greensboro, GA 30642 1-855-606-3378 • greenecountyfert.com



PACKAGING: 1.0 gal bottle and 2.5 gal bottle

DIY Directions • Storage & Handling

SHAKE WELL! The mixed product should be agitated prior to and during application.

Trees/Shrubs: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Apply directly to foliage.

Tropicals/Ornamentals: Apply at a rate of 4-8 ounces per 1,000 sq. ft. Mix with water at a minimum 7:1 dilution. Avoid direct contact with flower blooms to prevent staining.

Lawns: Apply with **GreeneCharge™ 26-0-0, GreenePunch™ 18-0-1,** or other Nitrogenous fertilizers at a rate of 1-2 gallons per acre for increased micronutrient uptake and soil conditioning.

Lawns (blackout): Apply at 12-16 ounces per 1,000 sq. ft. or 3-5 gallons per acre every 4-8 weeks during blackout period. Minimum dilution 7:1 with water.

Storage: Store in a cool dry place away from direct sunlight. Product will store for 2 years under warehouse conditions.

Apply in accordance with best management practices (BMP's) established by your Cooperative Extension Service. Observe any State or Local fertilizer application regulations.

Caution: This product contains the secondary micronutrient iron. Iron may stain concrete, wood and other pervious and impervious surfaces. **Apply only** to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms.

Keep out of Reach of Children: If product comes in contact with skin or eyes, flush with water immediately.

PRODUCT DESCRIPTION

0-0-2 MicroGreene™ Fertilizer is formulated for soil fertility and plant health. The **0-0-2 MicroGreene™** product will stimulate roots and the soil activity necessary to significantly deepen the topsoil layer under the lawn, which will have a profound impact on plant health, soil fertility and water holding capacity.

APPLICATION RECOMMENDATIONS

The 0-0-2 MicroGreene™ Fertilizer is engineered for two purposes: 1) Micronutrient product to add to a lawn and landscape fertility program when micronutrient deficiencies are present or soil remediation is required; 2) a complete product for turfgrass application during fertilizer "blackout" periods where local regulations prohibit the application of Nitrogen and Phosphorous fertilizers.





Greene County