

THE FIRST HOB WITH INTEGRATED SCALES

With NikolaTesla libra, following the steps of each recipe has never been simpler and faster thanks to the integrated scales, always within easy reach.

Products can be weighed directly in the pan, at any temperature at any time while cooking.

FUNCTIONS

√ WEIGHT RESET

the pan and its contents can be weighed by progressively resetting the value in order to add other ingredients and know the final overall weight


- √ TARE FUNCTION

 allows multiple ingredients to be weighed one
 at a time, starting from zero each time
- √ HOLD FUNCTION stores the selected weight
- √ SELECT UNIT OF MEASURE

The NikolaTesla Libra interface is extremely intuitive to use thanks to a single direct slider, which controls both cooking and extraction functions.

The scale has a dedicated user interface, allowing it to be used even with the product completely turned off. Simply rest the pot on top to activate the weighing function.







NIKOLATESLA 22 **POLICA** 23 NIKOLATESLA











83 x 51x 21 cm Duct-out / Re-circulating

Black glass+ cast iron, White glass + cast iron The only extractor hob with built-in scales.






























ASPIRATION SYSTEM

Model Duct-out Re-circulating Controls Touch control Touch control Speeds 3 speeds + 2 boost levels 3 speeds + 2 boost levels Booster airflow 610 m³/h 422 m3/h Noise level 61 dBA 71 dBA 5,1 m/s Suction speed 5,1 m/s Total power absorption 310 W 310 W Duct size 150 mm 150 mm Energy class Aluminium grease filter Included Included Charcoal fibre filter Included

















Replacement charcoal fibre filter Optional ceramic filter

KIT0147855 KIT0120952

* Not used for Duct-out hoods

INDUCTION HOB

7,4 kW Absorption Frequency 50 Hz Voltage 220 - 240 V 2 (1,6 - 1,85 kW) - 210x190 mm Zone number 2 (2,1 - 3 kW) - 210x190 mm Bridge zone

FEATURES









MODELS

NIKOLATESLA LIBRA Black Duct-out NIKOLATESLA LIBRA Black Re-circulating NIKOLATESLA LIBRA White Duct-out NIKOLATESLA LIBRA White Re-circulating

PRF0147744 PRF0147745 PRF0147774 PRF0147775

