



Safety Data Sheet

Identity: Ultrasound Couplant Gel, 15946

**SECTION I – Manufacturer Information**

**Distributor Information**

<b>Manufacturer's Name</b> Tianrun Medical Instrument Factory	<b>Distributor's Name</b> Flexbar Machine Corporation	
	<b>Address</b> 250 Gibbs Road, Islandia, NY 11749	
<b>Address</b> Heqiao Industrial Area, West Qingnian Road, Yancheng City, Jiangsu Province, China	<b>Emergency Telephone Number</b> 631.582.8440 / 800.879.7575	
	<b>Telephone Number for Information</b> 631.582.8440 / 800.879.7575	
	<b>Date Prepared</b> 9/27/2023	<b>Date Revised</b> First Edition

**SECTION II – Hazardous Ingredients/Identity Information**

Hazardous (or other) Ingredients	*SHA PEL	&CGIH TVL	%RANGE
NONE: Product is not a health hazard. Contains no Menthol. Contains no Capsicum	###	###	###

**SECTION III – Physical/Chemical Characteristics**

<b>pH</b> Range + 6.0 to 6.5	<b>Specific Gravity</b> ~1.00
<b>Flash Point</b> This product is not flammable	<b>Melting Point</b> N/A
<b>Boiling Point</b> )°0°C	<b>Evaporation Rate</b> Little to none
<b>Solubility in Water</b> Soluble	<b>Appearance</b> Clear Gel
<b>Color</b> Transparent	<b>Odor</b> None

**SECTION IV – Fire and Explosion Hazard Data**

<b>Flash Point</b> N/A	<b>Flammable Limits</b> N/A	<b>LE9</b> N/A	<b>UEL</b> N/A
<b>Extinguishing Media</b> Use agent suitable for type of surrounding fire. Exposed material may be cooled with water.			
<b>Special Fire Fighting Procedures</b> N/A			
<b>Unusual Fire and Explosion Hazards</b> Keep container from open flame			

## SECTION V – Reactivity Data

<b>Stability</b> Excellent	Unstable		Conditions to Avoid
	Stable	/	None
<b>Hazardous Polymerization</b>	May Occur		None
	Will Not Occur	/	
<b>Incompatibility (Materials to Avoid)</b> None			

## SECTION VI – Health Hazard Data

<b>Health Hazard (Acute or Chronic)</b> Product is non-toxic but may produce gastrointestinal disturbance and diarrhea if ingested	<b>Signs and Symptoms of Exposure:</b> None
<b>Medical Conditions Generally Aggravated by Exposure:</b> None	
<b>Emergency First Aid Procedures:</b> If in eyes, flush immediately with cold clean water for at least 15 minutes. Remove contact lenses if used. Get medical attention if irritation occurs. If ingested, drink one or two glasses of water or milk. If gastrointestinal symptoms occur, consult a physician.	

## SECTION VII – Precautions for Safe Handling and Use

<b>Steps to be taken in Case Material is Released or Spilled</b> No Special attention required.
<b>Waste Disposal Method</b> Dispose of in accordance with all Federal, State and Local regulations
<b>Precautions to be taken in Handling and Storing</b> Avoid storing in extreme temperature. Avoid open flames. Container should be kept closed and plainly labeled.
<b>Other Precautions</b> Keep out of reach of small children. Avoid contact with eyes and mucous membranes. Do not take internally.

## SECTION VIII Control Measures

Ventilation	<b>Local Exhaust</b> N/A	<b>Special Ventilation</b> None Required
	<b>Mechanical (General)</b> N/A	<b>Other</b> None
<b>Protective Gloves</b> None Required		<b>Eye Protection</b> None Required
<b>Other Protective Clothing or Equipment</b> None Required		<b>Respiratory Protection (Specify Type)</b> None under normal conditions
<b>Work/Hygienic Practices</b> Always follow good manufacturing procedures		

*We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied. We assume no responsibility for any loss, damage, or expense, direct or consequential, arising from of their use.*