



Safety Data Sheet

Identity: Ultrasound Couplant Gel, 15946

SECTION I – Manufacturer Information

Distributor Information

Manufacturer's Name Tianrun Medical Instrument Factory	Distributor's Name Flexbar Machine Corporation	
	Address 250 Gibbs Road, Islandia, NY 11749	
Address Heqiao Industrial Area, West Qingnian Road, Yancheng City, Jiangsu Province, China	Emergency Telephone Number 631.582.8440 / 800.879.7575	
	Telephone Number for Information 631.582.8440 / 800.879.7575	
	Date Prepared 1/5/2016	Date Revised First Edition

SECTION II – Hazardous Ingredients/Identity Information

Hazardous (or other) Ingredients	*SHA PEL	&CGIH TVL	%RANGE
NONE: Product is not a health hazard. Contains no Menthol. Contains no Capsicum	###	###	###

SECTION III – Physical/Chemical Characteristics

pH Range + 6.0 to 6.5	Specific Gravity ~1.00
Flash Point This product is not flammable	Melting Point N/A
Boiling Point)°0°C	Evaporation Rate Little to none
Solubility in Water Soluble	Appearance Clear Gel
Color Transparent	Odor None

SECTION IV – Fire and Explosion Hazard Data

Flash Point N/A	Flammable Limits N/A	LE9 N/A	UEL N/A
Extinguishing Media Use agent suitable for type of surrounding fire. Exposed material may be cooled with water.			
Special Fire Fighting Procedures N/A			
Unusual Fire and Explosion Hazards Keep container from open flame			

SECTION V – Reactivity Data

Stability Excellent	Unstable		Conditions to Avoid
	Stable	/	None
Hazardous Polymerization	May Occur		None
	Will Not Occur	/	
Incompatibility (Materials to Avoid) None			

SECTION VI – Health Hazard Data

Health Hazard (Acute or Chronic) Product is non-toxic but may produce gastrointestinal disturbance and diarrhea if ingested	Signs and Symptoms of Exposure: None
Medical Conditions Generally Aggravated by Exposure: None	
Emergency First Aid Procedures: If in eyes, flush immediately with cold clean water for at least 15 minutes. Remove contact lenses if used. Get medical attention if irritation occurs. If ingested, drink one or two glasses of water or milk. If gastrointestinal symptoms occur, consult a physician.	

SECTION VII – Precautions for Safe Handling and Use

Steps to be taken in Case Material is Released or Spilled No Special attention required.
Waste Disposal Method Dispose of in accordance with all Federal, State and Local regulations
Precautions to be taken in Handling and Storing Avoid storing in extreme temperature. Avoid open flames. Container should be kept closed and plainly labeled.
Other Precautions Keep out of reach of small children. Avoid contact with eyes and mucous membranes. Do not take internally.

SECTION VIII Control Measures

Ventilation	Local Exhaust N/A	Special Ventilation None Required
	Mechanical (General) N/A	Other None
Protective Gloves None Required		Eye Protection None Required
Other Protective Clothing or Equipment None Required		Respiratory Protection (Specify Type) None under normal conditions
Work/Hygienic Practices Always follow good manufacturing procedures		

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied. We assume no responsibility for any loss, damage, or expense, direct or consequential, arising from of their use.