

#### VPP #7474030049

Van MSRP: \$72,130 Conversion price: \$33,086 Total: \$105,216

2024 Mercedes Sprinter 144" Cargo AWD Color: Blue Grey Seats: Two

Sleeps: Two

Key factory features: AWD, swivel seats, blind spot assist, active lane assist, 360 parking camera, 7" touchscreen, rain sensor. See below for complete van specifications

## **Overview**

Swivel seats and AWD capability make this rig ideal for conversion. An optional solar-charged GoalZero YETI 3000x put remote and rugged areas within reach. Three Mule Bags ensure you can carry all the gear for an extended stay.

## **Adventure Wagon Conversion**

#### ADVENTURE WAGON INTERIOR SYSTEM

- A-frame steel reinforcement system
- L-track for modularity
- Custom panels in a variety of material options
- Electrical harness with 12V & USB outlets
- Lumicoin overhead LED lighting
- 3M Thinsulate insulation + Reflectix on back of panels

#### SLEEPING

- MOAB Bed
  - Adjustable height and removable
  - Three panel MOAB bed
  - MOAB mattress (77" x 65" x 5")

# Adventure Wagon Conversion continued...

#### STORAGE / GEARHAULING

- Three Mule Bags
  - 175L (6.2 cubic feet) of storage each
- Sliding gear tray (optional add-on)
  - 60"x20"
  - Slides out the back for easy access to bikes, coolers, etc.
- Cockpit shelf
  - Turns unused area above driver and passenger seats into valuable shelf space

#### **CLIMATE CONTROL & VENTILATION**

- Espar Diesel heater
  - Thermostat included
- MaxxAir Deluxe fan with remote
- Bunk windows in sleeping area

## POWER SYSTEM (optional add-on)

- Integrated GoalZero YETI 3000x
  - Adventure Wagon Goal Zero Integration Kit
  - Adventure Wagon Yeti Tray
  - 250 amp-hours of cabin power
  - Charged by rooftop solar and engine (when running)

#### UPHOLSTERED HEADLINER

- Headliner is upholstered with Marathon tweed to match the rest of the interior



**PO#:** 7474030049

Code	Description
	MODEL: 2024 M2CA4A
7709	Blue Grey

#### **Standard Accessories**

804CY X3/1AR2Axle ratio 3.923BA3Active Brake AssistBH1Hold FunctionC6LMultifunction steering wheelC11Adjustable steering wheelC11Adjustable steering wheelE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complet vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ66Cotside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrume	Standard Accessories				
BA3Active Brake AssistBH1Hold FunctionC6LMultifunction steering wheelC11Adjustable steering wheel (angle)D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt warning for co-driver seatJ58Seat belt warning for co-driver seatJ58Seat belt merinder driver	804	CY X3/1			
BH1Hold FunctionC6LMultifunction steering wheelCL1Adjustable steering wheel (angle)D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 / VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt merninger driver seatJ58Seat belt merninger driverJ65Outside temperature gaugeJA8Crosswind AssistJH3 <td< td=""><td>AR2</td><td>Axle ratio 3.923</td></td<>	AR2	Axle ratio 3.923			
C6LMultifunction steering wheelCL1Adjustable steering wheel (angle)D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldF68Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ69Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color display <t< td=""><td>BA3</td><td>Active Brake Assist</td></t<>	BA3	Active Brake Assist			
CL1Adjustable steering wheel (angle)D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AE08Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heater, auxiliary electric hot airH19Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon f	BH1	Hold Function			
CL1Adjustable steering wheel (angle)D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AE08Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heater, auxiliary electric hot airH19Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon f	C6L	Multifunction steering wheel			
D93Omission bulkheadE07Hill Start AssistE1UUSB-C socket, 5 VE30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt varning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to	CL1	-			
E1UUSB-C socket, 5 VE30Starter battery disconnectE3.JPre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldF68Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission cont	D93				
E1UUSB-C socket, 5 VE30Starter battery disconnectE3.JPre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldF68Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission cont	E07	Hill Start Assist			
E30Starter battery disconnectE31Pre-installation for switch panelE40Trailer hitch prep. wiringE04AGM battery 12V 92 AH 850 AE08Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldF68Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP7 </td <td></td> <td></td>					
E3JPre-installation for switch panelE40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control system </td <td></td> <td></td>					
E40Trailer hitch prep. wiringED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG3Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headilight assistantL853r		-			
ED4AGM battery 12V 92 AH 850 AED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletion <td></td> <td></td>					
ED8Preinstallation PSMEK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantL853rd brake lightM15Fuel/wat					
EK1Body Builder ConnectorES0Jump start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication package <td></td> <td></td>					
ES0Jum start terminalEW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication package					
EW6Pre-installation: Remote Services PlusEY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantL853rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 2		5			
EY5Emergency Call SystemEY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		•			
EY6Breakdown managementF68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantL853rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
F68Heated & electrically adjustable exterior mirrorsFF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantL853rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
FF5Shelf above windshieldFG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		6			
FG8Cupholder frontFJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		Heated & electrically adjustable exterior mirrors			
FJ4Storage compartment underneath cockpitG43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	FF5				
G43Automatic transmission, 9G-tronicH16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt verning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	FG8	Cupholder front			
H16Heated driver's seatH21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	FJ4	Storage compartment underneath cockpit			
H21Windshield with filter bandHH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	G43	Automatic transmission, 9G-tronic			
HH2Heater, auxiliary electric hot airHH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	H16	Heated driver's seat			
HH9Air Condition, FrontIC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	H21	Windshield with filter band			
IC1Model series C907 / C910 SprinterIE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	HH2	Heater, auxiliary electric hot air			
IE0Model series C907 VS30 RWDIG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	HH9	Air Condition, Front			
IG4StandardIG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IC1	Model series C907 / C910 Sprinter			
IG5BasicIK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IE0	Model series C907 VS30 RWD			
IK0Complete vehicleIL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IG4	Standard			
IL5Left-hand driveIR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IG5	Basic			
IR4Wheelbase 3665 mmIT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IK0	Complete vehicle			
IT94.0-tonnerJ11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IL5	Left-hand drive			
J11Speedometer mphJ55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IR4	Wheelbase 3665 mm			
J55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	IT9	4.0-tonner			
J55Seat belt warning for co-driver seatJ58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	J11	Speedometer mph			
J58Seat belt reminder driverJ65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	J55				
J65Outside temperature gaugeJA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		5			
JA8Crosswind AssistJH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)	J65	Outside temperature gauge			
JH3Communication module (LTE) for dig. servicesJK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
JK5Instrument cluster with color displayK60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
K60Exhaust straight to rearKB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
KB724.5 gallon fuel tankKL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
KL1Aux fuel sending unit w/ fuel tapKP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		-			
KP74th generation SCR emission control systemL65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		6			
L65Interior lights, cargo compartmentL94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
L94Parking lights deletionLA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
LA2Headlight assistantLB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
LB53rd brake lightM15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)					
M15Fuel/water separator and lubrication packageM5NEngine OM 654 DE 20 LA 155 kW (211 hp)		-			
M5N Engine OM 654 DE 20 LA 155 kW (211 hp)		5			
M60 Generator 14 V / 250 A					
	M60	Generator 14 V / 250 A			

Price

\$52,700

M71	Approval, bio-diesel B20	
MH8	SULEV emissions	
MS1	Cruise control	
P47	Front mudflaps	
P48	Rear mudflaps	
Q11	Longitudinal member reinforcement	
R65 R87	Spare wheel bracket below frame Spare wheel	
RD9	Unspecified tire brand	
RH8	Tires LT 245/75 R16	
RM0	All-season tires	
RS3	6.5 J x 16 steel wheels	
RY2	Tire pressure monitoring lamp	
S22 S25	Armrest for driver's seat	
S25 SA5	Armrest for front passenger seat Front airbag, driver	
SA6	Front airbag, passenger	
SH1	Thorax-pelvis sidebag, driver	
SH2	Thorax-pelvis sidebag, co-driver	
SH9	Airbag, driver/passenger window	
T16	Sliding door, passenger side	
V93 V94	Without factory installed flooring Cable duct - side wall	
V94 V95	Cable duct - rear portal	
X64	Plates/booklets in English (US)	
XC8	VIN visible from outside	
XL2	GVWR 9,050 lbs. / 4.100 Kg	
XQ1	VIN-encoded vehicle data with check digit	
XY4	Model Year 4	
XZ0 Y43	Model generation 0 Jack, hydraulic	
Z44	Registration of vehicle not possible in EU	
Z4X	Production Charleston	
Z74	Bodyshell, additional measures 2	
Z75	Bodyshell, additional measures	
ZM0	Panel van	
ZU8 ZZ4	USA country version Brand content Mercedes-Benz North America	
224	Diana content mercedes-denz North America	
Options		
C00PKG	Comfort Package	\$307
	LC4 Comfort overhead control panel	
	SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat	
	SK0 Comfort head restraint, driver	
	SK1 Comfort head restraint, co-driver	
C01PKG	Driver Convenience Package	\$449
	E46 12 V power outlet, driver seat base	
	F64 Electrically folding exterior mirrors	
	FJ1 Hinged lid for storage compartment	
	FJ5 Hinged Lid for Storage Compartments left and right FZ9 Keys, two additional masters	
	JW8 Attention Assist	
C02PKG	Premium Package	\$805
	E3M MBUX Multimedia System with 7 touchscreen	
	FM3 Wet Wiper System	
COCDICC	JB4 Active Lane Keeping Assist	¢ 400
COSPKG	Comfort Package (Seat addition) SB1 Comfort driver's seat	\$426
	SB2 Comfort passenger seat	
X55PKG	All Wheel Drive Package	\$6,700
X69PKG	Swivel Seat Package	\$595
	S87 Driver's seat frame, low	
	S88 Passenger seat frame, low	
	SR8 Swivel base for driver's seat	
054	SR9 Swivel base for front passenger seat CY X3/2	
A4M	all-wheel drive with torque-on-demand	
BE2	Handbrake lever, folding	\$62
D03	High roof	\$3,500

D13	Mounting rails for roof rack	\$336
E36	Cutoff relay for additional battery	\$124
F43	Laminated glass rear	
F61	Interior rear view mirror	\$41
H15	Heated front passenger seat	\$318
J51	Fuel gauge, optimized for aux. fuel tap	\$80
JA7	Blind Spot Assist	\$504
JB6	Parking Package with 360 degree camera	\$867
JF1	Rain sensor	\$118
Q24	Trailer Hitch	\$164
R98	Rims painted jet black	\$91
T50	Electric closing assist right sliding door	\$376
T74	Assist handle, B-pillar	\$36
T75	Door-mounted assist handles, driver & passenger	
VF6	Artico Man-Made Leather Black	\$67
W17	2nd row, fixed window, passenger side	\$162
W70	Black tinting (90%) for rear windows	\$155
X90	Deletion of Sprinter badge, left rear door	
X93	Deletion of model badge, right rear door	
XM4	Acoustic package	\$97
Z5V	Vehicle class MPV	
	SUBTOTAL	\$69,080
ZUFR	Delivery & Destination charge	\$2,295
	- TOTAL -	\$71,375

\*Pricing is subject to change. Mercedes-Benz reserves the right to make changes without notification.