



**E-SERIES
AUTOMATIC JET-SPRAY
PARTS WASHERS**



E-SERIES



L-800



L-901




L-902



L-922

TECHNICAL SPECIFICATIONS

Feature	L-800	L-901	L-902	L-922
▣ Turntable With Containment Ring	31"	35"	36"	45»
▣ Working Height	19.5"	20.5"	20.5"	27.5"
▣ Spray Manifold (Zink/Galvanized)	1	1	2	2
▣ Wash Nozzles (Optimized)	15	22	44	44
▣ Load Weight	350 lbs.	450 lbs.	450 lbs.	450
▣ Tank Capacity	22 gal	50 gal	50 gal	74
▣ Pump: Lowara/Centrifugal GPM/PSI	(1) ¾-HP 21/33	(1) 1.5-HP 21/35	(2) 1-HP 21/33	(2) 1-HP 21/35
▣ Heater	4kW	6kW	6kW	10kW
▣ Max Operating Temperature	160 F.	160 F.	160 F.	160 F.
▣ Cycle Timer	0-60 min	0-60 min	0-60 min	0-60 min
▣ Voltage	230/460	230/460	230/460	230/460
▣ Phase	1-3	1-3	1-3	1-3
▣ Length (Lid Open)	45.5"	51"	51"	60"
▣ Width	45.5"	53"	53"	67"
▣ Height (Lid Open)	69"	78"	78"	86"
▣ Weight	176 lbs.	287 lbs.	309 lbs.	441 lbs.




STANDARD FEATURES

- ▣ 304 Stainless Steel Cabinet
- ▣ 304 Stainless Steel Centrifugal Pump
- ▣ Incoloy Heating Elements
- ▣ Magnetic Float Fluid Level Sensor
- ▣ Strut Actuated Lid with Lock
- ▣ Door Safety Switch
- ▣ Zink/Galvanized Spray Bar
- ▣ Stainless Steel Vee-Jet Wash Nozzles
- ▣ Zink Galvanized Turntable with Containment Ring
- ▣ Jet-Spray Powered Turntable
- ▣ Removable Debris Screen
- ▣ Tank Drain

AVAILABLE OPTIONS

- ▣ Automatic Turntable Drive
- ▣ Stainless Steel Turntable & Spray Bars
- ▣ Manual Flow-Thru Pump & Brush
- ▣ Automatic Water Fill
- ▣ Thermal Insulation
- ▣ Oil Skimmer
- ▣ 27/7 Programmable Tank Heat Controller
- ▣ Steam Exhaust Fan
- ▣ 120V (L-800 Only)



SAFETY FEATURES

- ▣ 24V Control Voltage
- ▣ NEMA 4 Electrical Panel
- ▣ Push Button Emergency Stop
- ▣ Rotary Main Power Disconnect Switch
- ▣ Safety Overload Protection
- ▣ Door Interlock Safety Switch
- ▣ Locking Counter Balanced Lid
- ▣ Liquid Level Shutoff Switch
- ▣ High Limit Temperature Sensor
- ▣ No Sharp Metal Edges
- ▣ Low Noise Operation < 70 dBA
- ▣ CE Certified



VALUE ADDED BENEFITS

304 stainless steel construction

- **Will not rust, so more mileage out of your investment**
- **No need to repaint**
- **Always looks great in the customer's workshop**
- **No need to add costly VCI (vapor corrosion inhibitor) to protect cabinet from rusting**

Reduces service time

- **Easy access to the tank bottom for cleanout**

Improved cleaning performance

- **Optimized vee-jet wash nozzles**
- **Stainless steel pump**

Safety

- **No sharp metal edges**

Comparably Priced

