

**Trade name :** Lithofin STAINSTOP > W <

Revision date : 30.01.2019

Version (Revision) : 4.0.2 (4.0.1)

Print date : 13.02.2019

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking****1.1 Product identifier**

Lithofin STAINSTOP &gt; W &lt;

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Mixture Impregnation, aqueous solution

**1.3 Supplier (manufacturer/importer/only representative/downstream user/distributor)****Distributor :**

Casdron Enterprises Ltd.

Street :

Wood End, Prospect Road

Postal code/city :

GB- New Alresford, Hants SO 24 9QF

Telephone :

+44 1962 732126

Telefax :

+44 1962 735373

Contact :

Technical Department

E-mail: sales@lithofin.co.uk

Emergency telephone number:

0196 2732126

(Only available during office hours)

**Supplier :**

Lithofin AG

Street :

Heinrich-Otto-Str. 36

Postal code/city :

73240 Wendlingen

Telephone :

+49 (0)7024 9403-0

Telefax :

+49 (0)7024 9403-40

Contact :

Technical Department

E-mail: info@lithofin.de

Emergency telephone number:

+49 (0)7024 9403-0

(Only available during office hours)

**1.4 Emergency telephone number**

see section 1.3

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 [CLP]**

None

**Additional information**

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**Remark**

Full text of H- and EUH-phrases: see section 16.

**2.2 Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]****Special rules for supplemental label elements for certain mixtures**

EUH210

Safety data sheet available on request.

**Other labelling****2.3 Other hazards**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

None

## 2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

ETHANEDIOL ; REACH registration No. : 01-2119456816-28-xxxx ; EC No. : 203-473-3; CAS No. : 107-21-1

Weight fraction :  $\geq 5 - < 10$  %

Classification 1272/2008 [CLP] : STOT RE 2 ; H373 Acute Tox. 4 ; H302

PROPAN-2-OL ; REACH registration No. : 01-2119457558-25-xxxx ; EC No. : 200-661-7; CAS No. : 67-63-0

Weight fraction :  $\geq 5 - < 10$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

#### Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation.

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. In case of eye irritation consult an ophthalmologist.

#### After ingestion

When in doubt or if symptoms are observed, get medical advice. Rinse mouth thoroughly with water. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray ABC-powder Foam

#### Unsuitable extinguishing media

Full water jet Strong water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Hydrogen fluoride Fluoropolymers

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

## 5.3 Advice for firefighters

Use suitable breathing apparatus.

### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

## 5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Suitable material for taking up: Universal binder

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Clear spills immediately.

### 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

#### Protective measures

not useable after freezing. Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

**Fire class :** -

**Shake well before use** nein

#### Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

#### Hints on joint storage

**Storage class (TRGS 510) :** 10

**Protect from frost** ja

**Recommended storage temperature** 5 - 25 °C

#### Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

**Protect against :** Frost

### 7.3 Specific end use(s)

#### Recommendation

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

ETHANEDIOL ; CAS No. : 107-21-1

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 10 ppm / 26 mg/m<sup>3</sup>

Peak limitation : 2(I)

Remark : H,Y

Version : 01.03.2018

Limit value type (country of origin) : STEL ( EC )

Limit value : 40 ppm / 104 mg/m<sup>3</sup>

Remark : H

Version : 31.01.2018

Limit value type (country of origin) : TWA ( EC )

Limit value : 20 ppm / 52 mg/m<sup>3</sup>

Remark : H

Version : 31.01.2018

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 200 ppm / 500 mg/m<sup>3</sup>

Peak limitation : 2(II)

Remark : Y

Version : 01.03.2018

Limit value type (country of origin) : TRGS 903 ( D )

Parameter : Acetone / Whole blood (B) / End of exposure or end of shift

Limit value : 25 mg/l

Version : 01.03.2018

Limit value type (country of origin) : TRGS 903 ( D )

Parameter : Acetone / Urine (U) / End of exposure or end of shift

Limit value : 25 mg/l

Version : 01.03.2018

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Personal protection equipment

##### Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

##### Suitable eye protection

Eye glasses with side protection goggles

##### Required properties

DIN EN 166

##### Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

##### Hand protection

**Suitable gloves type :** Gloves with long cuffs

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

**Suitable material :** NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

**Recommended glove articles :** Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

**Additional hand protection measures :** Check leak tightness/impermeability prior to use.

**Remark :** Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

## Body protection

Protective clothing.

**Suitable protective clothing :** Chemical protection clothing Chemical resistant safety shoes

**Required properties :** acid-resistant. alkali-resistant.

Protective clothing. : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605

footwear : DIN EN 14404

**Remark :** Barrier creams are not substitutes for body protection.

## Respiratory protection

Usually no personal respiratory protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

### Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

### Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

**Colour :** light yellow

**Odour :** unspecific

### Safety relevant basis data

|  |              |         |                |                   |  |
|--|--------------|---------|----------------|-------------------|--|
| <b>Melting point/melting range :</b>             | ( 1013 hPa ) | approx. | -10            | °C                |  |
| <b>Initial boiling point and boiling range :</b> | ( 1013 hPa ) | approx. | 88             | °C                |  |
| <b>Decomposition temperature :</b>               | ( 1013 hPa ) |         | not determined |                   |  |
| <b>Flash point :</b>                             |              | approx. | 38             | °C                | closed cup<br>(EN ISO 3679)              |
| <b>Ignition temperature :</b>                    |              |         | not determined |                   |  |
| <b>Sustaining combustion</b>                     |              |         | No             |                   | UN Test L2:Sustained combustibility test |
| <b>Lower explosion limit :</b>                   |              |         | not determined |                   |  |
| <b>Upper explosion limit :</b>                   |              |         | not determined |                   |  |
| <b>Vapour pressure :</b>                         | ( 50 °C )    | <       | 3000           | hPa               |  |
| <b>Density :</b>                                 | ( 20 °C )    |         | 1              | g/cm <sup>3</sup> | Pyknometer (DIN EN ISO 2811-1)           |
| <b>Solvent separation test :</b>                 | ( 20 °C )    | <       | 3              | %                 | Test L1: Solvent separation test (UN)    |
| <b>Water solubility</b>                          | ( 20 °C )    |         | miscible       |                   |  |
| <b>pH :</b>                                      |              | approx. | 5              |                   | DIN 19268                                |

# Safety Data Sheet

( EN / D )

according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

|                             |           |         |                |      |                                       |
|-----------------------------|-----------|---------|----------------|------|---------------------------------------|
| <b>log P O/W :</b>          |           |         | not determined |      | (Mixture)                             |
| <b>Flow time :</b>          | ( 23 °C ) | approx. | 13             | s    | ISO cup 4 mm<br>(DIN EN ISO 2431)     |
| <b>Odour threshold :</b>    |           |         | not determined |      |                                       |
| <b>Vapourisation rate :</b> |           |         | not determined |      |                                       |
| <b>VOC content-EC</b>       |           | approx. | 19,4           | Wt % | *                                     |
| <b>VOC-France</b>           |           |         | A+             |      | Décret no 2011-321 du<br>23 mars 2011 |

(\* VOC-EC = „Volatile organic compound (VOC)“ means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

There are no data available on the preparation/mixture itself. Data apply to the main component.

#### Acute oral toxicity

|                  |  |
|------------------|--|
| Parameter :      | LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Oral                                     |
| Species :        | Rat                                      |
| Effective dose : | 5840 mg/kg                               |
| Method :         | OECD 401                                 |

#### Acute dermal toxicity

|                  |  |
|------------------|--|
| Parameter :      | LD50 ( ETHANEDIOL ; CAS No. : 107-21-1 ) |
| Exposure route : | Dermal                                   |
| Species :        | Mouse                                    |
| Effective dose : | > 3500 mg/kg                             |
| Parameter :      | LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Dermal                                   |
| Species :        | Rabbit                                   |
| Effective dose : | 13900 mg/kg                              |
| Method :         | OECD 402                                 |

#### Acute inhalation toxicity

|                  |  |
|------------------|--|
| Parameter :      | LC50 ( ETHANEDIOL ; CAS No. : 107-21-1 ) |
| Exposure route : | Inhalation                               |
| Species :        | Rat                                      |

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

---

|                  |  |
|------------------|--|
| Effective dose : | > 2,5 mg/l                               |
| Exposure time :  | 6 h                                      |
| Parameter :      | LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Inhalation                               |
| Species :        | Rat                                      |
| Effective dose : | > 25 mg/l                                |
| Exposure time :  | 6 h                                      |
| Method :         | OECD 403                                 |

### **Specific symptoms in animal studies**

There are no data available on the preparation/mixture itself.

### **Irritant and corrosive effects**

#### **Assessment/classification**

slightly irritant but not relevant for classification.

### **Sensitisation**

There are no data available on the preparation/mixture itself.

### **Repeated dose toxicity (subacute, subchronic, chronic)**

There are no data available on the preparation/mixture itself.

### **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

#### **Carcinogenicity**

There are no data available on the preparation/mixture itself.

#### **Other information**

No indication of human carcinogenicity.

#### **Germ cell mutagenicity**

There are no data available on the preparation/mixture itself.

No indications of human germ cell mutagenicity exist.

#### **Reproductive toxicity**

There are no data available on the preparation/mixture itself.

#### **Other information**

No indications of human reproductive toxicity exist.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### **STOT-single exposure**

See SECTION 2.1 (classification).

### **STOT-repeated exposure**

See SECTION 2.1 (classification).

### **Aspiration hazard**

See SECTION 2.1 (classification).

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Data apply to the main component. There are no data available on the preparation/mixture itself.

#### **Aquatic toxicity**

##### **Chronic (long-term) fish toxicity**

|                  |  |
|------------------|--|
| Parameter :      | NOEC ( ETHANEDIOL ; CAS No. : 107-21-1 ) |
| Species :        | Fish                                     |
| Effective dose : | 15380 mg/l                               |
| Exposure time :  | 7 d                                      |

##### **Chronic (long-term) daphnia toxicity**

|                  |  |
|------------------|--|
| Parameter :      | NOEC ( ETHANEDIOL ; CAS No. : 107-21-1 ) |
| Species :        | Daphnia                                  |
| Effective dose : | 8590 mg/l                                |
| Exposure time :  | 7 d                                      |

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

**Acute (short-term) algae toxicity**

Parameter : EC50 ( ETHANEDIOL ; CAS No. : 107-21-1 )  
Species : Daphnia  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Daphnia  
Effective dose : 9714 mg/l  
Exposure time : 24 h

**Effects in sewage plants**

Observe local regulations concerning effluent treatment.

**12.2 Persistence and degradability**

There are no data available on the preparation/mixture itself.

**Biodegradation**

There are no data available on the preparation/mixture itself.

**12.3 Bioaccumulative potential**

There are no data available on the preparation/mixture itself.

**12.4 Mobility in soil**

There are no data available on the preparation/mixture itself.

**12.5 Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6 Other adverse effects**

There are no data available on the preparation/mixture itself.

**12.7 Additional ecotoxicological information**

**Additional information**

The product has not been tested.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Dispose according to legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV**

**Waste code product**

Waste code (EWC/AVV) : 07 01 99

**Waste treatment options**

29/35 - Do not empty into drains; dispose of this material and its container in a safe way.

**Appropriate disposal / Package**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

**13.2 Additional information**

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

**SECTION 14: Transport information**

**14.1 UN number**

No dangerous good in sense of these transport regulations.

**14.2 UN proper shipping name**

No dangerous good in sense of these transport regulations.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

**14.3 Transport hazard class(es)**

No dangerous good in sense of these transport regulations.

**14.4 Packing group**

No dangerous good in sense of these transport regulations.

**14.5 Environmental hazards**

No dangerous good in sense of these transport regulations.

**14.6 Special precautions for user**

None

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

not required.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp)

Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC)

EN 2:1992 (DIN EN 2:2005-01)

**Authorisations and/or restrictions on use**

**Restrictions on use**

Use restriction according to REACH annex XVII, no. : None, if handled according to order.

**Restrictions of occupation**

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

**Other regulations (EU)**

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]

REGULATION (EU) No 98/2013 on the marketing and use of explosives precursors: Not applicable.

**Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer**

Not applicable.

Contains the following substances that deplete the ozone layer: -

**Regulation (EC) No 850/2004 [POP-Regulation]**

Not applicable.

Name of the persistent organic pollutant (POP): -

**National regulations**

Observe in addition any national regulations!

Germany:

TRGS 400 (Risk assessment for activities involving hazardous substances)

TRGS 500 (Protective measures)

TRGS 510 (Storage of hazardous substances in non-stationary containers)

TRGS 555 (Working instruction and information for workers)

**Water hazard class (WGK)**

Class : 1 (Slightly hazardous to water) Classification according to AwSV

**Other regulations, restrictions and prohibition regulations**

**Switzerland**

**VOCV-Regulation**

Maximum VOC content (Switzerland) : 9,5 Wt % according to VOCV

**15.2 Chemical safety assessment**

For this substance/mixture a chemical safety assessment has not been carried out.

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

### 15.3 Additional information

## SECTION 16: Other information

### 16.1 Indication of changes

07. Hints on joint storage - Storage class

### 16.2 Abbreviations and acronyms

|                     |   |
|---------------------|---|
| ABC-Pulver          | Extinguishing powder for fire class A, B and C  |
| ABEK-P1             | combination filter  |
| ADR                 | European Agreement concerning the International Carriage of Dangerous Goods by Road                 |
| AVV                 | Abfallverzeichnis-Verordnung (Waste Regulation)   |
| AWSV                | Ordinance on facilities for the handling of substances hazardous to water                           |
| BGR                 | BG rules and regulations  |
| ca.                 | circa   |
| CAS                 | Chemical Abstract Service   |
| CLP                 | classification, labelling and packaging   |
| CMR                 | Carcinogen, mutagen or toxic for reproduction   |
| DIN                 | German Institute for Standardization  |
| DNEL                | Derived No-Effect Level   |
| EAK/EWC/EAC/CWR/CER | European Waste Catalogue  |
| EC50 / CE50         | Effective Concentration 50%   |
| EG / EC / CE        | European Community  |
| EN                  | European Standard   |
| EUH                 | supplemental hazard statement of the european union   |
| GefStoffV           | Gefahrstoffverordnung (Hazardous Substances Ordinance)  |
| GHS / SGH           | Globally Harmonised System  |
| H-Sätze             | hazard statements   |
| IATA-DGR            | International Air Transport Association-Dangerous Goods Regulations                                 |
| IBC-Code            | International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk |
| ICAO-TI             | International Civil Aviation Organization-Technical Instructions                                    |
| IMDG-Code           | International Maritime Dangerous Goods Code   |
| ISO                 | International Organization for Standardization  |
| LC50 / CL50         | Lethal Concentration 50%  |
| LD50 / DL50         | Lethal Dose 50%   |
| log P O/W           | Partition coefficient n-octanol/water   |
| MARPOL              | International Convention for the Prevention of Pollution from Ships (marine pollution)              |
| NOAEL (DSET)        | No observed adverse effect level  |
| NOEC (CSEO)         | No observed effect concentration  |
| Nr.                 | Number  |
| OECD                | Organisation for Economic Co-operation and Development  |
| PBT                 | persistent, bioaccumulative and toxic   |
| pH                  | Potentia hydrogenii   |
| PIC                 | prior informed consent  |
| PNEC                | Predicted No-Effect Concentration   |
| POP                 | Persistent organic pollutants   |
| P-Sätze             | precautionary statements  |

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin STAINSTOP > W <

**Revision date :** 30.01.2019

**Version (Revision) :** 4.0.2 (4.0.1)

**Print date :** 13.02.2019

---

|                 |   |
|-----------------|---|
| REACH           | Registration, Evaluation, Authorisation and Restriction of Chemicals          |
| RID             | International Carriage of Dangerous Goods by Rail                             |
| STEL / LECT     | short-term exposure limit   |
| TRGS            | Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances) |
| TWA / MPT       | time-weighted average   |
| UN/ONU          | United Nations  |
| VOC/COV/VOS/LZO | Volatile Organic Compound   |
| VOCV            | Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.018)     |
| vPvB            | very persistent and very bioaccumulative                                      |
| WGK             | Wassergefährdungsklasse (Water hazard class)                                  |

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## 16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 (GHS)  
ECHA: Registered substances (<https://echa.europa.eu/information-on-chemicals/registered-substances>)  
REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (<https://www.echa.europa.eu/candidate-list-table>)

## 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data.  
Hazard statements for health hazards : Calculation method.  
Hazard statements for environmental hazards : Calculation method.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.                                |
| H302 | Harmful if swallowed.  |
| H319 | Causes serious eye irritation.                                     |
| H336 | May cause drowsiness or dizziness.                                 |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---