# **Safety Data Sheet ULTRAPLAN RENOVATION**

Safety Data Sheet dated: 11/30/2018 - version 2

Date of first edition: 5/25/2018



### 1. Identification

### **GHS Product identifier**

Mixture identification:

Trade name: ULTRAPLAN RENOVATION

Trade code: 9001243

Recommended use of the chemical and restrictions on use

Recommended use: no data available Uses advised against: no data available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

### **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

### 2. Hazard identification



### Classification of the Hazardous chemical

Eye Irrit. 2A Causes serious eye irritation.

Skin Sens. 1B May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

### GHS label elements, including precautionary statements

# **Pictograms and Signal Words**



Warning

### **Hazard statements:**

H317 May cause an allergic skin reaction. Causes serious eye irritation. H319

# **Precautionary statements:**

Avoid breathing dust. P261

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell. P321 Specific treatment (see supplementary instructions on this label).

Date 3/8/2019 **Production Name ULTRAPLAN RENOVATION** Page n. 1 of 9 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

### Other hazards which do not result in a classification

Other Hazards: No other hazards

### 3. Composition/information on ingredients

### **Substances**

no data available

### **Mixtures**

# Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Quantity	Name	Ident. Numb. Classification
50-75 %	free crystalline silica (Ø >10 $\mu$ )	CAS:14808-60-7 EC:238-878-4
25-50 %	limestone	CAS:471-34-1 EC:207-439-9 Index:
5-10 %	Calcium sulfate	CAS:7778-18-9 EC:231-900-3
2.5-5 %	Portland cement, Cr(VI) < 2 ppm	CAS:65997-15-1 Skin Irrit. 2, H315; Eye Dam. 1, EC:266-043-4 H318; Skin Sens. 1B, H317; STOT SE 3, H335
< 0,1 %	Amorphous precipitated silica	CAS:112926-00-

### 4. First-aid measures

### **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

 $\label{lem:lemove contaminated clothing immediately and dispose of safely. \\$ 

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Symptoms caused by exposure

Eye irritation

Eye damages

### Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 5. Fire-fighting measures

# Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 2 of 9

Hazardous combustion products: no data available

Explosive properties: no data available Oxidizing properties: no data available

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

### **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

### 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 8. Exposure controls/personal protection

### Control parameters - exposure standards, biological monitoring

# List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
free crystalline silica (Ø >10 $\mu$ )	ACGIH	NNN		0,025					(R), A2 - Pulm fibrosis, lung cancer
limestone	Australi a - Occupat ional Exposur e Standar ds - TWAs	:		10					
Calcium sulfate	ACGIH	NNN		10					(I) - Nasal

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 3 of 9

nasal symptoms;

(E,R), A4 - Pulm func, resp

symptoms, asthma

	OSHA	15
	OSHA	5
	ACGIH	10
	Australi a - Occupat ional Exposur e Standar ds - TWAs	10
Portland cement, Cr(VI) < 2 ppm	ACGIH NNN	1
Amorphous precipitated silica	Australi a - Occupat ional Exposur e Standar ds - TWAs	10

# **Predicted No Effect Concentration (PNEC) values**

Component	CAS-No.	PNEC LIMIT	Exposure Route	Exposure Frequency	Remark
Calcium sulfate	7778-18-9	100 mg/l	Microorganisms in sewage treatments		

# **Derived No Effect Level. (DNEL)**

Component	CAS-No.	Worker Worker Industr Profes y ional		Exposure Route	Exposure Frequency Remark
Calcium sulfate	7778-18-9	21,17 mg/m3	5,29 mg/m3	Human Inhalation	Long Term, systemic effects
		5082 mg/m3	3811 mg/m3	Human Inhalation	Short Term, systemic effects
			1,52 mg/kg	Human Ora	l Long Term, systemic effects
			11,4 mg/m3	Human Ora	l Short Term, systemic effects

# **Appropriate engineering controls**

no data available

# Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

no data available

# 9. Physical and chemical properties

Color: no data available Appearance: no data available Odour: no data available

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 4 of 9

Odour threshold: no data available

pH: no data available

Melting point / freezing point: no data available Initial boiling point and boiling range: no data available

Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available Vapour density: no data available Relative density: no data available Solubility in water: no data available Solubility in oil: no data available

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: no data available

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available Size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available Surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC (Volatile Organic Compound): 0 (Rule 1168) g/l

### 10. Stability and reactivity

### Reactivity

Stable under normal conditions

# **Chemical stability**

no data available

### Possibility of hazardous reactions

None

### Conditions to avoid

Stable under normal conditions.

# **Incompatible materials**

None in particular.

### Hazardous decomposition products

None.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

### Toxicological information on main components of the mixture:

free crystalline silica (Ø a) acute toxicity

LD50 Oral > 2000 mg/kg

 $>10 \mu$ )

LD50 Skin > 2000 mg/kg

Date 3/8/2019 **Production Name ULTRAPLAN RENOVATION** Page n. 5 of 9

limestone	a) acute toxicity	LD50 Oral Rat = 6450 mg/kg
Calcium sulfate	a) acute toxicity	LD50 Oral Rat > 3000 mg/kg LC50 Inhalation Rat > 3,26 mg/l
	g) reproductive toxicity	NOAEL Rat = 790 mg/kg
Amorphous precipitated silica	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
		LD50 Oral > 15000 mg/kg
		LD50 Skin Rabbit > 5000 mg/kg

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

### 12. Ecological information

### **Ecotoxicity**

Quantity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of components with eco-toxicological properties Component

Qualitity	Component	raciici itaiiibi	ECOLOX IIIIOS	
25-50 %	limestone	CAS: 471-34-1 - EINECS: 207- 439-9 - INDEX:	a) Aquatic acute toxicity :	LC50 Fish > 10000 mg/L 96
			a) Aquatic acute toxicity :	EC50 Daphnia > 1000 mg/L 48
			a) Aquatic acute toxicity:	EC50 Algae > 200 mg/L 72
5-10 %	Calcium sulfate	CAS: 7778-18-9 - EINECS: 231- 900-3	a) Aquatic acute toxicity :	LC50 Fish > 79 mg/L 96
			a) Aquatic acute toxicity :	EC50 Daphnia > 79 mg/L 48
			a) Aquatic acute toxicity :	EC50 Algae > 79 mg/L 72
			c) Bacteria toxicity: EC50	) DXE2H_001 > 790 mg/L 3
			a) Aquatic acute toxicity : EPA	LC50 Fish Lepomis macrochirus = 2980 mg/
			a) Aquatic acute toxicity : EPA	LC50 Fish Pimephales promelas > 1970 mg/
< 0,1 %	Amorphous precipitated silica	CAS: 112926- 00-8	a) Aquatic acute toxicity :	LC50 Fish = 10000 mg/L 96

**Ecotox Infos** 

a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24 b) Aquatic chronic toxicity : NOEC Algae > 10000 mg/L 72

Ident. Numb.

# Persistence and degradability

no data available

### **Bioaccumulative potential**

Date 3/8/2019 **Production Name ULTRAPLAN RENOVATION** Page n. 6 of 9 no data available

### Mobility in soil

no data available

### Other adverse effects

no data available

### 13. Disposal considerations

### **Disposal methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

### 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

**UN number** 

no data available

### UN proper shipping name

no data available

### Transport hazard class(es)

no data available

### Packing group, if applicable

no data available

### **Environmental hazards**

no data available

### Special precautions for user

no data available

### **Additional Information**

no data available

# **HazChem Code/Emergency Action code**

no data available

### 15. Regulatory information

# Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

### 16. Other information

# Code Description H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 7 of 9

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

 ${\tt INCI: International\ Nomenclature\ of\ Cosmetic\ Ingredients.}$ 

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

### Paragraphs modified from the previous revision:

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 8 of 9

- 2. HAZARDS IDENTIFICATION
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION

Date 3/8/2019 Production Name ULTRAPLAN RENOVATION Page n. 9 of 9