

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier: Harris Group of Companies
 Wildey, St. Michael
 Barbados, BB14006
 Tel: 246-429-4840

Product Code and Name: 11/0436 Super Grip Premium Problem-Solving Primer
 11/2536 Super Grip Premium Problem-Solving Primer

Manufacturer: Harris Group of Companies
 Wildey, St. Michael,
 Barbados, BB14006

General Information: Technical Department
 Harris Paints Barbados (2003) Limited
 Tel: (246) 429-4840
 Fax: (246) 436-9544
 E-Mail: technical@harrispaintsonline.com

Product Use: Interior/Exterior Paint

Date of Preparation: January 2nd, 2016
 Revision#: 2

SECTION 2: HAZARDOUS IDENTIFICATION	
GHS Classification	Classification Categories
Flammable Liquid	Category 4:
Acute Toxicity	
Oral	Category 5
Dermal	Category 5
Inhalation: Gas	Not Applicable
Skin corrosion/Irritation	Category 3: Mild Irritant
Eye damage/ Eye irritation	Category 2B

Symbols: Exclamation mark	Signal word: Warning
Hazard Statement WARNING! Combustible liquid May be harmful if swallowed May be harmful in contact with skin for prolonged or repeat periods May be harmful with prolonged or repeat inhalation	Precautionary Statement May be harmful in contact with skin, inhalation, or ingestion for prolonged periods. Keep out of reach of children 1. Keep away from heat, open flames and hot surfaces. No smoking 2. Do not eat or drink when using this product.

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



<p>Cause mild skin irritation to compromised skin Cause eye irritation May be harmful if swallowed and enters airways May cause damage to skin, eyes, respiratory tract, lungs, liver, kidneys and CNS through prolonged or repeated exposure due to inappropriate use Harmful to aquatic life</p>	<ol style="list-style-type: none"> 3. Wear protective gloves, eye/face protection and long-sleeved clothing to avoid skin contact, if necessary. 4. Avoid breathing dust, mist, vapours or spray. 5. Use in a well-ventilated area. 6. Wash hands with soap and water thoroughly after handling. 7. Avoid release to the environment.
--	--

SECTION 3: HAZARDOUS COMPOSITION OF INGREDIENTS AND INFORMATION			
INGREDIENTS NAMES			COMPOSITION % (Wt. /Gal.)
Common Name	Chemical Name	CAS No.	
Titanium Dioxide	Titanium Dioxide	13463-67-7	2.38 - 2.91
Quartz, Silica	Quartz, Crystallised Silicon Dioxide	14808-60-7	0.018 - 0.186
Propylene glycol	1,2-Propylene glycol	57-55-6	0.21 – 0.23
Microbiocide	N/A Microbiocide	Mixture	0.050 – 0.55
Butyl carbitol	Diethylene Glycol Monobutyl ether	112-34-5	0.076 – 0.19
Ethylene glycol	1,2-Ethandiol	107-21-1	0.76
Limestone	Calcium Carbonate	1317-65-3	1.37
Octylphenol Ethoxylate	Polyethylene Glycol Octylphenyl Ether	9036-19-5	0.77 – 0.79
Microbiocide	N/A Microbiocide	Mixture	0.17 (<0.02)

SECTION 4: FIRST-AID MEASURES	
Skin Contact:	If on skin, wash with plenty of water and soap. Take off contaminated clothing and wash before re-use. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeat applications may be needed. If skin irritation or rash occurs, get medical attention.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Have trained person give oxygen if necessary. If necessary, restore and support continued breathing and get emergency medical attention. Get medical help for any breathing difficulty. Remove to fresh air if inhalation caused eye watering, headaches, dizziness or other discomfort. Get medical attention if discomfort or irritation persists.
Eye Contact:	Immediately flush cautiously with large amounts of water, especially under lids for at least 15 minutes. Remove contacts lenses, if present and easy to do so and continue rinsing. If irritation or other effects persist, obtain medical treatment.

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



Ingestion: Rinse mouth. If swallowed, do not induce vomiting. If victim is conscious give at least 2 glasses of water. Obtain medical treatment immediately if feeling unwell.

SECTION 5: FIRE-FIGHTING MEASURES

In case of fire use and be aware of the following

Suitable Extinguishing Media: Dry chemical, foam or carbon dioxide. Water should only be used to cool fire-exposed containers, structures and to protect personnel or to dilute and flush away from sources of ignition.

Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat or fire. Vapours may concentrate in confined areas. Vapours may be heavier than air and may travel along distances to a source of ignition and flash back.

Fire Fighting Procedure

Wear full protective clothing such as heat insulating clothes and gloves, eye and face protection and respiratory protection. Self-contained breathing apparatus should be used when entering the hot zone. Remove any combustible material from the surrounding area where safe to do so. Start fire fighting from an up wind/wind ward direction. Only use the specified extinguishing media.

Products of Combustion: Carbon monoxide, carbon dioxide, monomer vapours, toxic gases.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General Measures: Comply with all applicable health and environmental regulations. Evacuate all unnecessary personnel upwind/windward. Eliminate all sources of ignition such as heat, sparks, open flames and other combustible materials. Cordon area from accidental entry. Complete personal protective equipment must be worn during clean-up.

Small Spills and Leaks: Use non-combustible, absorbent material such as sand, vermiculite and place into containers to dispose of properly.

Large Spills and Leaks: Shut off leak if safe to do so. Dike and contain spill far ahead of liquid for later disposal. Pump to storage or salvage vessel (if quantity allows). Use absorbent material to collect excess residue. Keep salvageable material and rinse water out of sewers and water course.

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



SECTION 7: HANDLING AND STORAGE	
General Precautions:	<p>Do not use this product other than for the purpose specified by the manufacturer or Supplier.</p> <p>Keep out of reach of children.</p> <p>N.B.: Keep running water sources on site in cases of emergency and for after work cleaning.</p>
Handling:	<p>Use only with adequate ventilation.</p> <p>Do not take internally.</p> <p>Avoid contact with skin and eyes and breathing of vapours.</p> <p>Wash hands thoroughly after handling, especially before eating or smoking.</p> <p>Avoid conditions which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use appropriate respiratory protection as directed under exposure control/personal protection.</p>
Storage:	<p>Smaller quantities should be stored in polypropylene pails or lacquer lined tins if removing from the original containers from manufacturer or supplier.</p> <p>Keep containers tightly closed and upright when not in use.</p> <p>Empty containers may contain residues.</p> <p>Store in a well-ventilated place. Keep cool.</p>

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
Common Name	CAS No.	EINECS	ACGHI-TLV 8-Hour TWA	OSHA-PEL 8-Hour TWA
Titanium Dioxide	13463-67-7	236-675-5	10 mg/m ³	10 mg/m ³
Quartz, Silica	14808-60-7	238-878-4	0.05 mg/m ³	0.1 mg/m ³
Propylene Glycol	57-55-6	200-338-0	Not est.	Not est.
Microbiocide	Mixture	Mixture	Not est.	Not est.
Butyl Carbitol	112-34-5	203-961-6	50 ppm	50 ppm
Ethylene glycol	107-21-1	203-473-3	50 ppm	50 ppm

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



Limestone	1317-65-3	215-279-6	10 mg/m ³	15 mg/m ³
Octylphenol Ethoxylate	9036-19-5	231-502-5	1 ppm	1 ppm
Microbiocide	Mixture	Mixture	Not est.	Not est.
Personal Protection Equipment Skin Respiratory Eyes	<p>If risk assessment deems necessary, impervious clothing should be worn to eliminate possible skin contact and irritation. Such as chemical resistant coveralls or neoprene apron if appropriate.</p> <p>If necessary, impervious gloves such as rubber, or nitrile, gloves should be worn.</p> <p>Use in a well-ventilated area or provide local exhaust or ventilation to reduce vapours build up. Use of an appropriate NIOSH/MSHA approved face piece respirator outfitted with organic vapour cartridges and paint spray (Dust / Mist) prefilters for prolonged use in not well-ventilated areas.</p> <p>Chemical resistant safety goggles or glasses recommended especially for overhead work. Wear face shield to protect facial skin also.</p>			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance:	Liquid	Odour:	Slight
pH:	9.0 – 9.5	Colour:	White
Soluble / Insoluble:	Soluble in water	Viscosity:	100 – 105 K.U.
Melting / Freezing Point:	Not available	Solubility:	Not available
Boiling / Condensation Point:	100 -260.5 °C	Critical Temperatures:	Not available
Specific Gravity:	1.35 – 1.36	Volatility:	< 7.41 % by weight
Vapour Density:	Not available	Vapour Pressure:	Not available
Evaporation Rate:	Not available		

SECTION 10: STABILITY AND REACTIVITY

Stability and reactivity:	This product is stable under normal conditions. See Section 5 Fire Fighting Measures.
Conditions to avoid:	Elevated temperatures, contact with oxidising agents, sparks, freezing, open flame, extremes in temperature.
Materials to avoid:	Oxidisers, acids, nitric acid, hydrofluoric acid.

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



SECTION 11: TOXICOLOGICAL INFORMATION		
Possible Effects to Overexposure	Inhalation:-	Irritation of respiratory tract. Prolonged inhalation may lead to mucous membrane irritation, dizziness and/or light-headedness, headache, nausea, coughing, sneezing, central nervous system depression, kidney damage.
	Skin contact:-	Irritation of skin. Prolonged or repeated contact can cause dermatitis, defatting. Possible sensitization to skin. Skin contact may result in dermal absorption of component(s) of this product which may cause headache, nausea, central nervous system depression.
	Eye contact:-	Irritation of eyes. Prolonged or repeated contact may cause conjunctivitis, tearing of eyes, and redness of eyes.
	Ingestion:-	Ingestion may cause dizziness and /or light headedness, headache, vomiting, gastro-intestinal disturbances, severe abdominal pain, apathy, central nervous system depression, respiratory problems, intoxication, kidney damage, pulmonary edema, loss of consciousness, acute poisoning, respiratory failure, cardiac failure, brain damage.
Supplemental Health Information:	<p>No additional effects are anticipated besides those mentioned in Section 5 Fire Fighting Measures.</p> <p>This product has not been listed by IARC, OSHA, ACGIH, DSL, TSCA but contains ingredients which are toxic by ingestion, inhalation and through the skin. Chemicals in their non-reportable form could be encountered when stripping or release of by-products may build-up in the headspace of the containers.</p>	
Carcinogenicity	<p>IARC has classified Quartz in its respirable form. Ethylene glycol has been listed by the IARC as a probable carcinogen to humans. Titanium dioxide has been listed by the IARC as a possible carcinogen to humans based on inadequate evidence in humans and sufficient evidence of carcinogenicity in experimental animals. Microbiocides are also listed as suspected of causing cancer under EEC.</p>	

SECTION 12: ECOLOGICAL INFORMATION	
General Note:	<p>There is no data available on the products but contains ingredients known to have toxic and very toxic effects to the environment and even with long lasting effects. Do not allow undiluted product or large quantities of products to reach ground water, water courses or sewage systems.</p>

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



SECTION 13: DISPOSAL CONSIDERATION

Dispose of in accordance with all applicable regulations ensuring no contamination of surrounding environment.

SECTION 14: TRANSPORTATION INFORMATION

This product is to be shipped as consumer commodity packaging, but it is the responsibility of the shipper to ensure full compliance with the applicable regulations. This product is not controlled or regulated under DOT, IATA.

UN ID No.:	1263
DOT: Classification:	Not regulated
IATA: Classification:	Not regulated

SECTION 15: REGULATORY INFORMATION

Products As of the date of this SDS, this product was not being regulated or controlled. It also contains other hazardous ingredients below the required reportable limits

Product Components:

DSCL (EEC):	Quartz	R20, R48
	Ethylene glycol	Xn-Harmful; R22
	Butyl Carbitol	Xi-Sensitizing; R36
	Microbiocide	C-Corrosive; Xi- Sensitizing; N-Dangerous for the environment; R34, R43, R50
	Microbiocide	T-Toxic; Xn-Harmful; Xi-Sensitizing; N-Dangerous for the environment; R20/21, R40, R43, R46, R48/22, R51/53, R60, R61,
IARC:	Titanium Dioxide	Group 2B – Possible carcinogen to humans
	Quartz	Group 1 – Known carcinogen to humans; see Section 11
	Ethylene glycol	Group 2A – Probable carcinogen to humans

SARA Title III Section 311/312:

Titanium dioxide	Immediate (Acute) Health Hazard
Quartz	Immediate (Acute) Health and Delayed (Chronic) Health Hazards
Butyl Carbitol	Immediate (Acute) Health, Delayed (Chronic) and Reactive Health Hazards
Limestone	Immediate (Acute) Health Hazard
Octylphenol	Immediate (Acute) Health, Delayed (Chronic) Health and Fire Hazards
Ethoxylate	

Section 313:

Butyl Carbitol	Listed
Ethylene Glycol	Listed

SAFETY DATA SHEET

SUPER GRIP PREMIUM

PROBLEM-SOLVING PRIMER



WHMIS:	Titanium Dioxide	Class D, Div 2, Subdiv A: Material causing other effects (VERY TOXIC)
	Quartz	Class D, Div 2, Subdiv A: Material causing other effects (VERY TOXIC)
	Butyl Carbitol	Class D, Div 2, Subdiv A: Material causing other effects) VERY TOXIC
		Class D, Div 2, Subdiv B: Materials causing other toxic effects (VERY)
	Limestone	Class B, Div 4: Flammable Solid
		Class D, Div 2, Subdiv B: Materials causing other toxic effects (TOXC)
	Octylphenol Ethoxylate	Class D, Div 2, Subdiv B: Material causing other toxic effects (TOXIC)
DSL:	Titanium dioxide	Listed
	Quartz	Listed
	Butyl Carbitol	Listed
	Ethylene Glycol	Listed
	Limestone	Listed
TSCA:	Titanium dioxide	Listed
	Quartz	Listed
	Butyl Caribitol	Listed
	Ethylene glycol	Listed
	Limestone	Listed
	Octylphenol	Listed
	Ethoxylate	

SECTION 16: OTHER INFORMATION

Risk Phrase used in Section 15 above

R20: Harmful by inhalation

R20/21: Also harmful by inhalation and in contact with skin

R22: Harmful if swallowed

R34: Causes burns

R36: Irritating to eyes

R40: Limited evidence of carcinogenic effects

R43: May cause sensitisation by skin contact

R46: May cause heritable genetic damage

R48: Danger of serious damage to health on prolonged exposure

R48/22: Also harmful: danger of serious damage to health by prolonged exposure if swallowed

R50: Very toxic to aquatic organisms

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R60: May impair fertility

SAFETY DATA SHEET
SUPER GRIP PREMIUM
PROBLEM-SOLVING PRIMER



R61: May cause harm to the unborn child.

The information contained herein is based on data available at the time of preparation of this data sheet and which is believed to be reliable. However, it is the users' responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is given in good faith, but no warranty, expressed or implied is made.

The information found in this SDS complies with GHS, ISO, for Canada, the USA and the European Union.