SAFETY DATA SHEET

ULTTIMA PLUS ACRYLIC PORCH & PATIO ENAMEL





SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Harris Group of Companies Supplier:

> Wildey, St. Michael Barbados, BB14006 Tel: 246-429-4840

Product Code and

12/0438 Name: 12/2538

Ulttima Plus Acrylic Porch & Patio Enamel Ulttima Plus Acrylic Porch & Patio Enamel

Manufacturer:

Harris Group of Companies

Wildey, St. Michael, Barbados, BB14006

General Information:

Technical Department

Harris Paints Barbados (2003)

Limited

Tel: (246) 429-4840

Fax: (246) 436-9544

E-Mail: technical@harrispaintsonline.com

Product Use: Interior/Exterior Paints

January 14th, 2016 Revision#: 2 Date of Preparation:

SECTION 2: HAZARDOUS IDENTIFICAT	TION
GHS Classification	Classification Categories
Flammable Liquid	Category 4:
Acute Toxicity	
Oral	Category 5
Dermal	Category 5
Inhalation: Vapour	Category 5
Inhalation: Dust and Mist	Not classifiable under normal handling
Skin corrosion/Irritation	Category 3: Irritant
Eye damage/ Eye irritation	Category 2B
Carcinogenicity	No available data but contains suspected ingredients
Reproductive toxicity	No available data but contains ingredient known to have
	potential and suspected

Symbols: Exclamation mark	Signal word: Warning
Hazard Statement	Precautionary Statement
WARNING!	May be harmful in contact with skin, inhalation, or
Combustible liquid	ingestion for prolonged periods.
May be harmful if swallowed	Keep out of reach of children

SAFETY DATA SHEET

exposure due to inappropriate use

Harmful to aquatic life

ULTTIMA PLUS ACRYLIC PORCH & PATIO ENAMEL





May be harmful in contact with skin for prolonged or repeat periods

May be harmful with prolonged or repeat inhalation

Cause mild skin irritation to compromised skin

Cause mild eye irritation

May be harmful if swallowed and enters airways

May cause damage to skin, eyes, respiratory tract, lungs, liver, CNS through prolonged or repeated

- 1. Keep away from heat, open flames and hot surfaces. No smoking
- 2. Do not eat or drink when using this product.
- 3. Wear protective gloves, eye/face protection and long-sleeved clothing to avoid skin contact, if necessary.
- 4. Avoid breathing dust, mist, vapours or spray.
- 5. Use in a well-ventilated area.
- 6. Wash hands with soap and water thoroughly after handling.
- 7. Avoid release to the environment.

SECTION 3: HAZARDOUS COMPOSITION OF INGREDIENTS AND INFORMATION						
INGREDIENTS NAMES			COMPOSITION % (Wt. /Gal.)			
Common Name	Chemical Name	CAS No.	*024J	*025I	*073A	*026C
Titanium Dioxide	Titanium Dioxide	13463-67-7	2.50-3.01	2.64-3.23	2.66-3.26	2.66-3.26
Propylene glycol	1,2-Propylene glycol	57-55-6	>1.19	>1.27	>1.28	>1.29
Quartz, Silica	Quartz, Crystallised Silicon Dioxide	14808-60-7	<0.1	<0.1	<0.1	<0.1
Talc	Magnesium Silicate	1343-88-0	<0.1	<0.1	<0.1	<0.1
Microbiocide	N/A Microbiocides	Mixture	0.19	0.20	0.20	0.20
	Mixture		(<0.017)	(<0.018)	(<0.018)	(<0.018)

SECTION 4:	FIRST-AID MEASURES
Skin Contact:	If on skin, wash with plenty of water and soap. If necessary, take off contaminated clothing and wash before re-use. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeat applications may be needed. If skin irritation or rash occurs, get medical attention.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Have trained person give oxygen if necessary. If necessary, restore and support continued breathing and get emergency medical attention. Get medical help for any breathing difficulty. Remove to fresh air if inhalation caused eye watering, headaches, dizziness or other discomfort. Get medical attention if discomfort or irritation persists.
Eye Contact:	Immediately flush cautiously with large amounts of water, especially under lids for at least 15 minutes. Remove contacts lenses, if present and easy to do so and continue rinsing. If irritation or other effects persist, obtain medical treatment.





Ingestion:

Rinse mouth. If swallowed, do not induce vomiting. If victim is conscious give at least 2 glasses of water. Obtain medical treatment immediately if feeling unwell.

SECTION 5: FIRE-FIGHTING MEASURES

In case of fire use and be aware of the following

Suitable Extinguishing Media: Dry chemical, foam or carbon dioxide. Water should only be used to cool

fire-exposed containers, structures and to protect personnel or to dilute

and flush away from sources of ignition.

Unusual Fire and Explosion

Hazards:

Closed containers may explode when exposed to extreme heat or fire.

Vapours may concentrate in confined areas.

Vapours may be heavier than air and may travel along distances to a

source of ignition and flash back.

Fire Fighting Procedure Wear full protective clothing such as heat insulating clothes and gloves,

eye and face protection and respiratory protection.

Self-contained breathing apparatus should be used when entering the

hot zone.

Remove any combustible material from the surrounding area where safe

to do so.

Start fire fighting from an up wind/wind ward direction.

Only use the specified extinguishing media.

Products of Combustion: Carbon monoxide, carbon dioxide, monomer vapours, toxic gases.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General Measures: Comply with all applicable health and environmental regulations.

Evacuate all unnecessary personnel upwind/windward.

Eliminate all sources of ignition such as heat, sparks, open flames and other

combustible materials.

Cordon area from accidental entry.

Complete personal protective equipment must be worn during clean-up.

Small Spills and Leaks: Use non-combustible, absorbent material such as sand, vermiculite and place into

containers to dispose of properly.

Large Spills and Leaks: Shut off leak if safe to do so.

Dike and contain spill far ahead of liquid for later disposal.

Pump to storage or salvage vessel (if quantity allows).

Use absorbent material to collect excess residue.

Keep salvageable material and rinse water out of sewers and water course.





SECTION 7: HANDLIN	NG AND STORAGE
General Precautions:	Do not use this product other than for the purpose specified by the manufacturer or Supplier. Keep out of reach of children. N.B.: Keep running water sources on site in cases of emergency and for after work cleaning.
Handling:	Use only with adequate ventilation. Do not take internally. Avoid contact with skin and eyes and breathing of vapours. Wash hands thoroughly after handling, especially before eating or smoking. Avoid conditions which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use appropriate respiratory protection as directed under Section 8 below.
Storage:	Smaller quantities should be stored in polypropylene pails or lacquer lined tins if removing from the original containers from manufacturer or supplier. Keep containers tightly closed and upright when not in use. Empty containers may contain residues. Store in a well-ventilated place. Keep cool.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
Common Name	CAS No.	EINECS	ACGHI-TLV	OSHA-PEL	
			8-Hour TWA	8-Hour TWA	
Titanium Dioxide	13463-67-7	236-675-5	10 mg/m ³	10 mg/m ³	
Propylene glycol	57-55-6	200-338-0	Not est.	Not est.	
Quartz, Silica	14808-60-7	238-878-4	0.05 mg/m ³	0.1 mg/m ³	
Talc	1343-88-0	215-681-1	2 mg/m ³	Not Est.	
Microbiocide	Mixture	Mixture	Not est.	Not est.	
Personal Protection Skin Equipment	If risk assessment deemed necessary, impervious clothing should be worn to eliminate possible skin contact and irritation, such as chemical resistant coveralls or neoprene apron if appropriate. If necessary, impervious gloves such as rubber, or nitrile, gloves should be worn.				
Respiratory	Use in a well-ventilated area or provide local exhaust or ventilation to reduce vapours build up. Use of an appropriate NIOSH/MSHA approved face piece respirator outfitted with organic vapour cartridges and paint spray (Dust / Mist) prefilters when sanding/stripping for prolonged period in not well - ventilated areas.				





Eyes

Chemical resistant safety goggles or glasses recommended especially for overhead work. Wear face shield to protect facial skin also.

SECTION 9: PHYSICAL AND	CHEMICAL PROPERTI	ES	
Physical State and	Liquid	Odour:	Slight
Appearance:			
pH:	9.92 – 10.05	Colour:	White
Soluble / Insoluble:	Soluble in water	Viscosity:	100 - 107 K.U.
Melting / Freezing Point:	Not available	Solubility:	Not available
Boiling / Condensation Point:		Critical	Not available
		Temperatures:	
Specific Gravity:	1.16 – 1.28	Volatility:	(4.37, 4.27, 4.22, 4.22) ¹ % by weight
Vanour Dansitur	Not available	Vanour Proceures	Not available
Vapour Density:		Vapour Pressure:	NOT available
Evaporation Rate:	Not available		

¹ In order of Section 2 listing

SECTION 10:	STABILITY AND	REACTIVITY

Stability and reactivity: This product is stable under normal conditions. See Section 5 Fire Fighting Measures. Conditions to avoid: Elevated temperatures, contact with oxidising agents, sparks, freezing, open flame,

extremes in temperature.

Materials to avoid: Oxidisers, acids, nitric acid, hydrofluoric acid.

SECTION 11: TOXIO	COLOGICAL INFORMA	TION
Possible Effects to Overexposure	Inhalation:-	Irritation of respiratory tract. Prolonged inhalation may lead to mucous membrane irritation, dizziness and/or light-headedness, headache, nausea, coughing, sneezing, central nervous system depression, kidney damage.
	Skin contact:-	Irritation of skin. Prolonged or repeated contact can cause dermatitis, defatting. Possible sensitization to skin. Skin contact may result in dermal absorption of component(s) of this product which may cause headache, nausea, central nervous system depression.
	Eye contact:-	Irritation of eyes. Prolonged or repeated contact may cause conjunctivitis, tearing of eyes, and redness of eyes.





Ingestion:-	Ingestion may cause dizziness and /or light headedness, headache,
	vomiting, gastro-intestinal disturbances, severe abdominal pain.

apathy, central nervous system depression, respiratory problems,

intoxication, pulmonary edema, loss of consciousness.

Supplemental Health

No additional effects are anticipated besides those mentioned in Section 5 Fire Fighting

Measures.

Information: This product has not been listed by IARC, OSHA, ACGIH, DSL, TSCA but contains

ingredients which are toxic by ingestion, inhalation and through the skin.

Chemicals in their non-reportable form could be encountered when stripping or release

of by-products may build-up in the headspace of the containers.

Carcinogenicity IARC has classified Quartz in its respirable form. Titanium dioxide has been listed by the

> IARC as a possible carcinogen to humans based on inadequate evidence in humans and sufficient evidence of carcinogenicity in experimental animals. Microbiocides are also

listed as suspected of causing cancer under EEC.

SECTION 12: ECOLOGICAL INFORMATION

There is no data available on the products but contains an ingredient known to be very

toxic to aquatic life and with long lasting effects

General Note: Do not allow undiluted product or large quantities of products to reach ground water,

water courses or sewage systems.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of in accordance with all applicable regulations ensuring no contamination of

surrounding environment.

SECTION 14: TRANSPORTATION INFORMATION

This product is to be shipped as consumer commodity packaging, but it is the responsibility of the shipper to ensure full compliance with the applicable regulations. This product is not controlled or regulated under DOT,

IATA.

UN ID No.: Not regulated DOT: Classification: Not regulated IATA: Classification: Not regulated

SAFETY DATA SHEET

ULTTIMA PLUS ACRYLIC PORCH & PATIO ENAMEL





SECTION 15: REGUL	ATORY IN	FORMATION
-------------------	----------	-----------

Products As of the date of this SDS, this product was not being regulated or controlled. It also

contains other hazardous ingredients below the required reportable limits

Product Components:

DSCL (EEC): Quartz R20, R48

Microbiocide T – Toxic; Xn – Harmful; N – Dangerous for the environment; Xi

- Sensitizing; R20/R21, R22, R40, R43, R46 ,R48/R22, R51/R53,

R60, R61

Propylene glycol R21, R22

IARC: Titanium Dioxide Group 2B – Possible carcinogen to humans

Quartz Group 1 – Known carcinogen to humans; see Section 11

SARA Title III

Section 311/312: Titanium dioxide Immediate (Acute) Health Hazard

Quartz Imm

Immediate (Acute) Health and Delayed (Chronic) Health Hazards

Propylene glycol Immediate (Acute) Health Hazard

Section 313: None Listed

WHMIS: Titanium Dioxide Class D, Div 2, Subdiv A: Material causing other effects (VERY

TOXIC)

Quartz Class D, Div 2, Subdiv A: Material causing other effects (VERY

TOXIC)

DSL: Titanium dioxide Listed

Quartz Listed

Propylene glycol Listed

TSCA: Titanium dioxide Listed

Quartz Listed

Propylene glycol Listed

SECTION 16: OTHER INFORMATION

Risk Phrase used in Section 15 above

R20: Harmful by inhalation

R20/21: Also harmful by inhalation and in contact with skin

R21: Harmful in contact with skin

R22: Harmful if swallowed.

R40: Limited evidence of a carcinogenic effect

R43: May cause sensitisation by skin contact

R46: May cause heritable genetic damage

Rev 1 - 02 February 2021

SAFETY DATA SHEET ULTTIMA PLUS ACRYLIC PORCH & PATIO ENAMEL





R48/22: Also harmful: danger of serious damage to health by prolonged exposure if swallowed

R48: Danger of serious damage to health on prolonged exposure

R51/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R60: May impair fertility

R61: May cause harm to the unborn child

The information contained herein is based on data available at the time of preparation of this data sheet and which is believed to be reliable. However, it is the users' responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is given in good faith, but no warranty, expressed or implied is made.

The information found in this SDS complies with GHS, ISO, for Canada, the USA and the European Union.