## **ULTTIMA PLUS GLOSS OIL ENAMEL**





#### SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier: Harris Group of Companies

Wildey, St. Michael Barbados, BB14006 Tel: 246-429-4840

Product Code and

13/0535 13/2535 Ulttima Plus Gloss Oil Enamel Ulttima Plus Gloss Oil Enamel

Name:

Manufacturer: Harris Group of Companies

Wildey, St. Michael, Barbados, BB14006

General Information: Technical Department

Tel: (246) 429-4840

Harris Paints Barbados (2003)

Fax: (246) 436-9544

Limited

E-Mail: technical@harrispaintsonline.com

Product Use: Interior/Exterior Paints

Date of Preparation: January 14<sup>th</sup>, 2016 Revision#: 2

SECTION 2: HAZARDOUS IDENTIFICATION				
GHS Classification	Classification Categories			
Flammable Liquid	Category 4:			
Acute Toxicity				
Oral	Category 5			
Dermal	Category 5			
Skin corrosion/Irritation	Category 3: Mild Irritant			
Eye damage/ Eye irritation	Category 2B			

Symbols: Exclamation mark	Signal word: Warning	
<b>Hazard Statement</b>	Precautionary Statement	
WARNING!	May be harmful in contact with skin, inhalation, or	
Combustible liquid	ingestion for prolonged periods.	
May be harmful if swallowed	Keep out of reach of children	
May be harmful in contact with skin for prolonged	1. Keep away from heat, open flames and hot	
or repeat periods	surfaces. No smoking	
May be harmful with prolonged or repeat	2. Do not eat or drink when using this product.	
inhalation	3. Wear protective gloves, eye/face protection and	
Cause mild skin irritation to compromised skin	long-sleeved clothing to avoid skin contact, if	
Cause eye irritation	necessary.	

## **ULTTIMA PLUS GLOSS OIL ENAMEL**





May be harmful if swallowed and enters airways May cause damage to skin, eyes, respiratory tract, lungs, liver, kidneys and CNS through prolonged or repeated exposure due to inappropriate use Harmful to aquatic life

- 4. Avoid breathing dust, mist, vapours or spray.
- 5. Use in a well-ventilated area.
- 6. Wash hands with soap and water thoroughly after handling.
- 7. Avoid release to the environment.

SECTION 3: HAZARDOUS COMPOSITION OF INGREDIENTS AND INFORMATION							
INGREDIENTS NAMES		COMPOSITION % (Wt./Gal.)					
Common Name	Chemical Name	CAS No.	*.P	*.W	*.	*.D	*.A
Rule 66 Mineral Spirits, Naphtha	Medium Aliphatic Hydrocarbon	64742-88-7	7.70-9.00	7.70-9.00	8.76-10.2	9.00-10.5	16.6-19.4
Microbiocide	N/A Microbiocides	Mixture	0.236	0.248	0.244	0.261	0.287
	Mixture		(<0.021)	(<0.022)	(<0.022)	(<0.024)	(<0.026)
Titanium	Titanium Dioxide	13463-67-7	15.3-18.7	15.7-18.7	7.80-9.60	1.87-2.30	-
Dioxide							
Zinc Oxide	Zinc Oxide	1314-13-2	0.48	0.48	0.54	0.56	-
Talc	Magnesium Silicate	1343-88-0	-	-	>1.60	>6.56	-
Mineral Spirits, Stoddard	Aliphatic Hydrocarbon	8052-41-3	19.0	19.0	15.0	19.0	15.0
Solvent							
Propylene glycol	1,2-Propylene glycol	57-55-6	3.80	3.80	4.30	4.40	-
Limestone	Calcium Carbonate	1317-65-3	-	-	-	-	0.12

SECTION 4: I	FIRST-AID MEASURES
Skin Contact:	If on skin, wash with plenty of water and soap. Take off contaminated clothing and wash before re-use. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeat applications may be needed. If skin irritation or rash occurs, get medical attention.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Have trained person give oxygen if necessary. If necessary, restore and support continued breathing and get emergency medical attention. Get medical help for any breathing difficulty. Remove to fresh air if inhalation caused eye watering, headaches, dizziness or other discomfort. Get medical attention if discomfort or irritation persists.
Eye Contact:	Immediately flush cautiously with large amounts of water, especially under lids for at least 15 minutes. Remove contacts lenses, if present and easy to do so and continue rinsing. If irritation or other effects persist, obtain medical treatment.
Ingestion:	Rinse mouth. If swallowed, do not induce vomiting. If victim is conscious give at least 2 glasses of water. Obtain medical treatment immediately if feeling unwell.

Rev 1 – 02 February 2021

#### **SAFETY DATA SHEET**

## **ULTTIMA PLUS GLOSS OIL ENAMEL**





#### **SECTION 5: FIRE-FIGHTING MEASURES**

In case of fire use and be aware of the following

Suitable Extinguishing Media: Dry chemical, foam or carbon dioxide. Water should only be used to

cool fire-exposed containers, structures and to protect personnel or to

dilute and flush away from sources of ignition.

Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat or fire.

Vapours may concentrate in confined areas.

Vapours may be heavier than air and may travel along distances to a

source of ignition and flash back.

Fire Fighting Procedure Wear full protective clothing such as heat insulating clothes and gloves,

eye and face protection and respiratory protection.

Self-contained breathing apparatus should be used when entering the

hot zone.

Remove any combustible material from the surrounding area where

safe to do so.

Start fire fighting from an up wind/wind ward direction.

Only use the specified extinguishing media.

Products of Combustion: Carbon monoxide, carbon dioxide, monomer vapours, toxic gases.

SECTION 6.	ACCIDENTAL	RELEASE MEASURES
JECTION U.	ACCIDEINIAL	. NEELAJE WILAJUNEJ

General Measures: Comply with all applicable health and environmental regulations.

Evacuate all unnecessary personnel upwind/windward.

Eliminate all sources of ignition such as heat, sparks, open flames and other

combustible materials.

Cordon area from accidental entry.

Complete personal protective equipment must be worn during clean-up.

Small Spills and Leaks: Use non-combustible, absorbent material such as sand, vermiculite and place into

containers to dispose of properly.

Large Spills and Leaks: Shut off leak if safe to do so.

Dike and contain spill far ahead of liquid for later disposal.

Pump to storage or salvage vessel (if quantity allows).

Use absorbent material to collect excess residue.

Keep salvageable material and rinse water out of sewers and water course.

#### **SECTION 7: HANDLING AND STORAGE**

General Precautions: Do not use this product other than for the purpose specified by the manufacturer or

Supplier.

Keep out of reach of children.

# **ULTTIMA PLUS GLOSS OIL ENAMEL**



	N.B.: Keep running water sources on site in cases of emergency and for after work cleaning.
Handling:	Use only with adequate ventilation. Do not take internally. Avoid contact with skin and eyes and breathing of vapours. Wash hands thoroughly after handling, especially before eating or smoking. Avoid conditions which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use appropriate respiratory protection as directed under Section 8 below.
Storage:	Smaller quantities should be stored in metal cans if removing from the original containers from manufacturer or supplier.  Keep containers tightly closed and upright when not in use.  Empty containers may contain residues.  Store in a well-ventilated place. Keep cool.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
Common Name	CAS No.	EINECS	ACGHI-TLV	OSHA-PEL	
			8-Hour TWA	8-Hour TWA	
Rule 66 Mineral Spirits, Naphtha	64742-88-7	265-191-7	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	
Microbiocide	Mixture	Mixture	Not est.	Not est.	
Titanium Dioxide	13463-67-7	236-675-5	10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	
Zinc Oxide	1314-13-2	215-222-5	2 mg/m <sup>3</sup>	Total dust	
				15 mg/m <sup>3</sup>	
Talc	14807-96-6	238-877-9	2 mg/m <sup>3</sup>	Not est.	
Mineral Spirits, Stoddard Solvent	8052-41-3	232-489-3	100 ppm	500 ppm	
Propylene Glycol	57-55-6	200-338-0	Not est.	Not est.	
Limestone 1317-65-3 215-279-6 10 mg/m <sup>3</sup>		15 mg/m <sup>3</sup>			
Personal Protection Equipment Skin	If risk assessment deems necessary, impervious clothing should be worn to eliminate possible skin contact and irritation. Such as chemical resistant coveralls or neoprene apron if appropriate.  If necessary, impervious gloves such as rubber, or nitrile, gloves should be worn.				
Respiratory	Use in a well-ventilated area or provide local exhaust or ventilation to reduce vapours build up.  Use of an appropriate NIOSH/MSHA approved face piece respirator outfitted with organic vapour cartridges and paint spray (Dust / Mist) prefilters for prolonged use in not-well ventilated areas.				

# SAFETY DATA SHEET ULTTIMA PLUS GLOSS OIL ENAMEL





Eyes

Chemical resistant safety goggles or glasses recommended especially for overhead work. Wear face shield to protect facial skin also.

Physical State and Appearance:	Liquid	Odour:	Slight
pH:	Not available	Colour:	Creamy-White
Soluble / Insoluble:	Insoluble in water	Viscosity:	76-84 KU
Melting / Freezing Point:	Not available	Solubility:	Not available
Boiling / Condensation Point:	Not available	Critical	Not available
		Temperatures:	
Specific Gravity:	0.94 - 1.20	Volatility:	29 – 37% by weight
Vapour Density:	Not available	Vapour Pressure:	Not available
Evaporation Rate:	Not available		

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability and reactivity: This product is stable under normal conditions. See Section 5 Fire Fighting Measures. Conditions to avoid: Elevated temperatures, contact with oxidising agents, sparks, freezing, open flame,

autum and in the man areturn

extremes in temperature.

Materials to avoid: Oxidisers, acids, nitric acid, hydrofluoric acid.

SECTION 11: TOXICOLOGICAL INFORMATION				
Possible Effects to Inhalation:- Overexposure	Irritation of respiratory tract. Prolonged inhalation may lead to mucous membrane irritation, dizziness and/or light-headedness, headache, nausea, coughing, sneezing, central nervous system depression, kidney damage.			
Skin contact:-	Irritation of skin. Prolonged or repeated contact can cause dermatitis, defatting. Possible sensitization to skin. Skin contact may result in dermal absorption of component(s) of this product which may cause headache, nausea, central nervous system depression.			
Eye contact:-	Irritation of eyes. Prolonged or repeated contact may cause conjunctivitis, tearing of eyes, and redness of eyes.			
Ingestion:-	Ingestion may cause dizziness and /or light headedness, headache, vomiting, gastro-intestinal disturbances, severe abdominal pain, apathy, central nervous system depression, respiratory problems, intoxication, kidney damage, pulmonary			

## **ULTTIMA PLUS GLOSS OIL ENAMEL**





edema, loss of consciousness, acute poisoning, respiratory failure, cardiac failure, brain damage.

Supplemental

No additional effects are anticipated besides those mentioned in Section 5 Fire Fighting

Health Measures.

Information: This product has not been listed by IARC, OSHA, ACGIH, DSL, TSCA but contains

ingredients which are toxic by ingestion, inhalation and through the skin.

Chemicals in their non-reportable form could be encountered when stripping or release

of by-products may build-up in the headspace of the containers.

**Carcinogenicity** Titanium dioxide has been listed by the IARC as a possible carcinogen to humans based

on inadequate evidence in humans and sufficient evidence of carcinogenicity in experimental animals. Microbiocides are also listed as suspected of causing cancer

under EEC.

#### **SECTION 12: ECOLOGICAL INFORMATION**

There is no data available on the products but contains ingredients known to have

toxic and very toxic effects to the environment and even with long lasting effects.

General Note: Do not allow undiluted product or large quantities of products to reach ground water,

water courses or sewage systems.

#### **SECTION 13: DISPOSAL CONSIDERATION**

Dispose of in accordance with all applicable regulations ensuring no contamination of surrounding environment.

#### **SECTION 14: TRANSPORTATION INFORMATION**

This product is to be shipped as consumer commodity packaging, but it is the responsibility of the shipper to ensure full compliance with the applicable regulations. This product is not controlled or regulated under DOT, IATA.

UN ID No.: 1263

DOT: Classification: Not regulated Not regulated Not regulated

#### **SECTION 15: REGULATORY INFORMATION**

Products As of the date of this SDS, this product was not being regulated or controlled. It also

contains other hazardous ingredients below the required reportable limits

**Product Components:** 

DSCL (EEC): Rule 66 Mineral Xn – Harmful, R65

**Spirits** 

## **ULTTIMA PLUS GLOSS OIL ENAMEL**





Microbiocide T-Toxic; Xn-Harmful; Xi-Sensitizing; N-Dangerous for the

environment; R20/21, R40, R43, R46, R48/22, R51/53, R60, R61,

Zinc Oxide N-Dangerous for the environment, R50, R51. R52, R53

Talc R22

Stoddard Solvent R10, R36, R38 Propylene glycol R21, R22

IARC: Titanium Dioxide Group 2B – Possible carcinogen to humans

SARA Title III

Section 311/312: Rule 66 Mineral Immediate (Acute) Health and Fire Hazard

**Spirits** 

Titanium dioxide Immediate (Acute) Health Hazard

Stoddard Solvent Immediate (Acute) Health and Fire Hazard

Propylene glycol Immediate (Acute) Health Hazard Limestone Immediate (Acute) Health Hazard

Section 313: Stoddard Solvent Listed

WHMIS: Rule 66 Mineral Class B, Div 3: Combustible Liquid

Spirits

Titanium Dioxide Class D, Div 2, Subdiv A: Material causing other effects (VERY

TOXIC)

Talc Class D, Div 2, Subdiv B: Materials causing other toxic effects

(TOXIC)

Limestone Class D, Div 2, Subdiv B: Materials causing other toxic effects

(TOXC)

Listed

Stoddard Solvent Class B, Div 3: Combustible Liquid and Class D, Div 2, Subdiv B:

Material causing other toxic effects (TOXIC)

DSL: Rule 66 Mineral Listed

**Spirits** 

Titanium dioxide Listed
Zinc Oxide Listed
Propylene Glycol Listed
Limestone Listed
Talc Listed
Stoddard Solvent Listed

TSCA: Rule 66 Mineral

**Spirits** 

Titanium dioxide Listed Zinc Oxide Listed

## **ULTTIMA PLUS GLOSS OIL ENAMEL**





Propylene glycol Listed Limestone Listed Talc Listed

#### **SECTION 16: OTHER INFORMATION**

#### Risk Phrase used in Section 15 above

R10: Flammable

R20/21: Also harmful by inhalation and in contact with skin

R21: Harmful in contact with skin

R22: Harmful if swallowed

R36: Irritating to eyes

R38: Irritating to skin

R40: Limited evidence of carcinogenic effects

R43: May cause sensitisation by skin contact

R46: May cause heritable genetic damage

R48/22: Also harmful: danger of serious damage to health by prolonged exposure if swallowed

R50: Very toxic to aquatic organisms

R51: Toxic to aquatic organisms

R52: Harmful to aquatic organisms

R53: May cause long-term adverse effects in the aquatic environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R60: May impair fertility

R61: May cause harm to the unborn child

R65: Harmful: may cause lung damage if swallowed.

The information contained herein is based on data available at the time of preparation of this data sheet and which is believed to be reliable. However, it is the users' responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is given in good faith, but no warranty, expressed or implied is made.

The information found in this SDS complies with GHS, ISO, for Canada, the USA and the European Union.