

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
Supplier:	Harris Group of Companies Wildey, St. Michael Barbados, BB14006 Tel: 246-429-4840			
Product Code and Name:	12/0460 – Ulttima Plus Pure Zero VO	C Interior Flat Emulsion		
Manufacturer:	Harris Group of Companies Wildey, St. Michael, Barbados, BB14006			
General Information:	Technical Department Harris Paints Barbados (2003) Limited	Tel: (246) 429-4840 Fax: (246) 436-9544		
Product Use:	Interior Paint Base	E-Mail: technical@harrispaintsonline.com		
Date of Preparation:	July 8 th , 2019	Revision#: 0		

SECTION 2: HAZARDOUS IDENTIFICATION				
GHS Classification	Classification Categories			
Flammable Liquid	Category 4:			
Acute Toxicity				
Oral	Category 5			
Dermal	Category 5			
Inhalation: Gas	Not Applicable			
Inhalation: Vapour	Category 5			
Inhalation: Dust and Mist	Not classifiable under normal handling			
Skin corrosion/Irritation	Category 3: Irritant			
Eye damage/ Eye irritation	Category 2B			
Respiratory Sensitisation Solid/Liquid	Category 3			
Respiratory Sensitisation Gas	Not classifiable			
Skin Sensitisation	No available data			
Germ Cell Mutagenicity	Not available data			
Carcinogenicity	No available data			
Reproductive toxicity	No available data			
Effects on or via lactation	Not classifiable			

1



Specific Target Organ/Systemic Toxicity (Single	Not classifiable for skin or inhalation.		
Exposure)	No available data for ingestion		
Specific Target/Systemic Toxicity (Repeated	No available data		
Exposure)			
Aspiration Hazard	No available data		
Hazard to the Aquatic Environment (Acute)	No available data		
Hazard to the Aquatic Environment (Chronic)	No available data		

Hazard Statement

Combustible liquid

May be harmful if swallowed

May be harmful in contact with skin for prolonged or repeat periods

May be harmful if swallowed and enters airways

May be harmful with prolonged or repeat inhalation

Cause mild skin irritation to compromised skin

May cause eye irritation

May cause damage to skin, eyes, respiratory tract, lungs, liver and CNS through prolonged or repeated exposure due to inappropriate use

Harmful to aquatic life

<u>Symbols</u>



Precautionary Statement

May be harmful in contact with skin, inhalation, or ingestion.

Keep out of reach of children

- 1. Keep away from heat, open flames and hot surfaces. No smoking
- 2. Do not eat or drink when using this product.
- 3. Wear protective gloves, eye/face protection and long-sleeved clothing to avoid skin contact.
- 4. Avoid breathing dust, mist, or spray.
- 5. Use in a well-ventilated area.
- 6. Wash hands with soap and water thoroughly after handling.
- 7. Avoid release to the environment.

SECTION 3: HAZARDOUS COMPOSITION OF INGREDIENTS AND INFORMATION					
INGREDIENTS NAMES	INGREDIENTS NAMES COMPOSITION %				
Common Name	White				
Titanium Dioxide	~ 7.50 – 10.0				



Quartz, Silica	Quartz, Crystallised Silicon Dioxide	14808-60-7	<0.40
Microbicide	Aicrobicide N/A Microbicide		<0.50

SECTION 4:	FIRST-AID MEASURES
Skin Contact:	If on skin, wash with plenty of water and soap. Take off contaminated clothing and wash before re-use. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeat applications may be needed. If skin irritation or rash occurs, get medical attention.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Have trained person give oxygen if necessary. If necessary, restore and support continued breathing and get emergency medical attention. Get medical help for any breathing difficulty. Remove to fresh air if inhalation caused eye watering, headaches, dizziness, or other discomfort. Get medical attention if discomfort or irritation persists.
Eye Contact:	Immediately flush cautiously with large amounts of water, especially under lids for at least 15 minutes. Remove contacts lenses, if present and easy to do so and continue rinsing. If irritation or other effects persist, obtain medical treatment.
Ingestion:	Rinse mouth. If swallowed, do not induce vomiting. If victim is conscious give at least 2 glasses of water. Obtain medical treatment immediately if feeling unwell or large amounts consumed.

SECTION 5: FIRE-FIGHTING MEASURES

In case of fire use and be aware of the following:

Suitable Extinguishing Media:	Dry chemical, foam or carbon dioxide. Water should only be used to cool fire-exposed containers, structures and to protect personnel or to dilute and flush away from sources of ignition.
Unusual Fire and Explosion Hazards:	Closed containers may explode when exposed to extreme heat or fire. Vapours may concentrate in confined areas. Vapours may be heavier than air and may travel along distances to a source of ignition and flash back.
Fire Fighting Procedure:	Wear full protective clothing such as heat insulating clothes and gloves, eye and face protection and respiratory protection. Self-contained breathing apparatus should be used when entering the hot zone. Remove any combustible material from the surrounding area where safe to do so.



Start firefighting from an up wind/wind ward direction. Only use the specified extinguishing media. Dike and collect water used to fight fire.

Products of Combustion:	Carbon monoxide and other unidentified organic components.
N.B. The product itself is not	
combustible.	

SECTION 6: ACCIDENTAL RELEASE MEASURES				
General Measures:	Comply with all applicable health and environmental regulations. Evacuate all unnecessary personnel upwind/windward. Eliminate all sources of ignition such as heat, sparks, open flames and other combustible materials. Cordon area from accidental entry. Complete personal protective equipment must be worn during clean-up. Contain and recover liquid when possible.			
Small Spills and Leaks:	Use non-combustible, absorbent material such as dry sand, vermiculite and earth and place into containers to dispose of properly. Do not flush to sewer systems, drains, ground or surface waters.			
Large Spills and Leaks:	Shut off leak if safe to do so. Dike and contain spill far ahead of liquid for later disposal. Pump to storage or salvage vessel (if quantity allows). Use absorbent material to collect excess residue. Keep salvageable material and rinse water away from sewers and water courses.			

SECTION 7: HANDLI	SECTION 7: HANDLING AND STORAGE				
General Precautions:	Do not use this product other than for the purpose specified by the manufacturer or Supplier. Keep out of reach of children. Do not expose such containers to heat, sparks, flame or other sources of ignition. NB.: Keep running water sources on site in cases of emergency and for after work cleaning.				
Handling:	Use with adequate ventilation. Do not take internally. Avoid contact with skin and eyes and breathing of vapours. Wash hands thoroughly after handling, especially before eating or smoking. Avoid conditions which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use appropriate respiratory protection as directed under Section 8 below.				



	Containers of this material may hazardous when empty due to product residue. Do not pressurise, cut, weld, solder, drill or grind.		
Storage:	Smaller quantities should be stored in polypropylene pails or lacquer lined tins if removing from the original containers from manufacturer or supplier. Keep containers tightly closed and upright when not in use. Empty containers may contain residues. Store in a well-ventilated place. Keep cool.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
Common Name		CAS No.	EINECS	ACGHI-TLV	OSHA-PEL
				8-Hour TWA	8-Hour TWA
Titanium Dioxide		13463-67-7	236-675-5	10 mg/m3	10 mg/m3
Quartz, Silica		14808-60-7	238-878-4	10 mg/m3	80 mg/m ³
Microbicide		Mixture	Mixture	Not est.	Not est.
Personal	Skin	Impervious clothir	ng should be wor	n to eliminate possib	ole skin contact and
Protection		irritation. Such a	s chemical resi	stant coveralls or i	neoprene apron if
Equipment		appropriate.			
		Impervious gloves	such as rubber,	or nitrile, gloves sho	uld be worn.
	Respiratory	Use in a well-ven	tilated area or	provide local exhau	st or ventilation to
		reduce vapours build up.			
		Use of an appro	opriate NIOSH/N	/ISHA approved fac	e piece respirator
		outfitted with org	anic vapour cart	tridges and Dust / N	list prefilters when
		working for prolo	nged period in no	ot well-ventilated are	as.
		Warning: - Air-pu	rifying respirato	ors do not protect	workers in oxygen
		deficient atmospheres.			
	Eyes	Chemical resistant safety goggles or glasses recommended especially for			
		overhead work. Wear face shield to protect facial skin also. Maintain			
		eyewash and quick drenching facilities in the work area.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
Physical State and	Liquid	Odour:	Slight			
Appearance:						
pH:	8.5 -8.7	Colour:	White			
Soluble / Insoluble:	Soluble	Viscosity:	95 – 100 K.U.			
Melting / Freezing Point:	Not established	Solubility:	Soluble			
Boiling / Condensation Point:	Not established	Autoignition	Not established			
		Temperatures:				
Specific Gravity:	1.3 -1.4	Flash Point:	Not established			
Vapour Density:	Not established	Vapour Pressure:	Not established			



Evaporation Rate:

Not established

SECTION 10:STABILITY AND REACTIVITYStability and reactivity:This product is stable under normal conditions. See Section 5 Fire Fighting Measures.Conditions to avoid:Elevated temperatures, contact with sparks, open flame, extremes in temperature.Materials to avoid:Strong oxidising agents, strong bases and strong acids.

	COLOGICAL INFORMA	
Possible Effects to Overexposure	Inhalation:-	Irritation of respiratory tract. Prolonged inhalation may lead to mucous membrane irritation, dizziness and/or light-headedness, headache, nausea, coughing, sneezing, central nervous system depression, kidney and liver damage.
	Skin contact:-	Irritation of skin. Prolonged or repeated contact can cause dermatitis, defatting. Possible sensitization to skin. Skin contact may result in dermal absorption of component(s) of this product which may cause headache, nausea, central nervous system depression.
	Eye contact:-	Irritation of eyes. Prolonged or repeated contact may cause conjunctivitis, tearing of eyes and redness of eyes.
	Ingestion:-	Ingestion may cause dizziness and/or light headedness, headache, vomiting, gastro-intestinal disturbances, severe abdominal pain, apathy, central nervous system depression, respiratory problems, intoxication, pulmonary edema, loss of consciousness.
Supplemental Health Information:	Persons with pre-existing skin disorders or eye problems or impaired liver, kidney, blood or respiratory function may be more susceptible to the effects of the substance. This product has not been listed by IARC, OSHA, ACGIH, DSL, TSCA but contains ingredients which are toxic by ingestion, inhalation and through the skin. Chemicals in their non-reportable form could be encountered when stripping or release of by-products may build-up in the headspace of the containers.	
Carcinogenicity	Quartz in its respiral IARC as a possible ca experimental animal	ed as suspected of causing cancer under EEC. IARC has classified ole form as a carcinogen. Titanium dioxide has been listed by the arcinogen to humans and sufficient evidence of carcinogenicity in s. However, no significant exposure is thought to occur as these are rerials in the paint and are low in the overall percentage of the

6



SECTION 12: ECOLOGICAL INFORMATION

General Note:	There is no data available on the products but contains an ingredient listed to be very toxic to aquatic life and with possible long-lasting effects; microbicide. Do not allow undiluted product or large quantities of products to reach ground water, water courses or sewage systems.		
	<u>Titanium Dioxide</u> : LC50 Pimephales promelas (fathead minnow) 96 h > 1,000 mg/l. EC50 Pseudokirchneriella subcapitata (green algae) 72 h 61 mg/l. EC50 Daphnia magna (Water flea) 48 h > 1,000 mg/l		

SECTION 13: DISPOSAL CONSIDERATION

Dispose of material in accordance with all applicable regulations ensuring no contamination of surrounding environment.

SECTION 14: TRANSPORTATION INFORMATION

This product is to be shipped as consumer commodity packaging, but it is the responsibility of the shipper to ensure full compliance with the applicable regulations. This product is not controlled or regulated under DOT, IATA.
UN ID No.: Not regulated

UN ID No.: Not regulated DOT: Classification: Not regulated IATA: Classification: Not regulated

SECTION 15: REGULA			
Products	As of the date of this SDS, this product was not being regulated or controlled. It also contains hazardous ingredients below the required reportable limits.		
Product Components:			
DSCL (EEC):	Quartz	Listed	
	Titanium Dioxide	Listed	
	Microbicide	Listed	
IARC:	Titanium Dioxide	Group 2B – Possible carcinogen to humans	
	Quartz	Group 1 – Known carcinogen to humans; see Section 11	
SARA Title III			
Section 311/312:	Titanium Dioxide	Immediate (Acute) Health Hazard	
	Quartz	Immediate (Acute) Health and Delayed (Chronic) Health Hazards	
Section 313:		None Listed	

7



WHMIS:	Titanium Dioxide Quartz	Class D, Div 2 Sub Div A: Material causing other toxic effects (VERY TOXIC) Class D, Div 2 Sub Div A: Material causing other toxic effects (VERY TOXIC)	
DSL:	Titanium Dioxide Quartz	Listed Listed	
TSCA:	Titanium Dioxide Quartz	Listed Listed	

SECTION 16: OTHER INFORMATION

The information contained herein is based on data available at the time of preparation of this data sheet and which is believed to be reliable. However, it is the users' responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is given in good faith, but no warranty, expressed or implied is made.