| ustomer:          |                       | Batch #:                       | Batch #: Laboratory Number:                      |                    | Report Issue Date: Order Date: Analysis Date:                                 |  |
|-------------------|-----------------------|--------------------------------|--|--------------------|---|--|
| ample Description | on:                   | PI                             | Photo  |                    | Extraction Technician: LL Analytical Chemist: LL  Kim Dang Laboratory Manager |  |
| ANNABINC          | PID PROFILE Results % | -16 COUNTS  Analyte LOQ (mg/g) | Results %  | Analyte LOQ (mg/g) | Results   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   |                       |                                |  |                    |   |  |
|                   | Max Active            | THC                            | Total Active                                     |                    |   |  |
|                   | Max Active            |                                | Total Active<br>Cannabinoids  Total Cannabinoids |                    |   |  |

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

