



Cross-country MTB rims

MODEL: XC 1025

The high performance XC rim moves to the next level with a fast and light attitude.

Key benefits

- Best in its class alloy XC rim
- ISM4D rim machining reduces weight to close the gap to carbon rims without compromising strength.
- Increased traction and control
- 25mm wide hookless rim profile optimized for lower tire pressures, resulting in improved grip in all conditions. Optimized for modern XC tubeless tires
- Accelerate quicker
- Lighter weight rims result in super low inertia and instant acceleration.

Specifications

Features

- Maxtal
- SUP / Welded
- Single eyelet
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- S6000 Aluminum

Dimensions

- ETRTO size 29": 622 x 25TSSValve hole diameter: 6.5 mm
- Tubeless tape width: 28mm (not delivered with the rim)
- Recommended rim tape: Mavic UST rim tape (not supplied with the rim)
- Recommended nipple length: 14 mm

Available colors / Versions

- Black 28 holes
- Black 32 holes



RRP Inc \$130.00





Cross-country MTB rims

MODEL: XC 425

The best value fast and light rim gets wider

Offering both lightweight and a wider profile, XC 425 screams fast accelerations and grip in all situations. This sleeved rim offers simplicity and reliability and its hookless profile and tubeless compatibility (thanks to matching tape) enhance tire profile, comfort and puncture protection. Available in 28 and 32 holes, 29" only

Specifications

Features

- Sleeved
- Traditional drilling
- Non eyeleted
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- Disc
- \$6000 Aluminum

Dimensions

ETRTO size 29": 622 x 25TSSValve hole diameter: 6.5 mm

Tubeless tape width: 28mm (not delivered with the rim)

Available colours / Versions

- Black 28 holes
- Black 32 holes





27.5 and 29"
W/S \$125.00 +
RRP Inc \$225.00

Trail MTB rims

MODEL: XM 1030 27.5 and 29

The high-performance trail rim moves to the next level with an agile and versatile attitude.

XM 1030 is the latest version of Mavic "XM" rims, and as such is the most advanced evolution. Offering both lightweight and a wider 30mm profile, this welded rim features ISM 4D technology (Inter Spoke Milling), which strategically removes material from the rim where it's not needed but keeps it around the spokes, where tension is applied. This technology makes the rim lighter, for faster accelerations, without compromising durability.

Optimized up to the limit of material potential, XM 1030 is probably the best alloy Trail rim on the market. Available in 28 and 32 holes, 27,5" and 29".

Key benefits

- Best in its class alloy Trail rim: ISM4D rim machining reduces weight to close the gap to carbon rims without compromising strength.
- Wide 30mm rim for versatility and total riding control: 30mm wide rim is optimized for lower tire pressure, giving you a smoother ride with more traction and control
- Versatille, dynamic trail riding performance: Wide, strong rim profile ready to face any trail

Specifications

Features

- Maxtal
- SUP / Welded
- Traditional drilling
- Single evelet
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- \$6000 Aluminum

Dimensions

ETRTO size 650b/27.5": 584 x 30TSS

• ETRTO size 29": 622 x 30TSS

Valve hole diameter: 6.5 mm

Tubeless tape width: 35mm (not delivered with the rim)

Available colours / Versions

- Black 28 holes
- Black 32 holes





Trail MTB rims

RRP Inc \$90.00

26 "

W/S \$50.00 +

27.5 and 29"

W/S \$55.00 +

RRP Inc \$100.00

MODEL: XM 119 Disc

The best value for money on the market

Wide enough to use large volume tyres, and specially designed with the constraint of disc brakes in mind, XM 119 Disc is one of the highest quality entry level rims on the market. Available in 26"/27.5"/29".

Specifications

Features

- 6106 aluminum alloy
- Pinned
- Traditional drilling
- Non eyeleted
- Tube type
- Disc

Dimensions

- ETRTO size 26": 559 x 19C
- ETRTO size 650b/27.5": 584 x 19C
- ETRTO size: 622 x 19C
- Valve hole diameter: 8.5 mm, supplied with valve adapter
- ETRTO recommended tyre sizes: 35 mm to 69 mm (1.3" to 2.7")
- Recommended rim tape 26": 559 x 20 x 0.6
- Recommended nipple length: 12 mm

Available colors / Versions

Black 32 holes





27.5 and 29"
W/S \$122.00 +
RRP Inc \$230.00

Gravity MTB rims

MODEL: EX 1028

Designed and engineered for the unique demands of enduro and downhill riding, the EX 1028 delivers a super strong/reliable and yet light package for a perfect custom gravity wheelset.

XM 1030 is the latest version of Mavic gravity rims, and as such is the most strong and durable rim profile ever created.

Offering both lightweight and a wider 28mm profile, this welded rim features a crochet type profile and was designed to absorb big impacts—from hard-hammering rocks to hard landings and big compressions Optimized up to the limit of material potential, EX 1028 is our premium gravity-oriented rim.

Available in 28 and 32 holes, 27,5" and 29".

Key Benefits

- Hammer through rough terrain with confidence: Wider 28mm (internal) rim is engineered to absorb heavy impacts. Triangular rim shape absorbs heavy impacts so you're free to bomb the descents
- Proven by evidence: Developed, tested and proven to meet the standards of DH racers and ready for hard-core bike park shredders or big mountain enduro riders.
- Increased grip and excellent stability: 28mm wide rim profile is optimized for modern gravity tire

Specifications

Features

- Maxtal
- SUP / Welded
- Traditional drilling
- S6000 Aluminum

Dimensions

- Tubeless tape width: 32mm (not delivered with the rim)
- Recommended rim tape: Mavic UST rim tape (not supplied with the rim)
- Recommended nipple length: 14 mm
- ETRTO size 650b/27.5": 584 x 28TC
- ETRTO size 29": 622 x 28TC





27.5 and 29" W/S \$85.00 +

RRP Inc \$155.00

E-Bike MTB rims

MODEL: EXM 430

The entry level E-rim with special features

With a wider 30mm profile and the best combo of light weight and high strength, E-XM 430 is a trustworthy rim for your all-mountain adventures. This sleeved rim is plenty strong, and its PFP [pinch flat prevention] profile and tubeless compatibility (thanks to matching tape) optimize tire profile, comfort and puncture protection. Available with 28 or 32 holes, in 27.5 and 29 inch diameter.

Specifications

Features

- Sleeved
- Traditional drilling
- Non eyeleted
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- E-Bike specific rim profile
- S6000 Aluminum

Dimensions

ETRTO size 650b/27.5": 584 x 30TSS

ETRTO size 29": 622 x 30TSSValve hole diameter: 6.5 mm

Tubeless tape width: 35mm (not delivered with the rim)

Recommended nipple length: 14 mm

Available colors / Versions

- Black 28 holes
- Black 32 holes





Gravel rims

MODEL: A 1022

Gravel, dirt, pounding pavé. Tackle it all with this high-performance rim

Key Benefits

- Wide and superlight for more versatility
- 22mm inner width ISM4D machning to save weight
- UST compliant
- New rim bed shape makes it easier to mount and change tires Improved rolling efficiency and comfort reduced risk of pinch flats
- High-end finishing
- Black eyelets Matt finishing ISM4D machining for a unique design

Specifications

Features

- Maxtal
- SUP / Welded
- Traditional drilling
- Single eyelet
- Low profile
- Clincher
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- Disc

Dimensions

Valve hole diameter: 6.5 mmETRTO size: 622 x 22TSS Road

Recommended nipple length: 12 mm

Available colours / Versions

- Black 24 holes
- Black 28 holes
- Black 32 holes







Gravel rims

MODEL: A 1025 650B

With a wider rim and a 650B diameter this high-end rim will help you tackle the roughest roads, pavé, gravel or dirt

- Wide and superlight for more versatility
- 25mm inner width ISM4D machining to save weight
- UST compliant
- New rim bed shape makes it easier to mount and change tires Improved rolling efficiency and comfort reduced risk of pinch flats
- High-end finishing
- Black eyelets Matt finishing ISM4D machining for a unique design

Specifications

Features

- Maxtal
- SUP / Welded
- Traditional drilling
- Single eyelet
- Low profile
- Clincher
- Tubeless Ready (Mavic UST valve recommended not supplied with the rim)
- Disc

Dimensions

Valve hole diameter: 6.5 mmETRTO size: 584 x 25TSS Road


Recommended nipple length: 12 mm

Available colors / Versions

- Black 24 holes
- Black 28 holes
- Black 32 holes



Key Technologies




SUP

Stronger and smoother joint Soudé Usiné Process. After bending, the rim joint is arc welded. The welded seam is then milled for a smooth finish.



ISM 4D

Inter Spoke Milling 4 Dimensions An exclusive Mavic patented concept, ISM 4D significantly reduces weight and inertia without compromising durability. Quicker accelerations, better handling and more resistance; the right mix to make the most of any ride. The smooth profile also helps reducing aerodynamic drag




UST

Traction and control Universal Standard for Tubeless. Ready to ride tubeless system. The UST concept improves traction, control and comfort while reducing inertia and flats.



Key Technologies



Maxtal

Light and strong Exclusive to Mavic, this specific aluminium alloy offers a higher strength to weight ratio than conventional 6106 alloy



MODEL	VERSIONS	W/S	RRP Inc
Cross Country			
XC 1025 29	28H, 32H	\$120.00	\$220.00
Stans Crest MK4			\$180.00
DT Swiss XR 391			\$230.00
XC 425 29 Black	28H, 32H	\$71.00	\$130.00
Stans Crest MK3			\$180.00
DT Swiss X 432			\$160.00
Trail			
XM 1030 27,5	28H, 32H	\$120.00	\$225.00
XM 1030 29	28H, 32H	\$120.00	\$225.00
Stans Arch MK4			\$180.00
DT Swiss XM 481		\$140.00	\$250.00
XM 119 Disc 26 Black	32H	\$50.00	\$90.00
XM 119 Disc 27.5 Black		\$55.00	\$100.00
XM 119 Disc 29 Black	32H, 36H	\$55.00	\$100.00
DT Swiss 545D			
Gravity	2211 2211	440000	400000
EX 1028 27,5	28H, 32H	\$120.00	\$230.00
EX 1028 29	28H, 32H	\$120.00	\$230.00
Stans Flow MK4			\$180.00
DT Swiss EX 511			\$250.00
r Dile			
E-Bike	2011 2211	\$78.00	¢150.00
E-XM 430 20 27,5 DT Swiss H612	28H, 32H	\$76.00	\$150.00
D1 2M122 H012			\$280.00
E-XM 430 20 29	28H, 32H	\$78.00	\$150.00
DT Swiss H552	2011, 3211	\$70.00	\$240.00
D 1 300133 11332			7270.00
Gravel			
A1022	24H, 28H, 32H	\$125.00	\$225.00
A1025	24H, 28H, 32H	\$125.00	\$225.00
	, =3, ==11		,
	•		