Read all instructions BEFORE assembly and USE of this product. KEEP INSTRUCTIONS FOR FUTURE USE.



The Mini Co-Sleeper® Ezee™ 2 in 1

Bedside Sleeper • Free-Standing Bassinet by Arm's Reach®

WARNING: Failure to follow these warnings and instructions could result in serious injury or death.

AVERTISSEMENT: Le non-respect de ces instructions et de ces avertissements peut causer des blessures graves, voire mortelles.

ADVERTENCIA: El incumplimiento de estas advertencias e instrucciones puede resultar en lesiones graves o la muerte.

INSTRUCTION MANUAL

MANUEL D'INSTRUCTION · EL MANUEL DE LA INSTRUCCION

- Attaching to parental bed
- Converting to a free-standing unit

KEEP THIS BOOKLET HANDY FOR FUTURE REFERENCE GARDER CE PETIT LIVRE POUR GUIDE FUTUR CONSERVE ESTA LIBRO PARA FUTURAS REFERENCIAS

Read all instructions BEFORE assembly and USE of this product.

⚠WARNING: Failure to follow these warnings and instructions could result in serious injury or death.

SUFFOCATION HAZARD: Discard all packing materials immediately after opening. Plastic bags and ties may cause suffocation or choking.

 FALL HAZARD - To help prevent falls, do not use this product when infant begins to push up on hands and knees or has reached manufacturer's recommended maximum weight of 18 lbs, whichever comes first.

SUFFOCATION HAZARD Infants have suffocated


- In gaps between extra padding and side of bassinet/cradle, and
- · On soft bedding
- · Use only the pad provided by manufacturer. Never add a pillow, comforter or another mattress for padding.
- If a sheet is used with the pad, use only the one provided by Arm's Reach[®].
- To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- A bedside sleeper is designed to provide a sleeping area for an infant until he or she begins to push up on hands and knees or approximately 5 months of age.
 Move your child to another sleeping product when your child reaches this stage.
- . Entrapment Hazard—To prevent death from entrapment, bedside sleeper must be properly secured to adult bed using the attachment system.
- -There must be no more than $\frac{1}{2}$ in. (13 mm) gap between bedside sleeper and adult bed.
- Check tightness before each use by pulling bedside sleeper in a direction away from adult bed.
- -If gap exceeds ½ in. (13 mm), DO NOT use product. Do not fill the gap with pillows, blankets or other items that are suffocation hazards.
- Always read and follow assembly instructions for each product use mode (bedside sleeper, bassinet, play yard).
- Always use ALL required parts for each use mode. Check instruction manual for a list of required parts.
 Periodically check product for loose, damaged, or missing parts.
- The anchor plate and straps assembly must always be used in bedside sleeper mode.

- •Never use this product if there are any loose or missing fasteners, loose joints, broken parts, or torn mesh/fabric. Check before assembly and periodically during use. Contact Arm's Reach Concepts, Inc. for replacement parts. Never substitute parts.
- Assemble product according to manufacturer's instructions for ANY use mode—bedside sleeper as well as the bassinet.
- To avoid death from the infant's neck being caught on the top rail on the side that is next to the adult bed, the top rail must be no higher than the adult bed mattress.
- Never permit bedding from the adult bed to extend into the Bedside Sleeper
- NEVER LEAVE your infant unattended in the Arm's Reach® Co-Sleeper® bedside bassinet.
- Strings can cause strangulation! Never place items with a string around a child's neck such as hood strings or pacifier cords. DO NOT suspend strings over the unit in any configuration or attach string to toys.
- NEVER LEAVE infant in product without the TOP HORIZONTAL RAIL installed in the upper most position, unless securely attached to the adult bed.
- · Always check to be sure that the upper locking bars and the lower locking bars are in their "locked position" before placing the infant in the Arm's Reach® Co-Sleeper® bedside bassinet.
- •NEVER USE more than 3-2" (5CM) leg extension segments with the Arm's Reach® Co-Sleeper® bedside bassinet.
- ONLY use leg extensions on the Co-Sleeper®bedside bassinet when it is attached to the parental bed.
- •NEVER use plastic shipping bags or other plastic film as mattress covers not sold and intended for that purpose. They can cause suffocation.
- Make sure all straps are secured and tight when used in the co-sleeping position. Tighten straps periodically.
- STRANGULATION/SUFFOCATION HAZARD: The top edge of the lowering bar must be level with or below the top of the adult mattress when used as an Arm's Reach® Co-Sleeper®. The level of the Arm's Reach® Co-Sleeper® bedside bassinet mattress must be a minimum of 4 inches below the top edge of the lowering bar. NEVER raise the level of the Arm's Reach® Co-Sleeper® bedside bassinet mattress.
- NEVER USE the Arm's Reach® Co-Sleeper® bedside bassinet in Co-Sleeper position without the anchor plate attached and locked as shown. Failure to use this anchoring system could result in serious injury or death to the infant. Make sure all straps are secured and tight. Check straps before each use.
- Failure to use this securing system will allow the Arm's Reach® Co-Sleeper® bedside bassinet to move away from the adult bed and could result in the infant falling out of the Co-Sleeper® bedside bassinet.


Read all instructions BEFORE assembly and USE of this product.

- •STRANGULATION HAZARD: When anchor plate and strap assembly are not in use, store in a safe place not accessible to children.
- DO NOT place product near a window where cords from blinds or drapes may strangle a child.
- Keep the bassinet away from stoves, heaters, campfires and other hazards.
- DO NOT allow children to climb or play on or under unit in any configuration.
- •FALL HAZARD: Remove infant from the Arm's Reach® Co-Sleeper® bedside bassinet before starting any conversions.
- · Always make sure all top and bottom rails are securely locked, in all configurations, before putting an infant /child into the unit.
- <u>AWARNING</u> To prevent serious or fatal injury from falls always keep child within arm's reach. Never leave your child unattended.
- Do Not remove warning labels.

Parts List



How to set up the Arm's Reach® Co-Sleeper® bedside bassinet



WARNING: Failure to follow these warnings and instructions could result in serious injury or death.

Step 1

Remove product from the carry bag (K). Undo the Velcro® straps of mattress (B).

Step 2

While keeping the bassinet bottom base high, pull up on the short bars in a quick upward motion to lock into place.

Note: Do not grab the short bar from the center, due to the unlocking mechanism located in the center of the bar.

Step 3

While keeping the bassinet bottom base high, pull up on each of the long bars in a quick upward to lock into place.

Note: If a top bar does not lock into place, pull the base higher and try again.

Step 4

Reach through the access hole on sleeping nest bottom and gently push down the bottom base until it is locked. Enclose the red release strap with the flap cover.

Note: Always keep the release strap under cover. Secure Velcro® on all sides to avoid unintended collapsing of the product.

Step 5

Install the wheels and leg increments as figure shown.

Note: Be sure to install the white leg increment in the middle leg slot.


Step 6

Install Mattress Support Bars(C) into fabric tunnels on nest bottom. Place sheet (A) on mattress (B) and lay mattress on sleeping nest. If a gap is visible on either side of the mattress after installing, reposition the mattress then stretch the mattress and sheet on both ends to cover the gaps. The sheet (A) and sleeping nest bottom have Velcro® tabs that align for added security.

The co-sleeping mode is set up now. Go to page 8 to attach the Co-sleeper® bassinet to adult bed.

WARNING: SUFFOCATION HAZARD - To help prevent suffocation and entrapment, use ONLY the mattress pad provided by Arm's Reach Concepts, Inc. NEVER use additional padding or mattress. DO NOT use shipping or other bags as mattress covers since they can cause suffocation.

How to set up as freestanding bassinet






Step 1

Release 3 mattress support-straps (E) that go over the lowering rail.


Insert foot into the red foot strap under the center of front bottom, find the locking button under the plastic connectors (F) on the left and right sides, press them upward to unlock and slide the lowering rail (G) upward until you hear a "click" and they are locked in place automatically.

Note: The left and right side plastic connector pieces must be slide upward at the same time, so that the lowering rail (G) can be raised smoothly.




Step 2

Insert the buckles of the mattress support-straps (E) into hidden pockets.




Attach the $\mathsf{Velcro}^{^{^{\otimes}}}$ on the inside of the lowering rail as picture.



It is in freestanding bassinet now.



How to convert to the co-sleeping position from the freestanding bassinet




FALLING HAZARD: Remove infant from this product before starting any conversions.

Step 1

Find the locking button under the plastic connectors on the left and right sides, press them upward to unlock and slide down the top bar until you hear a "click" and they are locked in place automatically.


Note: The left and right side plastic connector pieces must be slid down at the same time, so that the top rail can be lowered smoothly.



Step 2


Pull out buckles of mattress support-straps (E) from the pockets. Pull strap up and over lowering rail (G) and connect on front of lowering rail (G).

MATTRESS FROM SAGGING. Make sure the 3 buckle-straps are connected over the lowered rail, so the mattress support floor can be taut and even.




4" minimum

It is now in Co-Sleeping position.



How to attach the Arm's Reach® Co-Sleeper® bedside bassinet to adult bed



The top edge of the LOWERING RAIL when used in co-sleeping position must be level with or below the top of adult mattress.

Measure adult bed from floor to top of mattress. If measurement is more than 24", a leg extension kit will be needed to ensure proper height and maintain safety. 1 Leg Extension Kit will raise the Co-Sleeper® up to 6 additional inches in 2" increments accommodating beds 26", 28" and 30". NEVER use more than 1 extension kit. Do not use leg extensions when the product is NOT attached to the adult bed.


Slide the anchor plate and straps under the mattress, placing the anchor plate flush against the mattress on the opposite side from this product.

Connect both straps to each short side of the bassinet by passing the male buckle through the "belt loop" at the front leg of the product and then connect the buckle to rear leg.


Make both straps as tight as possible against the parental bed, so tight it creates a slight indentation in mattress. To test if the product is tightly secured to adult bed, push it with hands to make sure the gap is no more than $\frac{1}{2}$ "(13mm). If more than $\frac{1}{2}$ "(13mm), readjust strap to pull tighter.

When bassinet is tight and ready to use, roll the excess strap up and secure it with elastic loop. Always tighten straps before each use.

It is recommended to make the strap shorter than the width of the mattress to ensure the Co-Sleeper® is pressed securely against the parental bed, without any gaps.







UNACCEPTABLE BED,
MATTRESS,BOXSPRING&FRAME NOT IN-LINE


WARNING: NEVER USE the product in bedside bassinet mode without the anchor plate and strap (L) attached to the adult bed. Failure to use this anchor plate and strap could result in serious injury or death to the infant. Make sure all anchor straps are secured and tight. Check straps before each use.

WARNING: Failure to use this securing system will allow the product to move away from the adult bed and could result in infant falling out of the product. NEVER leave infant unattended in this product.

WARNING: STRANGULATION/ CHOKING HAZARD

DO not allow excess strap (or any other loose object) to find it's way into this product. Do Not allow excess strap to lay loose on floor because someone may trip over it.


How to fold the Arm's Reach® Co-Sleeper® bedside bassinet



STRANGULATION HAZARD: When anchor plate and strap assembly are not in use, store in a safe place not accessible to children.


Step 1

Remove mattress support bars (C) and mattress (B), and set aside. Reach through the hole of Sleeping nest floor to the red release strap under the flap cover on the center of bottom floor, pull up to collapse the bassinet.




Step 2

Unlock short top rails by raising center lock slightly, push on button of center locks and lower top rails. Repeat steps on top rails on long sides.




Step 3

Lift up the webbing handle strap of the bottom and push the corner posts together until the corner posts are straight up and down and top corner brackets contact each other.



Step 4

Remove sheet (A) off the mattress (B) and wrap the mattress around the unit. There are Velcro® straps that feed through plastic loops attached to the back side of the mattress. Pull taut. Store the sheet in the end of the unit.



Step 5

Put into carry bag (K) with the handle from the mattress (B) coming through the opening in the bag.



Cleaning and Maintaining

Spot clean with soft clean damp cloth.

Laundering fitted sheet: Machine wash on lukewarm setting and drip-dry.NO BLEACH.

Trouble shooting

- Q. "Top rails can't be unlocked?"
- A. 1. Locate the floor-lock handle in center of the floor and lift it up as far as possible.
 - 2. Lift top rails up to lock in place.

If you have any question or need further assistance, please call (800) 954-9353 (US Only) or (805) 278-2559.

For more trouble shooting visit our website at www.armsreach.com

Important Assembly Instruction

- A. All top rails MUST be straight and locked before using. Push the top rails downward to try out if they are locked.
- B. Do not push center floor down until all four top rails are locked.
- C. To fold in bassinet mode, reach through hole and pull up on floor lock.
- D. When the 2" short segments need to be used on product, make sure all five segments are assembled on, DO NOT miss the one for the center bottom leg.
- E. Remove your finger from the button when the male gliding receiver is unlocked already and start to glide. Keep pressing it at the top and bottom lock position will prevent the male receiver from locking into the place.

Visit our website www.armsreach.com for video tutorials under the Assembly Instructions link. You can also search You Tube for Arm's Reach® Co-Sleeper® for video tutorials.



Sleep better * Sleep closer * Sleep safer™

If you have any questions- call or write Arm's Reach Concepts, Inc. 2081 N Oxnard Blvd., PMB#187, CA 93036-2964 (800) 954-9353 (US Only) or (805) 278-2559 fax: 805-604-7982 www.armsreach.com

Hours: 9:00 A.M. 4:00 P.M. Pacific Time

Si vous avez des questions, appelez ou écrivez à Arm's Reach Concepts, Inc. 2081 N Oxnard Blvd., PMB#187, CA 93036-2964 (800) 954-9353 (USA) or (805) 278-2559 Fax: 805-604-7982

www.armsreach.com

Heures: 9 h 00 à 16 h 00 (heure du Pacifique)

Si tiene preguntas, no vacile en llamar o escribir a Arm's Reach Concepts, Inc. 2081 N Oxnard Blvd., PMB#187, CA 93036-2964 (800) 954-9353 (USA) or (805) 278-2559 fax: 805-604-7982 www.armsreach.com

Horario: 9:00 a.m. - 4:00 p.m. Horario del Pacífico

©2017 ARM'S REACH CONCEPTS INC. ARM'S REACH. CO-SLEEPER, Mother & Child Logo and all other trademarks are rigorously protected. All rights reserved. Patented and patent pending. Meet ASTM F2194, ASTM F2906 requirements. ARC 6-2017

© 2017 ARM'S REACH CONCEPTS INC. ARM'S REACH, CO-SLEEPER, le logo de la mère avec l'enfant et toutes les autres marques de commerce sont rigoureusement protégés. Tous droits réservés. Breveté et brevet en instance. Répondre aux normes ASTM F2914, F2906 exigences. ARC 6-2017

© 2017 ARM'S REACH CONCEPTS INC. ARM'S REACH, CO-SLEEPER, et logotipo de la madre e hijo y todas las otras marcas comerciales están rigurosamente protegidos. Todos los derechos reservados. Patentada y pendiente de patente. Conocé ASTM F2914, F2906 requisitos. ARC 6-2017