

FINELINE[®]
MARINE



**DINGHY
RANGE**

**MADE IN
NEW ZEALAND**

DINGHY RANGE

FINELINE
MARINE

ADVANTAGE



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
CJD610 16c	1mm	100/200m	240	0.36	Opti sail tie.
CJD615 16c	1.5mm	100/200m	300	0.60	Opti sail tie.
CJ620 16c	2mm	100/200m	600	1.2	Opti corner ties, lashings.

High performance Dyneema® fiber SK78 core and 100% high tenacity polyester cover.

ADVANTAGE +



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
YJD4+	4mm	100/200m	600	1.2	Dinghy control lines - All classes.
YJD5+	5mm	100/200m	850	1.6	Dinghy control lines - All classes.
YJD6+	6mm	100/200m	1500	2.7	Dinghy tapered sheets, 29ner, 420, Skiffs.

High performance Dyneema® fiber SK78 core and 100% high tenacity polyester cover. Urethane coated core which includes Titanium dioxide particles to help improve cut resistance and abrasion plus increased UV protection.

ADVANTAGE X



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications	20% more strength over SK78
YJTD3 PRO 99	3mm	100/200m	445	.62	High load and wear area's Dinghy.	
YJTD4 PRO 99	4mm	100/200m	738	1.15	Spin Halyard 49ner, 29ner, Nacra, 420, 470. Cleated control lines Laser, Bic, Opti, Moth, RS Boats.	
YJTD5 PRO 99	5mm	100/200m	1200	1.67	Spin Halyard 49ner, 29ner, Nacra, 420, 470. Cleated control lines Etcheels, Dragon, 18ft skiffs.	
YJTD6 PRO 99	6mm	100/200m	2036	2.75	Halyards Etchells, Dragon. Mainsheet/kite sheet 49ner, Nacra, 29ner.	
YJTD7 PRO 99	7mm	100/200m	2500	3.48	Mainsheet Nacra, Etchells, Dragon.	

The World's strongest fiber, Dyneema® fiber SK99 core and 100% high tenacity polyester cover. Urethane coated core which includes Titanium dioxide particles to help improve cut resistance and abrasion plus increased UV protection.

MAINLINE 1.0



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
YJ5.5HL	5.5mm	100/200m	650	2.75	Mainsheet, Laser, Optimist, Bic, RS Feva, RS Aero.
YJ6HL	6mm	100/200m	700	2.93	Mainsheet, Laser, Optimist, Bic, RS Feva, RS Aero.
YJ7HL	7mm	100/200m	1200	3.46	Mainsheet, Laser, Optimist, Bic, RS Feva, RS Aero.
YJ8	8mm	100/200m	1650	4.30	Mainsheet, OK, Finn, Sport boat.

A light non twisting mainsheet with a polyester core and polyester cover stocked only in Grey/white mottle

MAINLINE 2.0



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
YJT5.5HL	5.5mm	100/200m	650	2.77	Mainsheet, Laser, Optimist, Bic, 29ner, 420, RS feva RS Aero.
YJTJ7HL	7mm	100/200m	1250	3.48	Mainsheet, Laser, Optimist, Bic, 29ner, 420, RS feva RS Aero.

High wear Technora and polyester blended cover with Polyester core.



DINGHY RANGE

FINELINE
MARINE

CONTROL 2.0



Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
YPDD4	4mm	100/200m	600	.86	Spinnaker Halyards, 49ner, 29ner, Nacra, 420, 470. Cleated control lines, Laser, Bic, Opti, Moth, RS Boats.
YPDD5	5mm	100/200m	850	1.45	Spinnaker Halyards, 49ner, 29ner, Nacra, 420, 470. Cleated control lines Etchells, Dragon, 18ft Skiffs.
YPDD6	6mm	100/200m	1500	1.7	Halyards, Etchells, Dragon. Mainsheet/kites sheet, 49ner, Nacra, 29ner.

Our flagship dinghy line, Designed with input from Olympic Gold Medalist and ETNZ Helmsman Peter Burling. High Strength Dyneema® fiber SK78 core with lightweight Dyneema® fiber polypropylene blended cover. * 4mm no white flecks.

DYNICE



SK75

CL 4



SK78

Product	Size (mm)	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
FX1.5	1.5mm	100/200m	300	.11	Kite Line.
FX2	2mm	100/200m	600	.28	Kite Line.
X2.6	2.6mm	100/200m	640	.3	Trapeze Lines.
X3	3mm	100/200m	1000	.8	Vang line Laser, 29ner, 49ner, Nacra tramp.
X4	4mm	100/200m	2000	1.1	Vang 420, Halyards, 49ner, 29ner.
CL4	4mm	100/200m	1500	.82	Control Lines, 49ner, Laser, Bic, RS Feva Vang cleated line, OK. Finn halyard.
X5	5mm	100/200m	3500	1.61	Laser Traveller.
X6	6mm	100/200m	4200	2.3	Vang 470, Etchells.

12 Carrier Dyneema® fiber SK75 & SK78 Coated single braid.

SK99



SK99

20% more strength over SK78

Product	Size	Spool	Approx B/Load (kg)	Weight /100mts (kg)	Applications
FX3-99	3mm	100/200m	1150	.52	Vang line laser, Bic, 29ner, 49ner. Nacra tramp lines
FX4-99	4mm	100/200m	2400	.96	Vang 420, Halyards, 49ner, 29ner. Sport boat Back stay.
FX5-99	5mm	100/200m	2750	1.26	Vang 470, Etchells, Sports boats.

SOFTLINE



Product	Size	Spool	Approx B/Load (kg)
SL6	6mm	100	600
SL8	8mm	100	900
SL10	10mm	100	1100

A blend of Spun polyester & polypropylene over a braided polyester core.

Cleats well, Ideally suited for hand held control lines.

FINELINE[®]
high performance cordage

Dealer

**MADE IN
NEW ZEALAND**