



General Equipment & Supply



REMANUFACTURING EXCELLENCE

SALES • RENTALS • REPAIRS • BUY/TRADE

800-800-6011 • sales@gequip.com • gequip.com

Table of Contents

Project Life Cycle.....3	Hoists & Winches.....17	Pipe Equipment.....22	Testing Equipment....28
Air Equipment.....4	Come-Alongs	Clamps & Fit-Up Tools	Containers (Connex)
Tuggers	Chain Falls	Pipe Bevellers	Meters
Horns & Movers	Grip Hoists	Press-Fit Tools	Hydrostatic Test Pumps
Hydrostatic Pumps	Hoists & Trolleys	Oilers	Wire Locator
Tools and Manifolds	Hoisting Accessories	Pipe Stands	Test Plugs
Bending.....5	Jacks.....18	Roll Groovers	Trailers: Van & Flatbed
Electric	Adjust-a-Roll	Threaders	Megohmmeters
Hand	Hydraulic	Threading Accessories	Welding Equipment..29
Hydraulic	Pipe Jack & Stands	Power Distribution....24	4, 6, & 8-Pack
Mechanical	Reel	Cords & Adapters	Diesel
PVC	Rail Road/Toe Jacks	Distribution Centers	Electric
Tubing	Steamboat	Panel Boards	Propane
Cable Pulling.....7	Material Handling....19	Spider Boxes	MIG & TIG
Cable Pullers/Tuggers	Duct Lifts	Transformers	MOG Grids
Cable Feeder	Scissor Lifts	Power Tools.....25	Plasma Cutters
Cable Reel Rollers	Rol-a-lifts	Drill Motors	Pipe Beveling Machines
Reel Jacks & Spindles	Roust-a-bouts	Grinders & Saws	Stud
Sheaves	Carts & Dollies	Hammers	Wire Feeders
Vaccums & Blowers	Conduit/Pipe Racks	Impact Wrenches	Welding Accessories..30
Wire Carts	Concrete Buckets	Nibblers & Shears	Bottle Carts
Cable Termination..13	Dump Hoppers	Safety Equipment.....26	Cable
Crimping Dies	Farm Wagons	Body Protective Gear	Clamps: Line-Up & Pipe
Crimpers	Johnson Bars	Fall Protection	Electronic Holders
Cable & Bus Bar Benders	Ladders	Fire Blankets	Stingers
Cutters	Pallet Jacks & Pullers	High Voltage Mats	Fabrication Tables
Generators.....14	Plate Clamps	Safety Cabinets	Rod Ovens
Portable	Skip Pans	Safety Cans	Rotary Ground Clamps
Stationary	Tank & Skate Rollers	Storage Equipment....27	Torches
Towable	Miscellaneous.....21	Cabinets	Turning Rolls (Pipe-Tank)
Hand Tools.....15	Blue Print Racks/Sticks	Gang Boxes	Welding Kits
Bolt Cutters	Crane Mats	Pallet Racking	Welding Screens
Clamps	Fans & Heaters	Print Shacks/Work Station	Appendix.....31
Sockets	Railroad Ties	Safety Cabinets	Remanufacturing
Wrenches	Road/Jersey Barriers	Van and Flatbed Trailers	Reconditioning
Holemaking.....16	Rebar Bender & Cutter		Project Closeouts
Knock Outs (K O's)	Office Furniture		Rentals
Diamond Core Rigs	String Lighting		Credit Application
Hydraulic Punches			About GE&S
Magnetic Drill Presses			Contact Us

Project Life Cycle





Air Tuggers
1000 to 40K lb capacity



Impact Wrenches
1/4" to 2"



**Air Compressors
Portable**



Rivet Busters



Rotary Hammers



Air Hoists



Air Horns-Air Movers
3" to 10"



Hydrostatic Test Pumps
Air 500 to 15,000 psi
Specify gpm & psi
Electric & Gas - see page 31



Air Manifolds



Chipping Hammers

Air Hoses

1/4"

3/8"

3/4"


Available
with or
without
Crows Feet





555 Electric Bender

555R 1/2" to 2" Rigid
555E 1/2" to 2" EMT
555I 1/2" to 2" IMC



Shoe Groups for 555

PVC 40 Mil coated Rigid
1/2" - 2" use 37279
Rigid 1/2" - 2" use 28007
EMT 1/2" - 2" use 23802
IMC 1-1/2" - 2" use
IMC 1/2" - 1-1/4" use 28007



855GX Electric IntelliBender

Rigid 3/4" to 2"
EMT & IMC 1" to 2"



B2000 Cyclone Electric Bender

1/2" to 2" EMT • IMC
Rigid • Rigid Aluminum
1/2" to 1-1/2" 40 mil
PVC coated Rigid



Hickey Hand Benders

1/2", 3/4", 1", 1-1/4", 1-1/2", 2"



EMT • IMC • Rigid Hand Benders

1/2", 3/4", 1", 1-1/4", 1-1/2", 2"
with or without handles



Little Kicker Offset EMT Benders

1810 1/2"
1811 3/4"

Identical offsets that match knockout in wall mounted boxes.




EMT-IMC Benders

1-1/4" to 2"
EMT Only 882
EMT & IMC 882CB
IMC only 892



Mobile Bending Cart


GES 881MBT
Use with Greenlee
881-881CT-885T



EMT • IMC Rigid Benders

881 CT 2-1/2" to 4" 90°
881 2-1/2" to 3" 90°
& 3-1/2" to 4" 45°

Shown with optional 1813 Bending Table & 980 Pump



Rigid Benders

800 1/2" to 2" 90°
777 1/2" to 2" 90°
& 2-1/2" to 4" segmental bends



Rigid Benders

884 1-1/4" to 4"
885 1/4" to 5"

Shown with optional 1802 Bending Table & 980 Pump



785 Rigid Bender

5" to 6" Rigid
1-Shot 90° • 230 Volt 1Ph

Complete with integrated Electric Ram/Pump



755 Hydraulic Hand Pump

Use with these benders

- 777 1/2" to 4" Rigid
- 782 Tubing Bender
- 880 1/2" to 2" Rigid
- 882 1-1/4" to 2" EMT
- 892 1-1/4" to 2" IMC



Electric Hydraulic Pumps

- 975 1/2Hp 3 quarts
- Use with small benders
- 777, 880, 882, 892
- 980 1-1/2 6 quarts
- Use with large benders
- 884, 885, 881, 881CT



- 960 1/2Hp
- 6.25 quarts
- Use with all
- Greenlee Benders



Evans Offset Bender

- EB1000
- EMT 1/2" • 3/4" • 1"
- Rigid-IMC-PVC coated
- 1/2" • 3/4"
- Offset-Kicks-Saddle Bends
- 0-45° Offset bends to 25"



Manual Mechanical Benders

- 1800 1/2" to 1" Rigid IMC
- 1801 1-1/4" to 1-1/2" Rigid



Mechanical Benders

- 1818
- Rigid 1/2" to 1-1/2"
- Alum Rigid 1/2" to 2"
- EMT 3/4" to 2"



PVC Heaters

- 849 1/2" to 2" PVC
- 851 1/2" to 4" PVC
- 120 volts 20 amps
- Manual Rotation



PVC Heaters

- 847 & 848
- 1/2" to 6" PVC
- 230 volt 30 amps
- 847 Manual Rotation
- 848 Electric Rotation

Tubing Benders



Parker HB632 Hydraulic Tubing Bender

- 3/8" to 2" tubing and
- 3/8" to 1-1/2" IPS
- Operates with a 10,000 psi hand
- or electric 975 Hydraulic Pump

Greenlee 782 Tubing Bender

- (Not shown)
- 1/2" to 2-1/2" tubing & stainless steel
- Each size sold separately

Bender Table - 520515 HB632

Ultra Cable Feeder 6810

Specifications

115 volts 15 amps
Variable speed from
4 to 36 fpm

Maximum Tracking Force 200 lbs
Reel weight capacity
25,000



Max Cable Capacity

8 x 250 mcm
6 x 500 mcm
5 x 750 mcm



Super Tugger

6001 Tugger only with chains
6004 & 6005 packages
(see Greenlee Catalog
for details)

6500 lb capacity with Force
Gauge
1-speed • 6 fpm



Ultra Tugger

6800 Tugger only with Force
Gauge & Floor Mount

6805A Package shown above
8000 lb capacity
1-speed 6 fpm to 8 fpm



6800 Ultra Tugger

8000 lb capacity
Tugger only with Force
Gauge & Floor Mount



**UT-10 /
6906 Package**

8000 lb capacity
6 fpm



Cable Glider Plus

Condux Cable Glider Plus,
puller, foot switch, retain-
ing fork, pivoting arm,
conduit adapters, 2000 lbs
at high speed 4000 lbs at
low speed



Cable Glider Package

Condux Cable Glider,
puller, foot switch, retain-
ing fork, pivoting
arm, conduit adapters,
rope mount, & extension
frames, tensionmeter
2000 lbs at high speed
4000 lbs at low speed



Cable Puller Package

H-1000
HIS Business
10,000 lb capacity
with Force Gauge
2-speed low 12 fpm
high 24 fpm



Chain Mount
02846

Floor Mount
6037

Chain Mount

02846 8000 lb capacity
with 2 chain assemblies

Floor Mounts

6037 6500 lb capacity
00865 8000 lb capacity



Tension Meter

Continuous pulling Tension
Meter with digital readout
and preset alarm. Factory
calibrated models available
in 3 model types:

- 1) Digital display only
- 2) Digital display and
printer
- 3) Digital display and chart
10,000 lb 20,000 capacities



03561 Speed Booster

Increases the speed of the
Ultra Tugger to pull twice
as fast. Automatically
switches to low speed at
2500 lbs to protect the
Tugger Motor.

Use with Ultra Tuggers
only





Rope Reel Stand

654

Reel handles both 3/4" & 7/8" rope for 300' & 600' spools.



Kellems

Wire Basket
Pulling Grips
Solid Eye & Swivel Eye
Assorted sizes
Starting at 1/2"



Pulling Grip Kit

629

6500 lb capacity
2" and larger conduit
629: 624S, 624L & 678 clevis

Rope Clevis

578
10K lb cap.



Pulling Swivels

Dia.	Rope	Capacity
7/8"	3/8"	2250 lb
1-1/4"	1/2"	5000 lb
1-3/8"	9/16"	7000 lb
1-5/8"	5/8"	10000 lb
2"	3/4"	15000 lb
2-3/8"	1"	25000 lb



Conduit Rubber Swabs

100% of conduit size
2" to 6"

Use for lube spreading and cleaning out conduit



Test Mandrels

Made of aluminum
80% of conduit size
1-1/2" to 6"

Used to remove hidden obstructions in conduit



Flexible Mandrels & Steel Washer Mandrels

Flexible: 90% of conduit used for cleaning out mud, dirt, and light obstructions.

Metal: 93% of conduit, used to remove burrs or obstructions in conduit.



Pulling Lube

847 & 848
1/2" to 6" PVC
230 volt 30 amps
847 Manual Rotation
848 Electric Rotation



Conduit Brushes

100% of conduit size
1-1/4" to 6"

Designed for removal of sand and other light obstructions in conduit prior to pulling cable



Reel Jacks

Capacity per pair

Side Tons	Top Tons	Reel Size	Top Hook
5	10	20"-60"	21"
10	20	20"-96"	34-1/2"



Reel Jacks

Capacity per pair

Side Tons	Top Tons	Reel Size	Top Hook
10	20	36"-84"	31-1/8"

Requires left & right jacks

Wemco



Manual pay-out lift
Coil & measure
Wire counters

Call for items not shown



Small Reel Jack

6001 Tugger only with chains
6004 & 6005 packages
(see Greenlee Catalog
for details)
6500 lb capacity with Force
Gauge
1-speed • 6 fpm



Medium Reel Jack

6800 Tugger only with Force
Gauge & Floor Mount
6805A Package shown above
8000 lb capacity
1-speed 6 fpm to 8 fpm



Large Reel Jack

6001 Tugger only with chains
6004 & 6005 packages
(see Greenlee Catalog
for details)
6500 lb capacity with Force
Gauge
1-speed • 6 fpm



Spindles

6800 Tugger only with Force
Gauge & Floor Mount
6805A Package shown above
8000 lb capacity
1-speed 6 fpm to 8 fpm

Reel Rollers



3000 lb capacity per pair
15"-30" diameter reels



2000 lb capacity
Reels to 30" in diameter



Cable Reel Rollers

3 Models: 15,000 lb, 30,000 lb, & 35,000 lb capacities
with 110v variable speed controller

Model	Reel Capacity	Roller	Overall Size
15K	15,000 lb	59" wide	74"L x 56"W
30K	30,000 lb	96" wide	122"L x 67"W
35K	35,000 lb	102" wide	117"L x 84"W



Camel Back
Max capacity: 4000 lbs

Conveyer Sheaves

4024 24" radius
4036 36" radius
4048 48" radius



Conveyer Sheave Quadrant Blocks

60° • 90° • 120°
16" • 24" • 36" • 48" • 60"
Up to 10,000 lb capacity



Feeding Sheaves

441 2" • 2-1/2" • 3" •
3-1/2" • 4" • 5" • 6"

For capacities, visit
greenlee.com



Haines Cable Tray Roller & Clips

31931 6" x 8" Roller for
spindles use 1-1/2" rigid
conduit

31927 Mounting clip
2 clips per roller required



Hook Sheaves

4000 lb capacity
650 6" • 651 12"
652 18" • 653 24"
8000 lb capacity (shown)
8012 12" • 8018 18"
8024 24"





Light Base Sheave

14-1/2" High
Mounts to light pole
with existing bolts
Max capacity 500 lbs



Manhole Sheaves

E848 8'
6500 lb capacity
671 10'
6500 lb capacity
6072 12'
8000 lb capacity



Rim Roller-Curb Roller

7" wide
Over Curb, into manhole,
into vault, or over I-Beam
Max capacity 10,000 lbs



Tray Rollers Radius

2018R 12" to 18"
2024R 20" to 24"
2030R 24" to 30"
2036R 30" to 36"



Tray Rollers Straight

2018S 12" to 18"
2024S 20" to 24"
2030S 24" to 30"
2036S 30" to 36"



Tray Rollers Right Angle

90 degree
2024-9R 24"
2036-9R 36"



**Tray Roller Split Box
Clamp-On**

HB1A6
6" rollers



**Tray Roller Split
Clamp-On**

HB1A12
12" W x 6" H rollers



**Tray Roller Inside
Vertical Riser**

HB4A
10" x 5"



**Tray Roller
Horizontal Elbow**

HB5A
10" x 5"



**Tray Roller Outside
Vertical Riser**

HB6A/7A
Use facing up or down
1 ea double bottom
rollers
2 ea side rollers



Tray Roller "U" Shaped

HB9A
Replaces tray sheaves
and all straight rollers
1 piece "U" roller



Tray Sheaves

658 - 12" long
659 - 22" long



Triple Sheave

6036
36" Radius
Max capacity 6500 lbs



Condux 3 Sheave
Cable Guide

24" or 36" Radius
Hook or Manhole
Max capacity 10,000 lbs



Twin Yoke Sheave

639
24"
Max capacity 4000 lbs




Set-Up Diagrams for Cable Tray

Conveyor Sheave

Tray Rollers

Tray Sheaves

Twin Yoke Sheave





Lil' Fisher

390 Vacuum - Blower
Air Flow 101.2 cfm
5 gallon Tank with Hose



Fish Tape System

690 1/2" to 4" conduit
Air Flow 120 cfm
complete with string



Super Blower

B60
2 1/2" to 6"
275 cfm
3 motors (1 1/2 hp each)
115 volts • 23 amps



**Jet Line
JO225LC**
Co2
system
1/2" to 6"
conduit
complete
with
Seal-offs,
Hose &
String

Cylinders sold separately
20 or 50 Lb



Wire Caddy

906
16"L x 26"W x 17 1/2"H
Max capacity
6ea 500' spools up to
8" in diameter of
#6 thru #10
AWG 600 volt wire



Wire Caddy

9505 Hand Truck
46 5/8" x 28 1/4"
Wire capacity 200 lbs
10ga x 4000'-7.5" spool
Cart lift cap 250 lbs



Wire Caddy

9510 A-Frame
48" x 28 1/4"
Capacity 400 lbs
Max spool dia. 7-1/2"



Wire Caddy/Cart

38733 Hand Truck
46"H x 23"W x 22 1/2"D
Holds 15 spools #14 THHN



Wire Cart

909
Handles 6 Spools of
Cable or Wire
2500' x 18" diameter



Wire Cart

910
Handles 10 spools of
Cable or Wire



Wire Cart

911
Handles 6 Spools of
Cable or Wire
2500' x 16" diameter

Cable Reel Transporter



Wire Cart

916
Handles 1 Spool of
cable or BX up to 300 lbs
20" x 40" in diameter



Cable Crimpers
Hand Hydraulic

10,000 psi up to 750mcm
 Y35 12ton
 TBM12 12ton
 Y750 12ton
 TBM14 14ton



Cable Crimpers
Remote Heads

Y35 12ton 750mcm
 Y750 12ton 750mcm
 Y46 15ton 1000mcm
 TBM15 15ton 1000mcm
 Y60BHU 60ton 2000mcm



06197



06066

Cable Crimpers
Remote Dieless Heads

VC-6 1 0 - 750mcm
 VC-8 1 0 - 1000mcm
 06197 6.2 ton Closed
 06066 6.2 ton Open



Cable Crimper Pump
Electric Hydraulic
for Remote Heads
Max capacity 10,000 psi



Dieless Crimpers
Hand Hydraulic
up to 1000 mcm
1990 Greenlee
VC-8 Anderson



Hand Crimpers
TBM-6
TBM-8
Capacity
#8-500
copper
&
#10-350
Aluminum
*Other tools
available
upon request*



Cordless Crimpers
Greenlee Gator shown
12 ton up to 750mcm
15 ton up to 1000mcm
with Battery & Charger



Cordless, Dieless Crimpers
Closed & Open Heads
12 ton up to 750mcm
with Battery & Charger



Crimper Dies
U-Type & H-Tap Dies
#8 to 1000 mcm
(cu) Copper & (al) Aluminum
Dies available for most Crimpers



Cable Bender
796
Ratcheting Type
Capacity to 500 mcm
copper & aluminum



Cable Bender
800F-1725
Hydraulic Bender Head
with Foot Pump & Hose
cap. 350 to 1000 mcm



Bus Bar Bender
up to 90° bends for
most sizes of Bus Bar
see Hydraulic Pumps page 5





Cable Cutters

718
350 cu/al
17½" length

704
350 cu/500 al
21" length

706
500 cu/1000 al
31½" length



**Cable Cutters
Ratcheting Type**

773
500 cu/750 al
15½" length

774
750 cu/al
19½" length

6990FS
500 cu/1000 al
14" length



**Cable Cutters
Ratcheting Type**

756
1500 mcm
cu & al

8690FS
2" Soft Cable
27½" length

8690FH
1-3/16"
Hard Cable
29¼" length



**Cable Cutters
Hydraulic**

750H767 Hand Pump
750F1725 Foot Pump
750E975 Elect Pump
Capacity 1000mcm cu & al



**Hand Hydraulic
Cable Cutters**

Enerpac WMC series
Available in capacity
sizes from
1/2" to 2" cable



**Hydraulic
Cable Cutters**

Enerpac WHC series
Available in capacity
sizes from 2" to 4" cable
Requires Hydraulic
Pump & Hose



Cordless Cable Cutter

Greenlee ES100011
Cuts up to 1000mcm
copper & aluminum



Cordless Cable Cutters

Greenlee Gator shown
Models up to 2" Cable



Small Portable Gas
1000 to 2000 watts



Portable Diesel
5500 to 10,000 watts



Portable Gas
2500 to 10,000 watts



Towable Diesel & Gas
20,000 to 250,000 watts



Adjustable Wrenches

10" to 24"



Bolt Cutters

14" to 42"



C-Clamps

Deep Throat
Erectors
Heavy Duty
Extra Heavy Duty



Chain Tongs

Double End 1/4" to 12" Pipe
27" • 37" • 44" • 50" • 64"
Single End 4" to 12" Pipe
87"



Chain Wrench

Max to 7 1/2" Pipe • Rated to 4"
12" • 14" • 18" • 24" • 36"



Combo Wrenches

1/4" to 3"



Impact Sockets

1/2" • 3/4" • 1" Drives
Standard & Deep



Pipe Wrenches

H.D. Steel 10" to 60"
Aluminum 14" to 48"



Slugging Wrenches

Straight 1" to 4 5/8"
Offset 1" to 2 3/4"



Structural Wrenches

Open End 13/16" to 1 5/8"
Box End 13/16" to 2 3/4"



Torque Wrenches

1/2" • 3/4" • 1" Drives



Torque Multipliers

Call for sizes and
availability





Stud Punches
Stud Capacity 20-24GA

709 7/8" hole
(1/2" conduit)

710 1-11/32" Hole
(1" conduit)

713 2 1/2" Hole
(2" Water/Vent/Waste Pipe)



**High Leverage
Ratcheting Knock Out**

1906SB 1/2" to 2"
Slug Buster Kit



**Quick-Draw Knock Out
Hand Hydraulic**

7806SB 1/2" to 2"
Slug Buster Kit



**Quick-Draw 90°
Knock Out**

7906SB 1/2" to 2"
Slug Buster Kit



**Hydraulic Knock Out
Kit with Pump & Ram**

7306SB 1/2" to 2"
Slug Buster



**Hydraulic Knock Out
Kit with Pump & Ram**

7310SB 1/2" to 4"
Slug Buster



C-Frame Punch Kit

1731 with 1/2" to 1" KO's
1731H767 with 767

Hand Pump (not shown)



C-Frame Punch

1732 capacity 1/2" to 4"
Punches • Dies • Pump

Hose sold separately



Diamond Core Rigs

Major Brands
Basic & Vacuum Bases

Core Bits Sold Separately



Mag-Drill

0 to 1 1/4" capacity
Chucks: 1/2" • 3/4" &
3 Morse Taper



Hougen Mag-Drills

7/16" to 1 1/2" Holes

Hougen Bits Sold Separately



**Hydraulic Punch
for Steel**

3/8" to 3/4" Holes
up to 1/2" thick mild steel
see Hydraulic Pumps page 5



Chain Hoists / Chain Falls
 ½ ton to 50 ton



Come-A-Long Hoists
 ½ ton to 12 ton



Air Hoists
 1/8 to 50 ton
 Load-tested

5' to 40' chain lengths

Steel Body · Aluminum Body · Stamped Steel Body

CM · Coffing · Harrington · IR · Jet · Yale

Load-tested • Load limiting hoists with slip clutch available on request



Electric Hoists
 Load-tested



I-Beam Trolleys
 1 to 25 ton
 Load-tested



Snatch Blocks
 1 to 100 ton
 Assorted sizes available
 Hook or Shackle



I-Beam Clamps
 1 to 25 ton capacity
 CM
 Crosby
 Caldwell
 General Clamp
 Jet
 Super Clamp




Grip Hoists
 2000 to 8000 lb
 Capacity for pulling
 supplied
 with or without cable



Air Tuggers / Winches
 1000 to 40,000 lbs
 supplied
 with or without wire rope



Lifting Slings
 Nylon & Steel
 Eye to Eye & Endless
 Specify diameter & length



Shackles
 Pin & Screw Pin
 3/16" to 2"
 Bow & Straight types





**Mechanical Jacks
V-Head Style**

Pro Jack 2000 lb cap
H.D. jack 2500 lb cap



**Mechanical Jacks
Roller Head Style**

2500 lb capacity
Rollers adjust in/out



**Mechanical Max Jacks
"V" or Roller Head**

2500 lb capacity
for 4" to 36" pipe
with locking casters



**Mechanical
Adjust-A-Roll Jacks**

2000 lb capacity
For 1/2" to 48" pipe



Reel Jacks

2500 lb cap per Jacks
687 Height 13" to 28"
683 Height 22" to 54"

3750 lb cap per Jack
656 Ratcheting Jack
Height 28" to 46 5/8"



**Reel Jacks
Straight Base**

10 ton per pair
12" Lift
Use Spindles 2 3/8" to 3 1/2"



T-Base Reel Jacks

10 ton per pair
Requires Left & Right Jacks
11 5/8" Lift
Use Spindles 2 3/8" to 3 1/2"



Pipe Stands-Jacks

46 6" Pipe 23" to 33"
965 12" Pipe 26" to 46"
92 6" Pipe 32" to 41"



Steamboat Jacks

20 ton capacity Closed
width eye to eye

ER-10 23" ER-20 29"
ER-30 35" ER-40 47"



Railroad / Toe Jacks

Up to 20 ton capacity
Steel Body 18" Lift
Aluminum Body 13" lift



Hydraulic Jacks

Cylinders 5 to 500 ton
Types: Pancake, Spreader,
Low & High Profile
Single & Double Acting



Port-A-Power Jacks

Sets consist of:
Hand or Electric Pump
Hose & Cylinder
Gauge is extra

Call to design your
preferred pump & cylinder
see *Hydraulic Pumps* page 6



Rol-A-Lifts

No.	capacity per pair	Lift
M2	2000 lb	5"
M4	4 000 lb	12"
M4-6	4 000/6000lb	12"/6"
M8	8000 lbs	6"
M10	10,000 lbs	6"
M12	12,000 lbs	6"

2 Lifts required



Roust-A-Bout Lifts

- Z100 15' small base
 - Z150 15' large base
 - Z180 18' large base
 - Z250 25' large base
- 1500 lb capacity



Scissor Lifts

14' to 40'
Call for availability of types and sizes



Stacker Lifts

Genie & Sumner Brands
Sumner 400 lbs to 53"



Duct Lifts

Genie & Sumner Brands
12' · 18' · 24'
650 lb capacity



Pallet Jacks

Standard 27" x 48"
5000 lb capacity
Narrow 20.5" x 48"
5000 lb capacity



Rollers

Caterpillar · Skate · Tank
¾ ton to 100 ton - individual rollers or kits
Kits starting at 15 tons with 4 rollers & 2 handles in a metal box. Specify types and sizes



Pipe & Conduit Rack

668 with casters
1000 lb capacity
Folds flat
58½"L x 34"W



Grasshopper

2000 lb capacity
Up to 20" Pipe
12' L x 34" W 155 lbs



Cricket

1000 lb capacity
Transport up to 20' pipe
Weighs 70 lbs



Johnson Bars


Steel or wood handles
5', 6', and 7' lengths





Concrete Buckets
1/3 yard to 4 yard

From general purpose to lay-down buckets
Call for availability



NEW Pipe/Farm Wagons

Lengths 20' • 30' • 40' wagons Capacity 8 to 20 tons
Built & painted specific to contractor / project needs




Dollies & Hand Trucks

Barrel
Hand
Furniture



Rubbermaid & Warehouse Carts

Specify types & sizes



Dump Hoppers

Sizes from 1/2 to 2 Cubic Yards with Fork Pockets
1/2 • 3/4 • 1 • 1 1/4 • 1 1/2 • 2




Skip Pans

1 to 2 ton
Assorted sizes available
Supplied with 4 lifting Hooks/Eyes



Snatch Blocks

1 to 100 ton
Assorted sizes available
Hook or Shackle



Ladders

Step 4' to 16'
Extension 16' to 40'
Fiberglass & Aluminum



Plate Clamps

1 ton to 10 ton
Vertical or Horizontal
Lifting



Office Furniture



Pallet Puller
5000 lb capacity



Rubbermaid Utility
Truck/Hopper/Cart



Crane Mats



Fans
Box • Stand • Misting
Specify size




Heaters
Kerosene • Diesel • Elect
115 to 600 volts



String Lighting
For construction




Blue Print
Racks & Sticks
Specify sizes



Rebar Bender-Cutters
A Bender-Cutter up to 5/8"
B Cutter only up to 3/8"



Railroad Ties
Dunnage



Road/Jersey Barriers
Load & Pin • JJ Hook • Bolt
Specify type





Fit-up Tools for Pipe

Ultra Clamps Adjust-A-Fit Cage Clamps
 1" to 12" Pipe capacity 1000 lbs 2" to 60" Pipe

Flange Pins ← *These items not* Adjust-A-Flange
 5/8" to 1 5/8" ← *pictured above* → 5" Pipe & Larger



Pipe Bevellers

Model	Size	Model	Size
0	2"-4"	4	20"-26"
1	3"-8"	30	24"-30"
2	7"-12"	5	30"-36"
3	14"-20"	Torch extra	



PressFit Tool

PFT507
 Capacity ½"-2"
 for
 IPS Schedule 5 steel
 VicPress 304 & 316 SS Pipe
 Dies available in
 ½" • ¾" • 1" • 1¼" • 1½" • 2"



Roll Groovers
 Ridgid & Victaulic
 from 1¼" to 24"
 Call for availability



Ratchet Threaders
 Individual size or in sets
 NPT & PVC Coated
 12R 1/8" to 2"
 11R & 111R 1/8" to 1¼"
 Ratchet available w/sets



Portable Threaders
 700 Ridgid & Mini Collins
 Use with 12R Drop Heads
 Drive 141 Geared Threader



Geared Threaders
 Hogs Head
 141 2½" to 4"
 161 4" to 6"
 Threads both NPT & NPSM



300 Tripod Threader
 1/8" to 2" capacity
 Complete with Dies 1/2" to 2"
 Die Head, Reamer, Cutter,
 Stand & Oiler



535
Threaders 1/2" to 2"
 with Dies Reamer & Cutter
 535 Manual Chuck & Head
 1822-I with AutoChuck
 & Auto Open Die Head
 22A Auto Chuck&Head
 Supplied with 4-leg stand



Threader 1/2" to 4"
 1224
 with
 Dies, 2 Auto Open Heads,
 Reamer & Cutter
 Rolling Stand extra



Threaders 1/2" to 6"
 Production Threaders
 with Automatic Chuck & Heads
 44A 1/2" to 4" pipe
 66A 1" to 6" pipe
 230/460v 3Ph



Nipple Chuck
819 ½" to 2" NPT
Use with 300, 535
and 1224 Threaders



Oilers
with Bucket assembly •
Hose • Gun
318 Metal Bucket
418 Plastic Bucket



Soil Pipe Cutters
Ratchet Type
226 Concrete/Cast Iron/clay
206 1½"-6" No-Hub Soil Pipe
246 1½"-6" Clay/Cast Iron/
Cement Pipe/4" 22 water pipe
276 1½"-6" No-Hub/Clay/
Concrete pipe (2 handle style)
Single Stroke Snap Cutters



Pipe Cutters
1 Wheel Cutter 4 Wheel Cutter
1A ⅛" - 1¼" 42A ¾" - 2"
2A ⅛" - 2" 44S 2½"-4"
3S 1" - 3"
4S 2" - 4"
6S 4" - 6"
3 Wheel Cutter Wide-Roller
2A ⅛" - 2" 202 ⅛" - 2"
4S 2" - 4"




Hinged Pipe Cutters
2" to 12" capacities
Sizes:
2"-4" • 4"-6" • 6"-8" • 8"-12"
For Cast/Duct Iron•Steel Pipe•
Cast Iron•Heavy-Wall Steel Pipe



Reamers
2-S Spiral ¼" to 2"
254 Spiral 2½" to 4"
2 Straight ⅛" to 2"
3 Straight ⅜" to 3"



Pipe Stands / Jacks
46 6" Pipe 23" to 33"
965 12" Pipe 26" to 46"
92 6" Pipe 32" to 41"
see also "Jacks" page 18



**Geared Threader
Accessories**
840A Universal 300 & 535
844 Drive Bar 300 & 535
758 Loop for 141 to 300
346 Support Arms 161 to 300
774 Square Drive 141 to 700



Pipe Vises / Tri-stands
450 ⅛" to 5" Chain
460 ⅛" to 6" Chain
PVC-coated rigid Half-Shell
Clamps available for Chain Vises
40-A ⅛" to 2½" Yoke
PVC Jaws for 40-A extra



Bench Pipe Vises
Chain Type
⅛" to 8"
Yoke Type
⅛" to 6"
Call for availability


Threading Dies*

Ridgid Dies OR-11R•111R•12R sold each size ⅛" to 2" NPT • NPSM • PVC-rigid	Ridgid Dies Universal ⅛" • ¼" to ⅜" ½" to ¾" • 1" to 2" NPT•NPSM•PVC-rig ½"-¾" Groove/Bevel 1"-2" Groove/Bevel
Ridgid Geared Threader Dies 141 2½" to 4" 161 4" to 6" Sets thread both NPT & NPSM	Ridgid 1224 Dies ¼" to ⅜" Univ. Dies ½" to ¾" Univ. Dies 1" to 2" Univ. Dies
*Bolt Dies & Heads available on request	
	Note: 2½"- 4" Dies thread NPT & NPSM Groove Dies available

Die Heads*

811
811 Universal ⅛"-2"
for 300 & 535
815 Universal ⅛"-2"
auto opening for
300 • 535 • 18221
Auto Opening
Heads for 1224
711 ¼" - 2"
714 2½" - 4"





Pigtails

"Y" adaptors

"W" adaptors

Adaptors
20 & 50 amp
U-ground & Twist Lock



Cords 50 amp 6/4
50' & 100'
6365 male x 6364 female



Cords 20 amp
U-Ground & Twist Lock
12/3 cords 50' & 100'



**Disconnect
Safety Switches**
Full range available



Spider Boxes 50 amp

six 20amp outlets
one 30amp outlet
one 50amp inlet
one 50amp outlet

Spider Boxes available
in U-ground & Twist Lock



Spider Box Booster

Boosts power by 15%
between Spider Boxes



**Transformer
Power Stations**
15 KVA+ 100 amp+
120V / 208V / 480V



Transformers
3-Phase to
230V / 208V / 120V



Portable Band Saws

Regular & Deep Cut

Milwaukee • DeWalt • Porter Cable

Band Saw Blades sold separately

44 7/8" x 1/2" x tooth



1399 Mobile Band Saw

9 1/2" x 11" Rectangular

9 1/2" Circle or 8" Pipe

120 volt / 1/2Hp



Portable Chop Saws

12" & 14" 120volt

Cut-Off Wheels sold separately



Stationary Chop Saws

Up to 20"

120volt & 230volt 3Ph

Cut-Off Wheels sold separately



Drill Motors

3/8" to 3/4"



Grinders

Right Angle Grinders

120 volt

4" 4 1/2" 5"

6" 7" 9"

Straight Grinders


120 volt

Die Grinders
Straight Grinders
Up to 6" wheels

Grinding Wheels sold separately



A



B

Electric Hammers

A Jack Hammer

60lb 1 1/8" steel

B Demolition

Up to 35lb capacity

C Hammer Drills

Up to 1" capacity

D Rotary Hammers

Up to 6" capacity



C



D

Hammer Steel & Carbide Bits

Chisels

Bull Points

Clay Spades

Asphalt Spades

Hammer Drill Bits

Rotary Hammer Bits
(SDS • SDS-Max • Spline)

Core Bits

Steel & Bits sold separately





Impact Wrenches

1/2" & 3/4" Drives



Nibblers

18 to 10 gauge



Shears

18 to 10 gauge



Saws

Circular Saws
Worm-drive Saws
Sawzalls

Eye Protection



Fall Protection



Fire Blankets




Gloves



Hard Hats



High Voltage Mats



Hearing Protection



Protective Clothing



Safety Cabinets



See page

Safety Cans





109




139

Cabinets

- 99 4-door 60x30x60 59.4 cubic feet
- 109 2-door 60x24x60 47.5 cubic feet
- 139 2-door 60x30x60 59.4 cubic feet
- 139 is supplied with fixed and adjustable shelves



100



5860

Bi-Fold Cabinets

- 100 or 5860 65x15x60
- 60.9 cubic ft



30



32

Gang Boxes-small

- 30 12Hx16Wx30L
- 32 13Hx19Wx32L
- 36 16Hx19Wx36L
- 42 18Hx19Wx42L



4830

Gang Boxes/Chests

- 4824 23Hx24Wx48L
- 4830 29Hx30Wx48L
- 60 23Hx24Wx60L



89

Gang Boxes with Gas Lifts

- 69 34Hx30Wx60L 35 cft
- 79 46Hx30Wx48L 38 cft
- 89 46Hx30Wx60L 48 cft



Print Shacks / Work Stations

- 119 Knaack Field Station 115.2 cubic feet
- 1-674990 Jobox Field Office 104 cubic feet
- 82H x 42W x 60L
- 80H x 42W x 63L



Rolling Work Benches

Assorted sizes without drawers to multi-drawer configurations.

Specify size required

Work Benches are 37" high



H.D. Casters

Small Boxes use 4" casters

All large boxes use 6" casters

Sold in sets of 4
2 rigid & 2 swivel



Pallet Racking / Warehouse Racking



Safety Cabinets

Store Paints & other Flammable items

Available in Locking
30, 45, 60, and 90 gallon sizes





**Connex
Sea Containers**

20' · 40' · 53'



Customized Containers

Welding room, tool room, shelving, lighting, partitions, internal & external electrical, overhead storage, furniture, partitions, custom floors, HVAC, insulation, desks

Made to specifications & painted in company color



**Trailers
Van & Flatbed**

Call for trailer sizes and types available



Meters

Clamp-On Amp Meters
Multi Meters



Circuit Tracer Meter

2011
0-600 volt AC/DC



Megohmmeter

5990

4 Test Voltages:
500v, 1000v,
2500v, 5000v



Megohmmeter Crank

5778


Megohm: 25,50,100
DC Voltage 250v,
500v,1000v



Wire Finder/Locator

508S

locates
wire in walls &
dropped ceilings &
buried cable
3' deep x 1000' long



Hydrostatic Test Pump

Elect 70 to 500 psi
Gas 70 to 1,500 psi
Air 500 to 15,000 psi

Specify gpm & psi



Test Plugs

Sizes from 1/2" to 36"

Aluminum · Nylon · Rubber · Steel



Diesel Welders
Miller Big Blue 400 D



Electric Welders



Mig Welders



MOG Grids
Miller GPS-1500
8-Pack Welder



**Multi-Operator
Welding Machines**
Miller
4, 6, & 8 Packs




**Multi-Operator
Welding Machines**
Miller Wire Feed
XMT-304 & XMT-350
4 & 6 Packs



Propane (LPG) Welders
Wheel mount kits
available for most
Welders



Plasma Cutters



**Pipe Beveling Machine
and Torches**



Stud Welders



Tig Welders



Wire Feeders





Bottle Carts

Standard Bottle Carts & H.D. with Blast Divider
Hard Rubber • Steel
Pneumatic Tires



Cable

All sizes available



Cage Clamps Ultra Clamps Clamp Champs

Clamps to Line-Up Pipe

Cage Clamps: Manual, Ratchet & Hyd 2" to 60" pipe
Ultra Clamps: 1" to 12" pipe
Clamp Champs: 1" to 36" pipe



Electrode Holder & Stingers




Fabrication & Welding Tables



Rod Ovens
10 to 900 lb



Rotary Ground Clamps
Regular & Magnetic



Torches
Cutting Torches
Track Torches



Turning Rolls
Pipe and Tank Rolls
2000 to 88,000 lb



Welding Kits
Assorted brands & kits



Welding Screens
1 to 4 Wall Screens

The GE&S Remanufacturing Process

Sourcing

We acquire and stock items for remanufacturing that are most requested by our construction contractor customers.

Fabrication

Our in-house fabrication department works to ensure that the structure and integrity of each product are as close to new as possible.

Mechanical

Our mechanical team of certified technicians has repaired and remanufactured mechanical construction tools and equipment for decades.

Paint

We sand, grind, and replace parts prior to painting products. Our quality painting application includes customer colors, decals, and asset numbers.

Testing & Recertification

We test all tools and equipment to ensure they function at optimum performance. We also certify equipment, such as lifting tools, so labeled maximum safe load capacities are validated.

Quality Control

Every piece of equipment that comes through our shop undergoes extensive electrical and mechanical inspection before shipping.



Upgrade Construction Tools & Equipment Inventory

FOR LESS



Before



After

Customize inventory with your company colors and decals.

Rentals

If we sell it, we rent it

When renting is better than buying, call us for:

- Cable pulling
- Pipe threading
- Welding
- Material Handling


...and other construction tools and equipment rentals.



Job Site Disposition



Liquidate items that are not practical to ship to company central storage locations.



Deal with one vendor to accomplish most if not all of your closeout requirements.



Avoid shipping and logistics tasks for excess tools, equipment, materials, and supplies.

**Tools • Scrap • Materials
Trash • Equipment**





P.O. Box 80489
Simpsonville, SC 29680-0489

Phone: 800-800-6011

Salesperson Initials: _____
APPLICATION FOR COMMERCIAL CREDIT ONLY

Applicant authorizes General Equipment and Supply to check all credit references and information provided and to utilize all other credit sources deemed necessary by General Equipment and Supply to determine the Applicant's creditworthiness.

LEGAL NAME OF BUSINESS _____ Date Business Started: _____

Mailing Address: _____

Physical Address: _____ County: _____

Phone Number: _____ Purchasing Email: _____ Accounting Email: _____

Ownership: Proprietorship _____ Partnership _____ Corporation _____ Limited Liability _____

Principal Owner(s) or Officer(s) are:
Name: _____ Resident Address: _____ Title: _____ Social Security Number: _____

Annual Sales \$ _____ Number of Employees: _____

State of Incorporation: _____ Date of Incorporation: _____ Federal Id# _____

See attached

Accounts Payable Contact: _____ Phone: _____

Credit References (Please include account numbers where applicable)
Name Address Telephone and Contact Email Address

Supplier: _____

Supplier: _____

Supplier: _____

Supplier: _____

Supplier: _____

Do you carry insurance that covers equipment you would rent from our company? Yes ___ No ___
If yes, please attach copy of current insurance certificate with list General Equipment and Supply as an Additional Insured/Loss Payee. Loss Damage Waiver is charged on all rental invoices for accounts that do not have this certificate on file.

Applicant agrees to General Equipment and Supply's terms of "Net 30 Days" from date of invoice for Rental items, New and Used equipment. On surplus items, terms are "Net Due on Receipt of Goods". Applicant agrees that venue and jurisdiction for any legal proceeding to collect any amount due by Applicant to General Equipment and Supply may be brought, at General Equipment's option, in the city or county where payment is due as shown on the invoice. Applicant also agrees to pay attorney's fees and court costs as may be incurred by General Equipment and Supply in the collection of applicant's debt owed to General Equipment and Supply. THE CONSTRUCTION, PERFORMANCE AND ENFORCEMENT OF THESE TERMS AND CONDITIONS SHALL BE GOVERNED BY THE LAWS OF THE STATE WHERE PAYMENTS ARE DUE.

Name of Company Business

Applicant's Signature and Title

Date Signed

If Partnership, both or all partners must sign

About General Equipment & Supply

Remanufactured Tools & Equipment

Sales - National Accounts Managers are at your site/company when you need us, with application expertise, advice and outstanding customer service.

Repairs - Repair center for numerous brands such as Greenlee, Current, Knaack, Miller and Ridgid; knowledgeable, experienced technicians.

Rentals - If we sell it, we will rent it.

Buy/Trade - Purchase excess or poor condition customer inventories and company liquidations.

Find - an extension of your purchasing department for hard-to-find items.

Refurbishing - upgrade the quality, appearance and value of your inventory.

Custom Containers - offices, welding supply/training rooms and storage connexes built to your specifications.

Site Disposition - A single vendor to minimize project demobilization tasks and costs involving tools, scrap, materials, equipment and trash.

Remanufacturing Process:


Extensive electrical and mechanical rebuild/inspection; in-house fabrication, sandblasting, painting processes, and tool/equipment testing/certification.

Customer Benefits:

- Huge cost savings - manage a tight budget or lump sum jobs with prices 40-60 of new list.
- Most equipment has a one-year parts/labor warranty.
- Flexible to your needs and responsive to your requirements.

Your Top-notch Support Team – Customer Support, National Account Managers, Mechanics, Fabricators, Painters & Procurement Specialists.





General Equipment & Supply

Proudly serving the construction industry since **1986**

Sales

National Accounts Managers are face to face at your site/company when you need us, with application expertise and advice.

Repairs

Repair center for numerous brands such as Greenlee, Current, Knaack, Miller, and Ridgid; knowledgeable, experienced technicians.

Rentals

If we sell it, we rent it.

Buy/Trade

Purchase excess or poor condition customer inventories and perform Site Dispositions and company liquidations.

Find

An extension of your purchasing department for hard-to-find items.

Contact Us

800-800-6011 (Sales - Ext:1, Accounting - Ext: 252)

sales@gequip.com • gequip.com



Corporate Address

3423 Fork Shoals Rd
Simpsonville, SC 29681

Corporate Mailing Address

P.O. Box 80489
Simpsonville, SC 29681

Branch Office

3925 Highway 27 South
Sulphur, LA 70663