Integration of the color profile Ricoh 2600, 3300, 7000, 7700 Corel Draw X5-X8

1. Check Colour settings

1.1 Open the default color management settings.



1.2 Select and if need be check your sublimation presets.

Color profi	les:			Open:	
RGB:	(Default)	Adobe RGB (1998)	~	RGB: Assign default color profile	
CMYK:	(Default) ISO Coated v2 (ECI) ~		~	CMYK:	Assign default color profile 🛛 🗸
Grayscale:	(Default)	Dot Gain 15%	~	Grayscale:	Use embedded color profile 🛛 🗸
Primary color mode: RGB Rendering intent: Perceptual		~	Import and	Warn on color profile mismatch Warn on missing color profile	
Color conversion settings			RGB:	Convert to document color pr ~	
Color engine:		Microsoft ICM CMM	~	CMYK:	Assign document color profile
Preserve	pure black	black	Grayscale:	Convert to document color pr v	
pot color definition: RGB values					Warn on color profile mismatch
Choose	tion the color m	nanagement policy that is us	ed for grays	cale colors wh	nen you open documents.



2. Changing driver properties

2.1 Open printing settings through "File" > "Print".

2.2 Choose the printer and open the **driver preferences**.

rint						
General	Color	Composite	Layout	Prepress	😥 No Issues	
Printe	nation er:	GelSprinter	GX 7000			✓ Preferences

2.3 Select and check your previously saved sublimation preset. Afterwards press the change button right of the custom print quality.

tup	Seiteneinstellungen	Bearbeiten	Wartung	Druckerkon	figuration
Benu Subli	tzerdefinierte Einstellur i 64	nden:	Papierty	vp:	Tintenstrahl-Normalpapier ~
Jubi	Verwalten Spei	chern	Einzugs	magazin:	Autom. Magazinwahl 🗸 🗸
_	vermaker open	onom	Druckq	jualität	
	PRATING THE				 Priorität Qualität
			5		O Priorität Geschwindigkeit
					O Hochgeschwindigkeit
	A4 (210 u 297 mm)		Ľ		O Anwendereinst. Ändern
	A4 (210 X 257 mm)				

2.4 In the tab "Detailed Settings" through "Print Quality" check if all changes have been made.

2.5 If all changes have been made, verify and go back to your printing settings by pressing "OK".



3. Color Settings in the Printing menu

3.1 In the tab "Color", check if the settings are correct and if the ICC profile has been selected.

4. Mirroring the Image

Mirroring Images can't be set up within the driver,
therefor you'll need to do it through your graphics program.

4.1 To mirror the picture when printing, In the menu **"Print"** check the box **"Mirror"** in the Tab **"Prepress"**.

Print	×
General Color Composite Layout Prepress	1 Issue
Paper/film settings	Registration marks Print registration marks Style:

