

# Product Catalogue



## South Africa

Atlantis +27 21 573 9400  
Brits +27 12 250 9100  
Brits Recycling +27 12 250 9100  
Castlevue +27 12 250 9100

## Europe

Cyprus +30 69811 21111

## Email

[salesforce@mpcsa.co.za](mailto:salesforce@mpcsa.co.za)

## Website

[mpcsa.co.za](http://mpcsa.co.za)



**mpact** 

plastic containers

# Corporate Profile

Mpact Plastic Containers forms part of Mpact Operations and is the leading supplier of plastic containers in the southern African market.

There are three manufacturing plants; Atlantis - Western Cape, Brits - North West Province, Castleview - Gauteng. Both Brits and Atlantis plants host a 5500T Engel Duo machine, which is the largest of its kind in the southern hemisphere. A commercial office in Cyprus, Europe, further enhances our value offering to global customers.

The company also has a recycling factory situated in Brits, North West and has diverted more than 24 000 tons of plastic away from landfill sites over the past 5 years.

Mpact Plastic Containers offer a fresh modern approach to plastic containers, crates and bins, moving away from outdated, single-trip disposable containers, crates and bins and developing instead, an array of

multi-trip, re-usable containers that constitute the largest range of Returnable Transit Packaging (RTP) systems in South Africa.

Mpact Plastic Containers is the country's leader in the manufacturing of Jumbo Bins and wheeled bins, and creates a variety of other crates, trays and related rigid plastic containers to meet the needs of our clients.

## Mission

Mpact aims to realise the full potential of its Plastic Containers division by growing market share in key product segments and seeking strategic inroads into Africa. We aim to conduct our business through mutually beneficial relationships with our customers, partners, contractors and suppliers. We aim to sustain these relationships by cementing our reputation as the preferred supplier of injection-moulded products and the overall packaging partner of choice.

## Vision

At Mpact Plastic Containers, our vision is to be the leading packaging brand with the highest ethical standards.

This means we are committed to:

- Meeting and exceeding our customers' requirements for product quality, innovation and cost competitiveness.
- Providing a safe and secure working environment in which our people can fulfill their ambitions and aspire to continually improve their circumstances.
- Acting as a responsible corporate citizen in the communities where we operate, and managing natural resources with respect and understanding.
- Achieving sustainable, profitable growth through a focus on business excellence and strategic expansion in our chosen markets.

# Production Facilities

## Easy to do business with

Mpact Plastic Containers is a Division of Mpact Operations, and is a leading supplier of plastic containers in the Southern African market.



There are four divisions within the company i.e. Agriculture, Industrial, Bottling and Exports.

Every division provides robust and reliable systems that are specifically designed to operate efficiently in the demanding environments of the Southern African retail, industrial, agricultural, and environmental markets.

Using a multi-focus team approach, the sales, marketing and manufacturing departments are fully integrated and trained to find solutions that meet customer needs and expectations.

On-going innovation ensures that the company is at the forefront of market developments and in a position to anticipate future requirements.

# Table of Contents

## AGRICULTURAL DIVISION 06

Jumbo Bin Range	07
Agrilug	10
Stack Crates	11
Banana Crates	13
Drying Trays	14
Lightweight Folding Crates	15
Lightweight Punnet Crates	17
Lightweight Rigid Containers	18

## INDUSTRIAL DIVISION 19

Pallet Stringer	21
Nestable Pallet	21
Lightweight Pallet	22
Stackable Pallet	23
Hygiene Pallet	23
Rackable Pallets	24
Attached Lid Containers	27
KLT Automotive Stack Crates	30
Meat Trays	32
Bread Crates	35
Small Foldable Container	36
Retail Small Folding Crates	37
Stack Nest Crates	38
Prop Tray	40
Fish Boxes	41
Poultry Range	42
Rabbit Waste Tray	47
Multitank	48

## ENVIRONMENTAL DIVISION 49

Wheeled Bins	51
Pedal Wheelie Bins	52
Wheeled Bins	53
Azteca Collection Bank	54
Other Bins	54
Composter	56
Earthworm Farm	57
Glasdon Litter Bins	58
Glasdon Recycling Bins	59

## RETAIL DIVISION 61

Hygiene Dolly	62
Hybrid Dolly	62
Supanest Crates	63
Miniload Crates	64

## OTHER PRODUCTS 65

Linbins	66
Shopping Basket	67
Corner Piece	67
Cash in Transit Box	68
Bucket and Lid	68
Rock Box	69

## CORPORATE 70

MPACT - Track and Trace	70
MPC Online-shop	72
Index	74
Contact Information	76



# Agricultural Division






## Jumbo Bins

- 2 Way Jumbo Bin®
- 4 Way Jumbo Bin®
- Shallow Jumbo Bin®
- Export Jumbo Bin®
- Jumbo Bin® Lid



## 2 Way Jumbo Bin®




<b>Code:</b>	JB2W
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1276 x 1076 x 748mm (H)
<b>Int. Base:</b>	1196 x 996 x 617mm (H)
<b>Carrying Load:</b>	500 kg
<b>Max Load on Base:</b>	3400 kg
<b>Stack Height:</b>	736mm
<b>Nest Height:</b>	3 in 2 casserole stack
<b>Colour:</b>	○
<b>Units per Pallet:</b>	N/A

### JUMBO BIN® FEATURES AND BENEFITS

- Rounded corners and smoother interior surfaces results in less bruising and damage to your produce.
- Multiple vents in sides and base provide superior air flow so products cool faster adding valuable shelf-life.
- Unique design with rounded entry has a larger forklift entry height than wooden bins.
- Smooth, non-absorbent surface is not affected by dipping operations.
- The design is compatible with most bin handling equipment.
- Unique moulded label holders for cards and tags. Small, exterior pads reduce scratches.
- Comfortable built in handholds.
- The positive interlocking foot design permits fast and safe stacking.

## 4 Way Jumbo Bin®




<b>Code:</b>	JB4W
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1276 x 1076 x 748mm (H)
<b>Int. Base:</b>	1196 x 996 x 623mm (H)
<b>Carrying Load:</b>	500 kg
<b>Max Load on Base:</b>	3400 kg
<b>Stack Height:</b>	735mm
<b>Nest Height:</b>	3 in 2 casserole stack
<b>Colour:</b>	○
<b>Units per Pallet:</b>	N/A



- Double walled corners.
  - Two label holders.
- FOOT DESIGN**
- Positive interlocking with two feet.
- FORK LIFT ENTRY**
- 85 mm opening on long sides.
  - 60 mm opening on short sides.
- VENTILATION SLOTS**
- Air vents located in side panels and floor facilitate air flow.
  - All air vents have rounded surfaces on the inside.
- IDENTIFICATION OPTIONS**
- Easy identification with hot foil stamping, or moulded logo
  - Bar coding
  - RF tagging
- BASE VARIATIONS**
- Solid, 3 or 8 mm vented walls and base.
- FEET VARIATIONS**
- Stringers on short sides.



## Shallow Jumbo Bin®




<b>Code:</b>	JB528H
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1276 x 1076 x 528mm (H)
<b>Int. Base:</b>	1196 x 996 x 400mm (H)
<b>Carrying Load:</b>	280 kg
<b>Max Load on Base:</b>	3400 kg
<b>Stack Height:</b>	515mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	○
<b>Units per Pallet:</b>	N/A

### JUMBO BIN® FEATURES AND BENEFITS

- Rounded corners and smoother interior surfaces results in less bruising and damage to your produce.
- Multiple vents in sides and base provide superior air flow so products cool faster adding valuable shelf-life.
- Unique design with rounded entry has a larger forklift entry height than wooden bins.
- Smooth, non-absorbent surface is not affected by dipping operations.
- The design is compatible with most bin handling equipment.
- Unique moulded label holders for cards and tags. Small, exterior pads reduce scratches.



## Export Jumbo Bin®



<b>Code:</b>	JB1210
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1200 x 1000 x 770mm (H)
<b>Int. Base:</b>	1196 x 992 x 631mm (H)
<b>Carrying Load:</b>	500 kg
<b>Max Load on Base:</b>	3800 kg
<b>Stack Height:</b>	757mm
<b>Nest Height:</b>	3 in 2 casserole stack
<b>Colour:</b>	○
<b>Units per Pallet:</b>	N/A

- Easy, clear ownership identification with hot foil stamping.
- Comfortable built-in handholds.
- The positive interlocking foot design permits fast and safe stacking.
- European footprint for optimized shipping container utilization.
- Interwork with all major European manufactured bulk bins.
- Available in vented and solid versions.
- FEET VARIATIONS  
Stringers on short side.  
Stringers on long side.  
Corner pods.

## Jumbo Bin Lid®



<b>Material:</b>	JB1210Lid
<b>Ext. Top:</b>	1314x 1134 x 60mm (H)
<b>Units per Pallet:</b>	N/A

### JUMBO BIN® LID FEATURES AND BENEFITS

- Not suitable for JB1210 / JB 2210 bins.
- Fits all other Jumbo Bins®.



## Harvesting Crates

- Agrilug
- Stack Crates
- Banana Crates

## Drying Trays

- Small Drying Tray
- Large Drying Tray

## Lightweight Crates


- Lightweight Folding Crates
- Lightweight Punnet Crates
- Lightweight Rigid Crates

**mpact** 

plastic containers




# Agrilug



<b>Code:</b>	AGRILUG
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	528 x 354 x 295mm ( <i>H</i> )
<b>Int. Base:</b>	480 x 306 x 288mm ( <i>H</i> )
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	283mm
<b>Nest height:</b>	3 in 2 casserole stack
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	84

- Faster, easier and more stable packing due to positive location points.
- Interlocking ribs enable casserole stacking from base to base or top to top.
- Hygienic, manufactured from food-grade material.
- Stain resistant and easy to clean.
- Smooth with user-friendly handles.
- Can be supplied as solid, vented or vented sides with solid base.
- AGVENT: Vented.
- AGSBVS: Solid Base, Vented Sides.
- AGSOLID: Solid.


## Stack Crate 200



<b>Code:</b>	SC64200
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 200mm (H)
<b>Int. Base:</b>	567 x 367 x 184mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	192mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	60

- Durable, multi-purpose stacking crate.
- Safe stacking up to eight units high.
- Compatible with European pallet sizes, conveyor systems and flow racks.
- Added protection for product inside.
- Four hand grip system to support handling.
- Constant box tare weight.
- Can be supplied as solid, vented or vented side with solid base.

## Stack Crate 185




<b>Code:</b>	SC64185
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 185mm (H)
<b>Int. Base:</b>	567 x 367 x 169mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	177mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	70

- Durable multi-purpose stacking crate.
- Excellent stacking capabilities.
- Compatible with European pallet sizes, conveyor systems and flow racks.
- Four hand grip system to support handling.
- Solid base, vented sides.




## Stack Crate 100



<b>Code:</b>	SC64100
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 100mm (H)
<b>Int. Base:</b>	567 x 367 x 76mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	90mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	125

- Hygienic, manufactured from food-grade material.
- Durable multi-purpose stacking crate.
- Excellent stacking capabilities.
- Compatible with European pallet sizes, conveyor systems and flow racks.
- Fully vented for optimal air flow.


## Stack Crate 75



<b>Code:</b>	SC64075
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 75mm (H)
<b>Int. Base:</b>	572 x 372 x 52mm (H)
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	65mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	175

- Hygienic, manufactured from food-grade material.
- Stain resistant and easy to clean.
- Smooth inner corners to prevent product damage.
- Superior ventilation from the base and into the corners.
- Can be supplied as solid, vented or vented sides with solid base.



## Banana Crate SF6425



<b>Code:</b>	SF6425
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 258mm (H)
<b>Int. Base:</b>	572 x 372 x 236 mm (H)
<b>Carrying Load:</b>	18.5 kg
<b>Max Load on Base:</b>	833 kg
<b>Stack Height:</b>	247mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Volume Capacity:</b>	50.2 Liters
<b>Units per Pallet:</b>	200

- Optimised height for 9 layers per 2.4 metre high pallet.
- Made with polypropylene to withstand regular washing.
- Cross/bond stacking ability.
- Easy to use active lock.
- Active lock design is sturdy and durable made from recycled material.
- Smooth inside prevents damage to fresh produce.
- Airflow meets market standards.


## Banana Crate SF6428



<b>Code:</b>	SF6428
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 286mm (H)
<b>Int. Base:</b>	572 x 372 x 264 mm (H)
<b>Carrying Load:</b>	21 kg
<b>Max Load on Base:</b>	840 kg
<b>Stack Height:</b>	275mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Volume Capacity:</b>	56.2 Liters
<b>Units per Pallet:</b>	200

- Packs 8 layers per 2.4 metre high pallet.
- Made with polypropylene to withstand regular washing.
- Cross/bond stacking ability.
- Easy to use active lock.
- Active lock design is sturdy and durable made from recycled material.
- Smooth inside prevents damage to fresh produce.
- Airflow meets market standards.




## Small Drying Tray



<b>Code:</b>	DR96080
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	894 x 605 x 80mm (H)
<b>Int. Base:</b>	858 x 555 x 60mm (H)
<b>Carrying Load:</b>	15 kg
<b>Max Load on Base:</b>	240 kg
<b>Stack Height:</b>	65mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Sidewall Vent Size:</b>	Open sides 19.25mm width; 43mm height
<b>Sidewall Vent Size:</b>	Vented sides 3.84mm width; 43mm height
<b>Units per Pallet:</b>	76

- Suitable for drying fruit and confectionery.
- Light, durable and strong.
- Long life span.
- No maintenance costs.
- Eliminates wood stains on fruit.
- Hygienic and easy to clean.
- Does not absorb chemicals or moisture and is inert.
- Smooth, non porous interior surface minimises risk of bacteria and pathogens.
- Increased ventilation for more efficient drying.
- Stable and uniform structure.
- Available with small and large sidewall vents.

## Large Drying Tray




<b>Code:</b>	DR189135
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1800 x 900 x 135mm (H)
<b>Int. Base: Two halves of:</b>	830 x 780 x 100mm (H)
<b>Carrying Load:</b>	40 kg per rack
<b>Max Load on Base:</b>	912 kg
<b>Stack Height:</b>	123mm
<b>Nest height:</b>	73mm
<b>Colour:</b>	●
<b>Units per Pallet:</b>	32

- Suitable for drying fruit and confectionery.
- Light, durable and strong.
- Long life span.
- No maintenance costs.
- Eliminates wood stains on fruit.
- Hygienic and easy to clean.
- Does not absorb chemicals or moisture and is inert.
- Smooth, non porous interior surface minimises risk of bacteria and pathogens.
- Increased ventilation for more efficient drying.
- Stable and uniform structure.




# Lightweight Folding Crate



<b>Code:</b>	LWF43104
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	396 x 297 x 104mm <i>(H)</i>
<b>Int. Base:</b>	374 x 275 x 102mm <i>(H)</i>
<b>Open Stack Height:</b>	112mm
<b>Nested Stack Height:</b>	104mm
<b>Carrying Load:</b>	4.5 kg
<b>Collapsed Stack Height:</b>	30mm
<b>Max Load on Base:</b>	95 kg
<b>Colour:</b>	●
<b>Units per Pallet:</b>	850

- Ideal for use in the fruit and vegetable industry.
- Stacks 21 layers high.
- 10 Crates per layer (210 crates per 2.4 metre high pallet).
- Can be used on “white block” & “purple block” pallet bases.
- Optimised airflow in crates and on pallet (fully vented).
- Advanced ripening and degreening of fruit.
- Smooth corners to prevent product damage.
- Hygienic and manufactured from food-grade virgin material.
- Ideal alternative to corrugated cartons.
- Positive interlocking permits fast and safe stacking.
- Lower transport costs and emissions due to folding capabilities.
- Environmentally friendly.
- Fully recyclable.
- Attached lid to retain product.
- Easy peel label area.
- Option of in-mould label.


## Lightweight Folding Crate



<b>Code:</b>	LWF43118
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	396 x 297 x 118mm (H)
<b>Int. Base:</b>	374 x 275 x 116mm (H)
<b>Open Stack Height:</b>	126mm
<b>Nested Stack Height:</b>	118mm
<b>Carrying Load:</b>	5 kg
<b>Collapsed Stack Height:</b>	30mm
<b>Max Load on Base:</b>	95 kg
<b>Colour:</b>	○
<b>Units per Pallet:</b>	850

- Ideal for use in the fruit and vegetable industry.
- Stacks 19 layers high.
- 10 Crates per layer (190 crates per 2.4 metre high pallet).
- Can be used on “white block” & “purple block” pallet bases.
- Optimised airflow in crates and on pallet (fully vented).
- Advanced ripening and degreening of fruit.
- Smooth corners to prevent product damage.
- Hygienic and manufactured from food-grade virgin material.
- Ideal alternative to corrugated cartons.
- Positive interlocking permits fast and safe stacking.
- Lower transport costs and emissions due to folding capabilities.
- Environmentally friendly.
- Fully recyclable.
- Easy peel label area.
- Option of in-mould label.


## Lightweight Folding Crate



<b>Code:</b>	LWF53150
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	500 x 300 x 150mm (H)
<b>Int. Base:</b>	478 x 278 x 149mm (H)
<b>Open Stack Height:</b>	155mm
<b>Nested Stack Height:</b>	150mm
<b>Carrying Load:</b>	10 kg
<b>Collapsed Stack Height:</b>	30mm
<b>Max Load on Base:</b>	150 kg
<b>Colour:</b>	○
<b>Units per Pallet:</b>	680

- Stacks 15 layers high.
- 8 crates per layer – (120 crates per 2.4 metre high pallet.)
- Can be used on “white block” pallet bases only.
- Optimised air flow in crates and on pallets (fully vented).
- Advanced ripening and degreening of fruit.
- Smooth corners to prevent product damage.
- Hygienic, manufactured from food-grade virgin material.
- Ideal alternative to corrugated boxes.
- Positive interlocking permits fast and safe stacking.
- Lower transport costs and emissions due to folding capabilities.
- Environmentally friendly.
- Fully recyclable.
- Easy peel label area.
- Option of in-mould label.


# Lightweight Punnet Crate



<b>Code:</b>	LWR64090
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	594 x 396 x 100mm ( <i>H</i> )
<b>Int. Base:</b>	574 x 376 x 87mm ( <i>H</i> )
<b>Carrying Load:</b>	7.5 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	90mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	○
<b>Units per Pallet:</b>	140

- Ideal for Table Grape Punnets.
- 2 x Crates to accommodate both Heat Seal and Clamshell types of punnets.
- Better payload versus corrugated cartons.
- Optimised air flow in crates and on pallets (fully vented).
- Hygienic, manufactured from food-grade virgin material.
- Positive interlocking permits fast and safe stacking.
- Environmentally friendly.
- One crate for all types of punnets.
- Better cooling and product quality
- Saving on folding costs (machine or hand erected).
- Re-use in the markets (overseas and local).
- Recycling value.

# Lightweight Punnet Crate




<b>Code:</b>	LWR64094
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	594 x 396 x 103.5mm ( <i>H</i> )
<b>Int. Base:</b>	574 x 376 x 90.5mm ( <i>H</i> )
<b>Carrying Load:</b>	7.5 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	93.5mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	○
<b>Units per Pallet:</b>	135

- Ideal for Table Grape Punnets.
- 2 x Crates to accommodate both Heat Seal and Clamshell types of punnets.
- Better payload versus corrugated cartons.
- Optimised air flow in crates and on pallets (fully vented).
- Hygienic, manufactured from food-grade virgin material.
- Positive interlocking permits fast and safe stacking.
- Environmentally friendly.
- One crate for all types of punnets.
- Better cooling and product quality
- Saving on folding costs (machine or hand erected).
- Re-use in the markets (overseas and local).
- Recycling value.




# Lightweight Rigid LWR53064



<b>Code:</b>	Berry Crate
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	499 x 299 x 63.5mm ( <i>H</i> )
<b>Int. Base:</b>	480 x 283 x 60mm ( <i>H</i> )
<b>Carrying Load:</b>	4 kg
<b>Max Load on Base:</b>	140 kg
<b>Stack Height:</b>	63.5mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	○
<b>Volume Capacity:</b>	8.15 Liters
<b>Units per Pallet:</b>	320

- Ideal for bulk exports of blueberries.
- Improved ventilation.
- Improved pack density per pallet.
- Durable and resistant to moisture.
- Reusable or recyclable.
- Ideal for bulk exports of blueberries.

# Lightweight Rigid LWR53280



<b>Code:</b>	Ginger Crate
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	-
<b>Int. Base:</b>	489 x 279 x 275 mm ( <i>H</i> )
<b>Carrying Load:</b>	15 kg
<b>Max Load on Base:</b>	120 kg
<b>Stack Height:</b>	280mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Volume Capacity:</b>	37.5 Liters
<b>Weight (Lid):</b>	100 grams
<b>Weight (Crate):</b>	650 grams
<b>Units per Pallet:</b>	72

- Ideal for bulk export of fresh ginger.
- Improved ventilation.
- With lid for improved security.
- Durable and resistant to moisture.
- Reusable or recyclable.
- Maximizes 1140 x 1000 mm shipping pallet utilisation.

# Industrial Division





## Pallets


- Pallet Stringer
- Nestable Pallet
- Lightweight Pallet
- Stackable Pallet
- Hygiene Pallet
- 1210 Rackable Hygiene Pallet
- Rackable Pallet 40 x 48
- 1210 Rackable Pallets

**mpact**   
plastic containers






# Pallet Stringer



<b>Code:</b>	SG119040
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1110 x 915 x 40mm ( <i>H</i> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	1000 kg
<b>Static Load:</b>	1000 kg
<b>Racking Load:</b>	N/A
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	50%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	50

- Clips onto the nestable pallet to give extra rigidity.
- Spreads the load when stacking pallets.
- Stabilises the load.


# Nestable Pallet 1200 x 1000mm



<b>Code:</b>	NP1210
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1200 x 1000 x 145mm ( <i>H</i> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	1000 kg
<b>Static Load:</b>	2000 kg
<b>Racking Load:</b>	N/A
<b>Stack Height:</b>	145mm
<b>Nest height:</b>	72%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	50

- Fully recyclable.
- Hygienic and easy to clean.
- Complex honeycomb design provides even weight distribution.
- Weather resistant, inert and splinter free.
- Forklift- friendly with 4-way entry.
- Competitively priced.
- Vertical stacking up to four loaded units.


# Lightweight Pallet



<b>Code:</b>	LWNP1210
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1200 x 1000 x 135mm ( <i>H</i> )
<b>Dynamic Load:</b>	750 kg
<b>Static Load:</b>	750 kg
<b>Stack Height</b>	N/A
<b>Nest Height:</b>	30mm
<b>Colour:</b>	●
<b>Units per Pallet:</b>	50

- Nestable for optimum transport and storage.
- Improves air cargo skid utilization.
- Lighter than wood for air cargo applications.
- Cost effective alternative to wood.


## Stackable Pallet



<b>Code:</b>	SP1210
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1200 x 1000 x 150mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	1000 kg
<b>Static Load:</b>	4000 kg
<b>Racking Load:</b>	N/A
<b>Stack Height:</b>	19mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	15

- Locally manufactured.
- Even weight distribution of loads.
- Recyclable.
- Optimisation of transport space when loaded units are vertically stacked.
- Reduces transport emissions due to transport optimisation.

## Hygiene Pallet





<b>Code:</b>	IN1200PRF
<b>Material:</b>	LLDPE
<b>Ext. Top:</b>	1200 x 1000 x 185mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	1500 kg
<b>Static Load:</b>	2000 kg
<b>Racking Load:</b>	N/A
<b>Stack Height:</b>	19mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	14

- Heavy duty pallet.
- HACCP material.
- Suitable for the food industry due to a solid base.
- Easy to clean.
- Durable and long lasting.
- Allows for even distribution of loads.
- Forklift friendly with 4-way entry.



# 1210 Rackable Hygiene Pallet



<b>Code:</b>	RPH1210
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1200 x 1000 x 167mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	2000 kg
<b>Static Load:</b>	6000 kg
<b>Racking Load:</b>	1400 kg (with steel reinforcements)
<b>Racking Load:</b>	750 kg (without steel reinforcements)
<b>Stack Height:</b>	167mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- ISPM 15 exempt – no fumigation or heat treatment required.
- Hygienic and easy to clean.
- Weather resistant, inert and splinter– free.
- Forklift friendly with 4-way entry.
- Fully recyclable.
- Stackable and rackable.
- Compatible with automated conveyer and high racking systems.
- Base support for even weight distribution.
- Rounded edges protect against pallet damage from strapping.
- Various testing ensures the pallet adheres to strict quality standards.

# Rackable Pallet 40" x 48"



<b>Code:</b>	PA40x48
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1016 x 1219 x 167mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	2000 kg
<b>Static Load:</b>	6000 kg
<b>Racking Load:</b>	1400 kg (with steel reinforcements)
<b>Racking Load:</b>	750 kg (without steel reinforcements)
<b>Stack Height:</b>	167mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- ISPM 15 exempt – no fumigation or heat treatment required.
- Hygienic and easy to clean.
- Weather resistant, inert and splinter– free.
- Forklift friendly with 4-way entry.
- Fully recyclable.
- Stackable and rackable.
- Compatible with automated conveyer and high racking systems.
- Perforated deck ensures better air circulation for cooling purposes.
- Base support for even weight distribution.
- Rounded edges protect against pallet damage from strapping.
- Various testing ensures the pallet adheres to strict quality standards.

# 1210 Rackable Pallet



<b>Code:</b>	RP1210
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1200 x 1000 x 167mm ( <i>H</i> )
<b>Int. Base:</b>	N/A
<b>Dynamic Load:</b>	2000 kg
<b>Static Load:</b>	6000 kg
<b>Racking Load:</b>	1400 kg (with steel reinforcements)
<b>Racking Load:</b>	750 kg (without steel reinforcements)
<b>Stack Height:</b>	167mm
<b>Nest Height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- ISPM 15 exempt – no fumigation or heat treatment required.
- Hygienic and easy to clean.
- Weather resistant, inert and splinter-free.
- Forklift friendly with 4-way entry.
- Fully recyclable.
- Stackable and rackable.
- Compatible with automated conveyer systems and high racking systems.
- Perforated deck ensures better air circulation for cooling purposes.
- Base support for even weight distribution.
- Rounded edges protect against pallet damage from strapping.
- Various testing ensures the pallet adheres to strict quality standards.

# 1210 Rackable Pallet


CHARACTERISTICS	3 RUNNERS	6 RUNNERS	GRID BASE
<b>MATERIAL:</b>	HDPE/ PP	HDPE/ PP	HDPE/ PP
<b>Ext. Top:</b>	1 200 x 1 000 mm	1 200 x 1 000 mm	1 200 x 1 000 mm
<b>Static Load:</b>	6 000 kg	6 000 kg	6 000 kg
<b>Racking Load (with steel reinforcements):</b>	1 400 kg	1 400 kg	1 400 kg
<b>Racking Load (without steel reinforcements):</b>	750 kg	750 kg	750 kg
<b>Dynamic Load:</b>	2 000 kg	2 000 kg	2 000 kg
<b>Weight (with steel reinforcements):</b>	25 kg	28.4 kg	29.9 kg
<b>Weight (without steel reinforcements):</b>	18.5 kg	21.9 kg	23.4 kg

## Lid and Base

- Attached Lid Containers
- KLT Automotive Stack Crates




## 75 Litre Attached Lid Container (Tote Bin)



<b>Code:</b>	AT75356
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	714 x 465 x 356mm (H)
<b>Int. Base:</b>	598 x 375 x 307mm (H)
<b>Carrying Load:</b>	30 kg
<b>Max Load on Base:</b>	200 kg
<b>Stack Height:</b>	331mm
<b>Nest height:</b>	78%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	60

- Strong hinge pins for added security.
- Robust lid for improved tamper resistance.
- Two openings per side to easily attach seals and secure both lid halves.
- Option to have one ticket window per short side.
- Option of embossing in the centre of the long sides.
- Positive interlocking foot design permits efficient and safe stacking.
- Food contact approved materials
- Fully recyclable.
- Reduces damage to goods.
- Made from virgin material.
- Window on short side for identification purposes.


## 70 Litre Attached Lid Container (Tote Bin)



<b>Code:</b>	AT64400
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 400mm (H)
<b>Int. Base:</b>	521 x 343 x 375mm (H)
<b>Carrying Load:</b>	28 kg
<b>Max Load on Base:</b>	165 kg
<b>Stack Height:</b>	387mm
<b>Nest height:</b>	73%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	80

- Flat/ smooth base which makes the container conveyor friendly.
- No assembly required.
- Theft prevention when security seals are used.
- Tamper evident.
- Hot foil printing or embossing to highlight company branding.
- Weather resistant.
- Transport optimisation.
- Environmentally friendly.
- Fully recyclable.
- Cost benefit with regard to warehousing/ storage/ transportation.
- Reduces wastage/ breakage of goods.


## 65 Litre Attached Lid Container (Tote Bin)



<b>Code:</b>	AT64365
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 365mm (H)
<b>Int. Base:</b>	518 x 334 x 329mm (H)
<b>Carrying Load:</b>	22 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	300mm
<b>Nest height:</b>	63%
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	80

- Strong hinge pins for added security.
- Four steel pins with kink for added security.
- Made from durable UV-stabilised impact modified polypropylene.
- Food contact approved materials
- Fully recyclable.
- Robust lid for improved tamper resistance.
- Two openings per side to easily attach seals and secure both lid halves.
- Can have one ticket window per short side.
- Easy, clear ownership identification with hot foil stamping or embossing.
- Fully interworks with the AT64315.


## 55 Litre Attached Lid Container (Tote Bin)



<b>Code:</b>	AT64315
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 315mm (H)
<b>Int. Base:</b>	521 x 339 x 282mm (H)
<b>Carrying Load:</b>	22 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	295mm
<b>Nest height:</b>	63%
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	80

- Flat/smooth base which makes the container conveyor friendly.
- No assembly required.
- Theft prevention when security seals are used.
- Tamper evident.
- Hot foil printing or embossing to highlight company branding.
- Weather resistant.
- Transport optimisation.
- Environmentally friendly.
- Fully recyclable.
- Cost benefit with regard to warehousing/storage/transportation.
- Reduces wastage/breakage of goods.


## 26 Litre Attached Lid Container (Tote Bin)



<b>Code:</b>	AT43315
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	400 x 297 x 315mm (H)
<b>Int. Base:</b>	342 x 235 x 280mm (H)
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	300mm
<b>Nest height:</b>	63%
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	180

- Strong pins for added security.
- Robust lid for improved tamper resistance.
- Two openings per side to easily attach seals and secure both lid halves.
- Option of embossing in the centre of the long sides.
- Positive interlocking foot design permits efficient and safe stacking.
- Food contact approved materials.
- Fully recyclable.
- Reduces damage to goods.
- Made from virgin or recycled material.

## 6.4 Litre Attached Lid Container (Tote Bin)




<b>Code:</b>	AT32182
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	300 x 200 x 182mm (H)
<b>Int. Base:</b>	250 x 155 x 157mm (H)
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	75 kg
<b>Stack Height:</b>	167mm
<b>Nest height:</b>	60%
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	100

- Flat/smooth base which makes the container conveyor friendly.
- No assembly required.
- Theft prevention when security seals are used.
- Tamper evident.
- Hot foil printing or embossing to highlight company branding.
- Weather resistant.
- Transport optimization.
- Environmentally friendly.
- Fully recyclable.
- Cost benefit with regard to warehousing/storage/transportation.
- Reduces wastage/breakage of goods.




## KLT Automotive Stack Crate Small



<b>Code:</b>	KLT4328
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	400 x 300 x 280mm (H)
<b>Int. Base:</b>	346 x 260 x 262mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	272mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	90

- Heavy duty containers suitable for automotive and industrial use.
- Manufactured from virgin material.
- Two available sizes that form an integrated system.
- Flat base is suitable for use on roller conveyor systems and flow racks.
- Compatible with automatic lifting systems.
- Side handles for manual lifting and handling.
- Container and lid are available separately or together.
- The containers can be branded.
- RFID compatible.
- Optimises pallet use and storage space.

## KLT Automotive Stack Crate Large



<b>Code:</b>	KLT6428
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 280mm (H)
<b>Int. Base:</b>	544 x 359 x 262mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Stack Height:</b>	272mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	45

- Heavy duty containers suitable for automotive and industrial use.
- Manufactured from virgin material.
- Two available sizes that form an integrated system.
- Flat base is suitable for use on roller conveyor systems and flow racks.
- Compatible with automatic lifting systems.
- Side handles for manual lifting and handling.
- Container and lid are available separately or together.
- The containers can be branded.
- RFID compatible.
- Optimises pallet use and storage space.

## Food Processing and Preparation

- Meat Trays
- Meat Box
- Haverhill and Lid
- Freezer Tray
- Bread Crates
- Small Foldable Container
- Retail Small Folding Crates
- Stack Nest Crates
- Prop Tray

## Protein and Poultry


- Fish Boxes
- Chicken Coop
- Hygiene Separator
- Hatching Crate
- Chick Crate
- Easy Trays
- Egg Setter Trays
- Poultry Freezer Crate
- Rabbit Waste Tray

## Bulk


Multitank

**mpact** 

plastic containers




# Meat Tray Large



<b>Code:</b>	MT64285
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 285mm (H)
<b>Int. Base:</b>	545 x 345 x 280mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	180 kg
<b>Stack Height:</b>	278mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	● ● ○
<b>Units per Pallet:</b>	45

- Useful for meat, baked goods, poultry or agricultural produce.
- Excellent stacking features optimize floor space and contribute to a safer and tidier working environment.
- Solid base and sides.
- Made from virgin food-grade material.
- Easy to clean and hygienic.
- HACCP compliant material.
- Optimizes pallet use and storage space.
- Reduces product damage in transit.
- Impact resistant.
- Suitable for use on roller conveyor systems and flow racks.
- Compatible with European size pallets.

# Meat Tray Medium




<b>Code:</b>	MT64209
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	648 x 384 x 209mm (H)
<b>Int. Base:</b>	590 x 340 x 200mm (H)
<b>Carrying Load:</b>	15 kg
<b>Max Load on Base:</b>	162 kg
<b>Stack Height:</b>	190mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	○ ●
<b>Units per Pallet:</b>	60

- Useful for meat, baked goods, poultry or agricultural produce.
- Excellent stacking features optimize floor space and contribute to a safer and tidier working environment.
- Solid base and sides.
- Made from virgin food-grade material.
- Easy to clean and hygienic.
- HACCP compliant material.
- Optimizes pallet use and storage space.
- Reduces product damage in transit.
- Impact resistant.
- Suitable for use on roller conveyor systems and flow racks.
- Compatible with European size pallets.




# Meat Tray Small



<b>Code:</b>	MT54178
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	495 x 350 x 178mm <b>(H)</b>
<b>Int. Base:</b>	440 x 310 x 168mm <b>(H)</b>
<b>Carrying Load:</b>	9 kg
<b>Max Load on Base:</b>	180 kg
<b>Stack Height:</b>	164mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	● ● ● ● ●
<b>Units per Pallet:</b>	105

- Useful for meat, baked goods, poultry or agricultural produce.
- Excellent stacking features optimize floor space and contribute to a safer and tidier working environment.
- Solid base and sides.
- Made from virgin food-grade material.
- Easy to clean and hygienic.
- HACCP compliant material.
- Optimizes pallet use and storage space.
- Reduces product damage in transport.
- Impact resistant.
- Suitable for use on roller conveyer systems and flow racks.
- Compatible with European size pallets.


# Meat Box



<b>Code:</b>	MT85275
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	815 x 483 x 275mm <b>(H)</b>
<b>Int. Base:</b>	728 x 327 x 235mm <b>(H)</b>
<b>Units per Pallet:</b>	105
<b>Max Load on Base:</b>	720 kg
<b>Stack Height:</b>	250mm
<b>Nest height:</b>	69%
<b>Colour:</b>	○
<b>Units per Pallet:</b>	75

- The Meat Box has a solid base and sides.
- Made from virgin food-grade material.
- Easy to clean and hygienic.
- An internal drainage system is optional.
- HACCP compliant material.
- Heavy duty and durable.
- Easy stacking - 8 high, saves space.


## Haverhill and Lid



<b>Code:</b>	HV64195
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 195mm ( <i>H</i> )
<b>Int. Base:</b>	550 x 350 x 185mm ( <i>H</i> )
<b>Carrying Load:</b>	14 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	180mm
<b>Nest height:</b>	55 %
<b>Colour:</b>	○
<b>Units per Pallet:</b>	100

- Used for meat storage or display fridges.
- Made from virgin food-grade material.
- Increases shelf life.
- Easy to clean.
- Solid base and sides with smooth interior surface.
- Maximum pallet utilization.
- Easy stacking.
- Container does not offer air-tight seal.
- Container and lid are available separately.


## Freezer Tray



<b>Code:</b>	FT64188
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 188mm ( <i>H</i> )
<b>Int. Base:</b>	550 x 347 x 160mm ( <i>H</i> )
<b>Carrying Load:</b>	14 kg
<b>Max Load on Base:</b>	150 kg
<b>Stack Height:</b>	177mm
<b>Nest height:</b>	43%
<b>Colour:</b>	○
<b>Units per Pallet:</b>	100

- Designed for maximum pallet utilization.
- Made from virgin food-grade material.
- Easy to clean.
- HACCP compliant material and FDA approved materials.
- Large vents.
- Stacks and nests.
- Drainage holes in four corners.
- Designed with a smooth interior to improve hygiene.


## Bread Crate 65166



<b>Code:</b>	BREAD65166
<b>Material:</b>	HDPE/PP
<b>Ext. Top:</b>	600 x 538 x 166mm ( <i>H</i> )
<b>Int. Base:</b>	555 x 500 x 136 mm ( <i>H</i> )
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	168 kg
<b>Stack Height:</b>	157mm
<b>Nest Height:</b>	75mm
<b>Colour:</b>	●
<b>Volume Capacity:</b>	37 Liters
<b>Units per Pallet:</b>	120

- Stackable.
- Quicker manufacturing time compared to traditional manufacturing processes.
- Easy to clean.
- Fully recyclable.
- Configuration into truck.
- Fits 8 loaves per tray.
- Ventilation for warm bread.

## Bread Crate 65185



<b>Code:</b>	BREAD65185
<b>Material:</b>	HDPE/PP
<b>Ext. Top:</b>	600 x 538 x 185mm ( <i>H</i> )
<b>Int. Base:</b>	555 x 500 x 147 mm ( <i>H</i> )
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	168 kg
<b>Stack Height:</b>	170mm
<b>Nest Height:</b>	75mm
<b>Colour:</b>	●
<b>Volume Capacity:</b>	40 Liters
<b>Units per Pallet:</b>	120

- Stackable.
- Quicker manufacturing time compared to traditional manufacturing processes.
- Easy to clean.
- Fully recyclable.
- Configuration into truck.
- Fits 8 loaves per tray.
- Ventilation for warm bread.



# Small Foldable Container



<b>Code:</b>	SF64230
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 230mm <b>(H)</b>
<b>Int. Base:</b>	567 x 367 x 219mm <b>(H)</b>
<b>Nested Stack Height:</b>	222mm
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Folded Height:</b>	40mm
<b>Stack Height:</b>	90mm
<b>Colour:</b>	●
<b>Units per Pallet:</b>	250

- Ventilated folding container.
- Suitable for fresh produce and retail supply chains.
- Container use and performance unaffected by moisture.
- Robust construction design ensures maximum product protection.
- Folds down at a 6:1 ratio, maximising storage space when not in use.
- Quick and efficient assembly.
- Compatible with automation systems.
- Ergonomic handles enable easier handling.

## Retail Small Folding Crate 6416



<b>Code:</b>	SFC6416
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 167mm (H)
<b>Int. Base:</b>	567 x 372 x 152mm (H)
<b>Carrying Load:</b>	15 kg
<b>Max Load on Base:</b>	155 kg
<b>Folded Height:</b>	30mm
<b>Stack Height:</b>	159mm (Open)
<b>Colour:</b>	●
<b>Units per Pallet:</b>	300

- Suitable for fresh produce and retail supply chains.
- Increase productivity and reduce cost of logistics and transportation.
- Quick and efficient assembly.
- Compatible with automation systems.
- Fully recyclable.
- Improves logistic efficiency.
- Active lock to secure walls when erect.
- Cross bond stacking.
- Traceability options include bar coding and RFID tagging.
- The positive interlocking foot designs permits fast and safe stacking.
- Robust construction design ensures maximum product protection.
- Ergonomic handles reduce pulls and strains when lifting.
- Cross bond stacking.


## Retail Small Folding Crate 6422



<b>Code:</b>	SFC6422
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 219mm (H)
<b>Int. Base:</b>	576 x 372 x 210mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	155 kg
<b>Folded Height:</b>	30mm
<b>Stack Height:</b>	211mm (Open)
<b>Colour:</b>	●
<b>Units per Pallet:</b>	300




# Stack Nest 43190



<b>Code:</b>	SN43190
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	400 x 300 x 190mm ( <i>H</i> )
<b>Int. Base:</b>	344 x 264 x 176mm ( <i>H</i> )
<b>Carrying Load:</b>	8 kg
<b>Max Load on Base:</b>	70 kg
<b>Stack Height:</b>	179mm
<b>Nest height:</b>	50%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	250

- Fully recyclable material.
- Reduces transport emissions due to nesting features.
- Stacking and nesting capabilities.
- Fully vented for superior air flow.

# Stack Nest 64120




<b>Code:</b>	SN64120
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 120mm ( <i>H</i> )
<b>Int. Base:</b>	544 x 344 x 104mm ( <i>H</i> )
<b>Carrying Load:</b>	8 kg
<b>Max Load on Base:</b>	135 kg
<b>Stack Height:</b>	110mm
<b>Nest height:</b>	50%
<b>Colour:</b>	●
<b>Units per Pallet:</b>	200

- Fully recyclable material.
- Reduces transport emissions due to nesting features.
- Stacking and nesting capabilities.
- Fully vented for superior air flow.




# Stack Nest 64190



Code:	SN64190
Material:	Polypropylene
Ext. Top:	600 x 400 x 190mm (H)
Int. Base:	576 x 344 x 176mm (H)
Carrying Load:	20 kg
Max Load on Base:	168 kg
Stack Height:	179mm
Nest height:	50%
Colour:	● ●
Units per Pallet:	125

- Designed to protect the product.
- Improved ventilation.
- No assembly means increased efficiency.
- Return nesting reduces transport costs.
- Reduces packaging waste.

# Stack Nest 64240




Code:	SN64240
Material:	HDPE
Ext. Top:	600 x 400 x 239mm (H)
Int. Base:	546 x 346 x 218mm (H)
Carrying Load:	20 kg
Max Load on Base:	200 kg
Stack Height:	229mm
Nest height:	123mm
Colour:	● ●
Units per Pallet:	100

- Unique stacking capability.
- Fully vented for easy breathability.
- Hygienic and easy to clean.
- Manufactured from virgin material.
- Environmentally friendly.
- Fully recyclable.



# Prop Tray




<b>Code:</b>	PT64210
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 210mm (H)
<b>Int. Base:</b>	543 x 342 x 195mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	240 kg
<b>Stack Height:</b>	200mm
<b>Nest height:</b>	54%
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	100



- Improved product protection.
- Better temperature control.
- Standardised outer rim with indicators allow for stack and nesting.
- Standard sizing optimizes pallet quantities resulting more efficient transportation.
- Labour optimization as the product requires no assembly.


## 35 Litre Fish Box



<b>Code:</b>	FB85185
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	810 x 477 x 185mm (H)
<b>Int. Base:</b>	730 x 394 x 173mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	174mm
<b>Nest height:</b>	50%
<b>Colour:</b>	● ○
<b>Units per Pallet:</b>	75

- Hygienic and easy to clean.
- HACCP complaint material.
- Heavy duty and durable.
- Stacks and nests.
- Also referred to as The Shallow Fish Box.


## 55 Litre Fish Box



<b>Code:</b>	FB84273
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	804 x 448 x 273mm (H)
<b>Int. Base:</b>	638 x 386 x 227mm (H)
<b>Carrying Load:</b>	23 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	240mm
<b>Nest height:</b>	67%
<b>Colour:</b>	○
<b>Units per Pallet:</b>	75

- External drainage system.
- Hygienic and easy to clean.
- HACCP compliant material.
- Heavy duty and durable.
- Stacks and nests.
- Available with or without drainage holes.


# Chicken Coop Complete



<b>Code:</b>	CC75308
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	740 x 545 x 308mm (H)
<b>Int. Base:</b>	700 x 500 x 270mm (H)
<b>Carrying Load:</b>	37 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	302mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	32

- Easily-assembled three-part design reduces labour costs and increases overall efficiency.
- Inter-stackable with existing crates.
- All parts detachable and replaceable.
- Lightweight and durable.
- Fits 12 live birds.
- Reduces bird mortality when in transit.

# Hygiene Separator





<b>Code:</b>	HS75030
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	738 x 542 x 30mm (H)
<b>Int. Base:</b>	668 x 472 x 14mm (H)
<b>Carrying Load:</b>	10 kg
<b>Max Load on Base:</b>	300 kg
<b>Stack Height:</b>	21mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	100

- Used in applications such as:
- \* rabbit farming
  - \* transport of small animals in conjunction with Mpack's Chicken Coop
  - \* chemical spill tray in laboratories
  - \* drip tray
  - \* conveyor tray in pack stations
- For use with coops: the tray accommodates urine from the coop above and prevents it from falling on the animals below.
  - Ensures a hygienic transit process.
  - Animals are transported in a humane way.
  - Reduces the need for more abattoirs at a closer distance.
  - Contributes to successful farming methods.
  - Environmentally friendly.
  - Fully recyclable.




# Hatching Crate



<b>Code:</b>	HC104116
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	976 x 388 x 116mm (H)
<b>Int. Base:</b>	946 x 358 x 101mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	105mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	○
<b>Units per Pallet:</b>	60

- Suitable for hatching of chicks
- Works well in a temperature controlled environment.
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle.
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.
- No splinters or loose parts.
- Stacking allows for reduced storage space when not in use.


# Chick Crate



<b>Code:</b>	CK55135
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	528 x 462 x 135mm (H)
<b>Int. Base:</b>	502 x 437 x 118mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	120mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	100

- Suitable for transporting chicks.
- Can hold between 80-100 chicks
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.
- No splinters or loose parts.
- Stacking allows for reduced storage space when not in use.



# Easi Tray 220



<b>Code:</b>	EL128220
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1 160 x 760 x 220mm (H)
<b>Int. Base:</b>	1 110 x 700 x 194mm (H)
<b>Carrying Load:</b>	20 Live Birds
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	202mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	24

- Also known as the Catching Crate.
- Used to transport live birds from broiler farms to abattoirs.
- Unique stacking capability.
- Compatible with auto-handling at abattoirs.
- Available in 4 tier module and 5 tier module options.
- Fully vented for easy breathability.
- Hygienic and easy to clean.
- Manufactured from virgin material.
- Lower height option offers maximum utilization of truck space, reduces logistics costs and allows for more live birds to be transported per truck.
- Environmentally friendly.
- Fully recyclable.


# Easi Tray 255



<b>Code:</b>	EL128255
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1 160 x 760 x 255mm (H)
<b>Int. Base:</b>	1 100 x 700 x 229mm (H)
<b>Carrying Load:</b>	20 Live Birds
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	237mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	16

- Also known as the Catching Crate.
- Used to transport live birds from broiler farms to abattoirs.
- Unique stacking capability.
- Compatible with auto-handling at abattoirs.
- Available in 4 tier module and 5 tier module options.
- Fully vented for easy breathability.
- Hygienic and easy to clean.
- Manufactured from virgin material.
- Lower height option offers maximum utilization of truck space, reduces logistics costs and allows for more live birds to be transported per truck.
- Environmentally friendly.
- Fully recyclable.

## Egg Setter 126




1.15



<b>Code:</b>	ES126
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	884 x 307 x 36mm (H)
<b>Egg Holder Lug:</b>	32Ømm
<b>Carrying Load:</b>	12 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	200

- Suitable for use in the poultry industry.
- 126 Hole Egg Setter Tray can hold a maximum of 126 eggs.
- Can withstand temperatures between 18-37.5°C.
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle
- Substantially reduces damage to eggs during transit.
- Decreased labour costs due to a faster setting process.
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.

## Egg Setter 132



0.90



<b>Code:</b>	ES132
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	890 x 307 x 36mm (H)
<b>Egg Holder Lug:</b>	32Ømm
<b>Carrying Load:</b>	12 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	○
<b>Units per Pallet:</b>	200

- Suitable for use in the poultry industry.
- 132 Hole Egg Setter Tray can hold a maximum of 132 eggs.
- Can withstand temperatures between 18-37.5°C.
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle.
- Substantially reduces damage to eggs during transit.
- Decreased labour costs due to a faster setting process.
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.

## Egg Setter 150



1.25



<b>Code:</b>	ES150
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	734 x 510 x 37mm (H)
<b>Egg Holder Lug:</b>	Diameter 35 mm
<b>Carrying Load:</b>	12 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	○ ●
<b>Units per Pallet:</b>	140

- Suitable for use in the poultry industry.
- 150 Hole Egg Setter Tray can hold a maximum of 150 eggs.
- Can withstand temperatures between 18-37.5°C.
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle.
- Substantially reduces damage to eggs during transit.
- Decreased labour costs due to a faster setting process.
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.

## Egg Setter 162



1.25




<b>Code:</b>	ES162
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1140 x 310 x 37mm (H)
<b>Egg Holder Lug:</b>	Diameter 32 mm
<b>Carrying Load:</b>	12 kg
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	○ ●
<b>Units per Pallet:</b>	210

- Suitable for use in the poultry industry.
- 162 Hole Egg Setter Tray can hold a maximum of 162 eggs.
- Can withstand temperatures between 18-37.5°C.
- Fully recyclable.
- Superior ventilation from base and sides.
- Lightweight and easy to handle.
- Substantially reduces damage to eggs during transit.
- Decreased labour costs due to a faster setting process.
- Minimum air flow obstruction.
- Easy to clean and hygienic.
- Reduces transport costs due to local manufacture.



# Poultry Freezer Crate



<b>Code:</b>	FT64170
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	640 x 449 x 170mm (H)
<b>Int. Base:</b>	600 x 405 x 150mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	160 kg
<b>Stack Height:</b>	160mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	● ● ●
<b>Units per Pallet:</b>	64

- Suitable for blast freezing.
- Unique stacking capability to prevent damage of load.
- Fully vented for easy breathability.
- Hygienic and easy to clean.
- Manufactured from virgin or recycled material.
- Environmentally friendly.
- Fully recyclable with no metal parts.
- Strengthened corners for improved balance.
- Positive interlocking permits fast assembly and stacking.
- Primarily suited for the meat, protein and poultry industries.

# Rabbit Waste Tray




<b>Code:</b>	RW1910155
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1915 x 1015 x 150mm (H)
<b>Int. Base:</b>	N/A
<b>Carrying Load:</b>	N/A
<b>Max Load on Base:</b>	N/A
<b>Height:</b>	150mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	100



- The Rabbit Waste Tray is placed underneath each rabbit cage.
- Urine and faeces droppings fall onto the waste tray.
- The waste tray has an outlet that connects to waste system piping.
- Urine and faeces is washed away via the waste piping system.
- The waste tray maintains a hygienic and safe environment within rabbitries.
- Roll over walls prevent water from spilling over the sides during cleaning.
- Designed to work with standard 110mm PVC fittings.
- Also contributes to successful farming methods.
- Manufactured from recycled material.
- Environmentally friendly.
- Fully recyclable.

# Multitank



<b>Code:</b>	Multitank
<b>Material:</b>	Polypropylene
<b>External Top Including Lid:</b>	1000 x 800 x 958mm
<b>External Top Excluding Lid:</b>	1000 x 800 x 935mm
<b>Internal Base:</b>	936 x 763 x 778mm
<b>Product Weight:</b>	33 kg
<b>Carrying Load:</b>	<b>Static Loading:</b> 1 x Multitank 560 kg <b>Dynamic Loading:</b> 2 x Multitank 1120 kg
<b>Loading:</b>	<b>Loading on a truck:</b> Full: 79 units Empty: 320 Units <b>Loading on a 40 foot container:</b> Full: 79 units Empty: 320 units
<b>Max Load on Base:</b>	1680 kg (temperature dependant)
<b>Stack Height:</b>	<b>Dynamic:</b> 2 x Multitank 1 847mm <b>Static:</b> 4 x Multitank 3 680mm
<b>Nest Height:</b>	160mm
<b>Volume Capacity:</b>	<b>Nominal Volume:</b> 400 litres <b>Working Volume:</b> 385 litres
<b>Working Temperature:</b>	- 40°C / + 40°C
<b>Colour:</b>	●
<b>Units per Pallet:</b>	11

- Built-in pallet base (not detachable) for easy and safe handling.
- Stacking when full up to 4 x Multitank (2.000 kg maximum weight).
- Nestable when empty, reducing storage space.
- 3 x different sizes of waterproof and airtight lids for easy filling and emptying of:
  - \* Solids
  - \* Liquids and pulps
  - \* Products preserved in liquid environment (brine)
- 2 inch bottom discharge hole with BSP thread.
- One way valve, to release internal gases.
- RFI tag, 4 x label places.

# Environmental Division



## Wheely Bins and Waste Management

- Wheeled Bins
- Pedal Wheelie Bins
- Bulk Bins
- Azteca Collection Bank
- 240 Litre Dual Bin
- 50 Litre Pole Bin
- 70 Litre Utility Bin
- Wheelie Bin Wheel
- Composter
- Earthworm Farm

## Glasdon Litter Range

- Glasdon Litter Bins
- Glasdon Recycling Bins

**mpact**   
plastic containers





## 140 Litre Wheeled Bin



140 ℓ  
capacity

10  
kg  
weight

<b>Code:</b>	140L WHEELIE BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	482 x 587 x 1057mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	200mm
<b>Max Load:</b>	60 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	130mm
<b>Colour:</b>	
<b>Units per Pallet:</b>	12

- The 140-litre bin is designed for industrial and household use.
- The bin features a specially designed rim flange for operational reliability, and is highly resistant to the effects of continuous mechanical handling.
- The design is shock-absorbent, resistant to chemical attack and will withstand the extreme and frequent temperature variations experienced in South Africa.
- The rubber wheels minimise noise pollution and provide easy manoeuvrability.
- The bins can be manufactured with lids that are suitable for selective collection. In addition, the 140-litre wheeled bin can be personalised with company graphics and microchip identification.

## 240 Litre Wheeled Bin



240 ℓ  
capacity

13  
kg  
weight

<b>Code:</b>	240L WHEELIE BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	739 x 580 x 1069mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	200mm
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	130mm
<b>Colour:</b>	
<b>Units per Pallet:</b>	12

- The 240-litre bin is designed for industrial, household and hospitality use.
- The bin features a specially designed rim flange for operational reliability, and is highly resistant to the effects of continuous mechanical handling.
- The design is shock-absorbent, resistant to chemical attack and will withstand the extreme and frequent temperature variations experienced in South Africa.
- The rubber wheels minimise noise pollution and provide easy manoeuvrability.
- The bins can be manufactured with lids that are suitable for selective collection. In addition, the 240-litre wheeled bin can be personalised with company graphics and microchip identification.

## Foot Operated Pedal Wheelie Bin - 140 Litre



140 ℓ  
capacity

10  
kg  
weight

<b>Code:</b>	140L PEDAL BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	482 x 587 x 1069mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	200mm
<b>Max Load:</b>	60 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	-
<b>Colour:</b>	● ○
<b>Units per Pallet:</b>	12

- Designed for lowering the risk of infections and cross-contamination.
- Protects hands from being exposed to viruses and/ or other pathogens.
- Suitable for commercial and residential use.
- Specially designed rim flange for operational reliability and is resistant to the effects of continuous mechanical handling.
- Shock-absorbent design, resistant to chemical attack.
- Withstands extreme temperature variances.

## Foot Operated Pedal Wheelie Bin - 240 Litre



240 ℓ  
capacity

10  
kg  
weight

<b>Code:</b>	240L PEDAL BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	739 x 580 x 1069mm ( <b>H</b> )
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	200mm
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	-
<b>Colour:</b>	● ○
<b>Units per Pallet:</b>	12

- Designed for lowering the risk of infections and cross-contamination.
- Protects hands from being exposed to viruses and/ or other pathogens.
- Suitable for commercial and residential use.
- Specially designed rim flange for operational reliability and is resistant to the effects of continuous mechanical handling.
- Shock-absorbent design, resistant to chemical attack.
- Withstands extreme temperature variances.

## 1100 Litre Wheeled Bin



1100 ℓ  
capacity

49  
kg  
weight

<b>Code:</b>	1100 LITRE WHEELED BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	1070 x 1265 x 1380mm (H)
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	200mm
<b>Max Load:</b>	440 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	250mm
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	5

### Designed for selective bulk waste recycling.

- This four-wheeled range comes in two sizes; with lids, and can be used for the collection of specific types of waste.
- Rounded corners and an optimally positioned drain plug provide an easy-clean solution.
- This design features an ergonomic handgrip and additional handles on all three sides to facilitate access and motion.
- The bin is also shock absorbent and resistant to chemical products and extreme temperature.
- The rubber wheels minimise noise pollution and provide easy manoeuvrability.

## 770 Litre Wheeled Bin



770 ℓ  
capacity

39  
kg  
weight

<b>Code:</b>	770 LITRE WHEELED BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	772 x 1260 x 1295mm (H)
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	160mm
<b>Max Load:</b>	310 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	280mm
<b>Colour:</b>	● ●
<b>Units per Pallet:</b>	6

### Designed for selective bulk waste recycling.

- This four-wheeled range comes in two sizes; with lids, and can be used for the collection of specific types of waste.
- Rounded corners and an optimally easy-clean solution.
- This design features an ergonomic handgrip and additional handles on all three sides to facilitate access and motion.
- The bin is also shock absorbent and resistant to chemical products and extreme temperature.
- The rubber wheels minimise noise pollution and provide easy manoeuvrability.

## Azteca Collection Bank



3000 ℓ  
capacity

130  
kg  
weight

<b>Code:</b>	AZTECA
<b>Material:</b>	LLDPE
<b>Ext. Top:</b>	1940 x 1310 x 1880mm (H)
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	N/A
<b>Max Load:</b>	1219 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	10

- Designed for selective waste, streaming and recycling.
- Can store up to 1219 kg.
- Pyramid shape is exceptionally strong and stable.
- Hygienic and secure, with easy access and use.
- Environmentally friendly.

## 240 Litre Dual Bin



240 ℓ  
capacity


13  
kg  
weight

<b>Code:</b>	240L DUAL BIN
<b>Material:</b>	LLDPEE
<b>Ext. Top:</b>	1010 x 455 x 1090mm (H)
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	N/A
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	800mm
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- Robust and durable.
- Features dual compartments for waste segregation.
- Option of branding.




## 50 Litre Pole Bin



<b>Code:</b>	50L POLE BIN
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	345 x 383 x 755mm <b>(H)</b>
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	N/A
<b>Max Load:</b>	20 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	N/A
<b>Colour:</b>	○ ●
<b>Units per Pallet:</b>	30

- Designed for extended life. The Pole Bin has a vandal-resistant construction and will not rust, chip or flake.
- Designed with a secure hanging hood to prevent removal of waste by birds and animals.
- The lip flaps up via a key twist and the body can be removed for emptying.
- Rounded design.
- HDPE with zinc plated-steel bracket.

## 70 Litre Utility Bin



<b>Code:</b>	70L UTILITY BIN
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	550 x 550 x 630mm <b>(H)</b>
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	N/A
<b>Max Load:</b>	28 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	220mm
<b>Colour:</b>	○ ●
<b>Units per Pallet:</b>	30

- The design has a hinged lid and is opened with an integrated handle for easy access.
- The close fitting lid minimises odours and is watertight.
- The bin is robust and impact resistant with a rounded recess-free shape for easy cleaning.
- Moulded side handles allow trouble free movement.

# Wheelie Bin Wheel



0,65


**kg**  
weight

<b>Code:</b>	WB Wheel
<b>Material:</b>	HDPE
<b>Dimensions:</b>	200mm diameter wheel
<b>Int. Base:</b>	-
<b>Wheels:</b>	200mm
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	-
<b>Nest height:</b>	-
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- For mobile refuse bins.
- Complies with SANS 1494 and EN 840.
- Durable, high-grip and low noise design.
- Multi material, Fully recyclable as HDPE.



# Composter



<b>Code:</b>	MPACT'S COMPOSTER
<b>Material:</b>	HDPE
<b>Ext. Top:</b>	631 x 705 x 778mm (H)
<b>Int. Base:</b>	N/A
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	N/A
<b>Nest Height:</b>	100mm
<b>Colour:</b>	●
<b>Units per Pallet:</b>	32

- Stores, and recycles organic waste into compost.
- Organic waste containment solution.
- Deters rodents from getting into the waste pile.
- Speeds up the composting process.
- Compost can be used as garden nutrients.

# Earthworm Farm



110 ℓ  
capacity

7.3  
kg  
weight

<b>Code:</b>	Earthworm Farm
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	648 x 384 x 600mm (H)
<b>Int. Base:</b>	N/A
<b>Wheels:</b>	N/A
<b>Max Load:</b>	100 kg
<b>Stack Height:</b>	630 (Stacked)
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	20

- The Mpact worm farm can be used to organically recycle household food and kitchen waste.
- The worm farm produces vermicompost, a nutrient-rich organic fertilizer and natural insect repellent.
- The worm farm is constructed from three stacked bins, the top forms the vermicompost, while the bottom bin collects the liquid worm tea.
- To start, a worm farm needs 500-1000 red wiggler earthworms that are fed daily on specific food waste.
- The compost can then be used to nourish plants and vegetables.

# Glasdon Litter Bins

Versatile  
Waste  
Management



**Topsy 2000 litter bin**

- Available with a keyless locking system or a sturdy key-lock.



**Topsy Royale 120 litre litter bin**

- Victorian style.
- Robust elegant design.



**Skipper multi-purpose cleaning trolley**

- Ideal for cleaning, sweeping and transporting equipment.



**Hippo pedal bin**

- Foot pedal operation.
- Designed for the catering industry.
- Meets food hygiene regulations.



**Combo refuse bin**

- 140 litre multi-purpose refuse bin.
- Ideal for self-service restaurants.



**Auto-Mate**

- Glove, towel and litter bin.
- Ideal for garage forecourt.



# Glasdon Recycling Bins

Outdoor  
Litter  
Management



### Nexus 200 litre recycling bin

- 2 x 100 litre internal liners.
- Double-skinned body and doors.
- Anti-flyposting finish.
- Four A3 poster frames with Recycle Now graphics.



### Nexus 360 litre recycling bin

- Houses a 240 litre or 360 litre wheeled container.
- Double-skinned 5-point interlocking slam-shut door.
- Integrally-moulded anti-flyposting ridges.
- Extended aperture ledge.
- Base ramp.
- A3 poster frame kit with Recycle Now graphics.



### Evolution 75 litre litter bin

- New contemporary style.
- Strong door for easy access.
- Anti-poster features.



### Glasdon Jubilee litter bin

- Four apertures.
- Robust interlocking slam-shut door.
- Concealed knuckle hinge.
- Keyed or foot activated keyless lock.

## Standard Graphics



# Glasdon Recycling Bins

Caring  
for our  
Environment



Aperture Options



**Nexus 50 litre recycling bin**

- Sack retention system.
- Removable door.
- Non-marking Durapol feet.



**Nexus 140 litre recycling bin**

- Keyed lock.
- Sack retention system.
- Removable door.
- Moulded-in skirting board recess.



**Nexus 100 litre Duo recycling bin**

- Sack retention system.
- Pivoting lid and lid stay.
- Heavy duty wheels on door.
- Drip tray.
- Non-marking Durapol® feet.

	50L	100L	140L	200L	360L
Width	295	544	595	1169	835
Depth	510	397	606	591	1071
Height	680	1007	1195	1177	1512
Weight	4.2	12	22	46	50

Width, Depth, Height in mm • Weights in kg

# Retail Division

**mpact**   
plastic containers



## Dollies, Supanest and Miniload Crates

- Hygiene Dolly
- Hybrid Dolly
- Supanest Crates
- Miniload Crates



# Hygiene Dolly




7.5  
**kg**  
weight

<b>Code:</b>	DO86084
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	800 x 600 x 200mm (H)
<b>Edge Height:</b>	12mm
<b>Carrying Load:</b>	400 kg
<b>Max Load on Base:</b>	400 kg
<b>Stack Height:</b>	150mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- Highly manoeuvrable with wheels and solid base.
- Good flexibility.
- Secure structure improves safety.
- Effective means of moving and transporting product.
- The dolly is designed to accommodate two 600mm x 400mm crates, side by side.

# Hybrid Dolly



9.7  
**kg**  
weight


<b>Code:</b>	HYBRID DOLLY
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	800 x 600 x 173mm (H)
<b>Edge Height:</b>	12mm
<b>Carrying Load:</b>	500 kg
<b>Max Load on Base:</b>	500 kg
<b>Stack Height:</b>	155mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A



- Wheels slightly recessed to reduce impact damage.
- Nesting cradles for interlocking stacking.
- Configurable for either a single stack of crates, 2 crates or 4 crates.
- Lightweight – easier manoeuvrability.
- Option to replace components instead of the entire unit if damaged.
- Locally manufactured.
- Cost benefit due to weight.
- Option to include a brake to stabilise the dolly when loading/offloading.
- Robust and durable.
- Secure structure.
- Optimisation of truck/ transport space.
- Customisable to hold any size of container.
- Suited to almost any supply chain from supplier to point-of-sale.
- Wide entry for handling mechanical equipment.
- Effective means of moving and transporting product.
- Traceable with barcodes and RFID tags.
- Can be customised to any size smaller than 1000 x 1200mm.



# Supanest 253




<b>Code:</b>	SU64253
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 253mm (H)
<b>Int. Base:</b>	548 x 352 x 226mm (H)
<b>Carrying Load:</b>	20 kg
<b>Max Load on Base:</b>	162 kg
<b>Stack Height:</b>	245mm
<b>Nest height:</b>	75%
<b>Colour:</b>	●
<b>Units per Pallet:</b>	150

The Supanest tray is a locally produced container that ensures that the quality of produce is preserved for the duration of delivery.

- Improve supply chain logistics by stacking and 75% nesting capability.
- Fits all standard distribution and display cabinet arrangements.
- Smooth interior surface protects produce.
- Hygienic and easy to clean.
- Durable.
- Lightweight and easy to handle.
- Labeling and embossing provision on two sides.


# Supanest 167



<b>Code:</b>	SU64167
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	604 x 406 x 167mm (H)
<b>Int. Base:</b>	548 x 352 x 140mm (H)
<b>Carrying Load:</b>	12 kg
<b>Max Load on Base:</b>	162 kg
<b>Stack Height:</b>	154mm
<b>Nest height:</b>	73%
<b>Colour:</b>	●
<b>Units per Pallet:</b>	225

- Stippled exterior surface makes sticky label removal easy.
- Compatible with dolly systems and pallets.
- Improved air circulation.
- Large handles for comfortable hold.



## Miniload Crate 280



<b>Code:</b>	TBA
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 280mm (H)
<b>Int. Base:</b>	562 x 365 x 260mm (H)
<b>Carrying Load:</b>	35 kg
<b>Max Load on Base:</b>	280 kg
<b>Stack Height:</b>	265mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	TBA

- Double base configuration to work in automated warehouse applications.
- Drainage holes for integration with sprinkler system.
- Base deflection values -0.6 to +1mm with a defined 35 kg load.
- Measurement tolerances +0 to -3 mm.
- Polymer from Polypropylene to suppress noise.
- Base design optimized for conveyer systems.
- Tested/ Approved by Automation suppliers.

## Miniload Crate 320



<b>Code:</b>	TBA
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	600 x 400 x 320mm (H)
<b>Int. Base:</b>	562 x 365 x 260mm (H)
<b>Carrying Load:</b>	35 kg
<b>Max Load on Base:</b>	00 kg
<b>Stack Height:</b>	305mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	TBA

- Double base configuration to work in automated warehouse applications.
- Drainage holes for integration with sprinkler system.
- Base deflection values -0.6 to +1mm with a defined 35 kg load.
- Measurement tolerances +0 to -3 mm.
- Polymer from Polypropylene to suppress noise.
- Base design optimized for conveyer systems.
- Tested/ Approved by Automation suppliers.

# Other Products




- Linbin Range
- Shopping Basket
- Corner Piece
- Cash in Transit Box
- Bucket and Lid
- Rock Box Core Trays



## Linbin S1

## Linbin S2

## Linbin S3




Code:	LI21075
Material:	Polypropylene
Ext. Top:	170 x 105 x 75mm (H)
Int. Base:	150 x 90 x 70mm (H)
Carrying Load:	0.2 kg
Max Load on Base:	N/A
Stack Height:	70mm
Nest height:	N/A
Colour:	● ●
Units per Pallet:	100

Code:	LI22125
Material:	Polypropylene
Ext. Top:	230 x 150 x 125mm (H)
Int. Base:	220 x 130 x 115mm (H)
Carrying Load:	0.6 kg
Max Load on Base:	N/A
Stack Height:	115mm
Nest height:	N/A
Colour:	● ●
Units per Pallet:	100

Code:	LI42200
Material:	Polypropylene
Ext. Top:	350 x 215 x 200mm (H)
Int. Base:	330 x 190 x 170mm (H)
Carrying Load:	2.8 kg
Max Load on Base:	N/A
Stack Height:	190mm
Nest height:	N/A
Colour:	● ●
Units per Pallet:	156

## Linbin S4




Code:	LI53198
Material:	Polypropylene
Ext. Top:	520 x 315 x 198mm (H)
Int. Base:	480 x 270 x 190mm (H)
Carrying Load:	6 kg
Max Load on Base:	N/A
Stack Height:	190mm
Nest height:	N/A
Colour:	● ●
Units per Pallet:	84

- Suitable for free standing on the shelf.
- Used to organise medium to smaller accessories or parts.
- Available in four different sizes.
- More durable than corrugated linbins.



# Shopping Basket




<b>Code:</b>	SB43240
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	449 x 290 x 200mm (H)
<b>Int. Base:</b>	418 x 265 x 160mm (H)
<b>Carrying Load:</b>	8 kg
<b>Max Load on Base:</b>	15 kg
<b>Stack Height:</b>	N/A
<b>Nest height:</b>	80%
<b>Colour:</b>	● ● ● ● ●
<b>Units per Pallet:</b>	20



- Lightweight, practical and durable.
- Plastic handles for extra strength and user comfort.
- Range of colours available.
- Customisation possible with hot foil stamping.
- Stackability means more efficient transportation.

# Corner Piece 1000/ 1200





<b>Code:</b>	CP1000mm, CP1200mm
<b>Material:</b>	HDPE
<b>Ext. Top Dim:</b>	1000, 1200
<b>Int. Base Dim:</b>	220 x 220mm (H)
<b>Carrying Load:</b>	N/A
<b>Max Load on Base:</b>	N/A
<b>Stack Height:</b>	4mm
<b>Nest height:</b>	N/A
<b>Colour:</b>	●
<b>Units per Pallet:</b>	N/A

- Used to protect goods in transit.
- Secures and stabilises loads.
- Available in three sizes.
- Damage to tarps from sharp edges is reduced.

## Cash in Transit Box



	18 ℓ	1.8
		
	capacity	weight
<b>Code:</b>	Cash in Transit Box	
<b>Material:</b>	Polypropylene	
<b>Ext. Top:</b>	505 x 318 x 158mm (H)	
<b>Int. Base:</b>	393 x 295 x 150mm (H)	
<b>Carrying Load:</b>	10 kg	
<b>Max Load on Base:</b>	189 kg	
<b>Stack Height:</b>	N/A	
<b>Nest height:</b>	N/A	
<b>Colour:</b>	●	
<b>Units per Pallet:</b>	60	



- Suitable for transporting bank notes, computer discs and confidential files.
- The integral handle features a moulded-in facility for security seals.
- Four interlocking flanges prevent undetected or forced entry.


## Bucket and Lid



	454mm	43 ℓ	2.66
			
	stacking	capacity	weight
<b>Code:</b>	Bucket and Lid		
<b>Material:</b>	Polypropylene		
<b>Ext. Top:</b>	435 x 435 x 454mm (H)		
<b>Int. Base:</b>	N/A		
<b>Carrying Load:</b>	18 kg		
<b>Max Load on Base:</b>	150 kg		
<b>Stack Height:</b>	470mm		
<b>Nest height:</b>	N/A		
<b>Colour:</b>	○ ● ● ●		
<b>Units per Pallet:</b>	30		

- Ideal for ingredient storage.
- Made from virgin food-grade material.
- The lid is designed to ensure stable stacking of the containers.
- Easy to clean and hygienic.
- Promotes optimal space utilisation in the work area.


# Rock Box BQ



<b>Code:</b>	RB114054BQ
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1070 x 400 x 54mm ( <i>H</i> )
<b>Cradle diameter:</b>	45mm
<b>Carrying Load:</b>	45 kg
<b>Max Load on Base:</b>	500 kg
<b>Stack Height:</b>	52mm
<b>Nest height:</b>	68 %
<b>Colour:</b>	○
<b>Units per Pallet:</b>	100

- Plastic core tray, for the storage of core mineral samples.
- Designed for the mineral exploration sector.
- Stacks and nests perfectly.
- Exceptional quality and longevity.
- Light and durable.
- Non-magnetic, for easy magnetic susceptibility readings.
- It will not corrode or contaminate the core.
- Designed with improved safety and handling features. There are no sharp edges.
- Locally manufactured, exceptionally cost effective.

# Rock Box NQ



<b>Code:</b>	RB114054NQ
<b>Material:</b>	Polypropylene
<b>Ext. Top:</b>	1070 x 400 x 54mm ( <i>H</i> )
<b>Cradle diameter:</b>	52mm
<b>Carrying Load:</b>	50 kg
<b>Max Load on Base:</b>	500 kg
<b>Stack Height:</b>	52mm
<b>Nest height:</b>	50%
<b>Colour:</b>	○
<b>Units per Pallet:</b>	100

- Plastic core tray, for the storage of core mineral samples.
- Designed for the mineral exploration sector in Africa.
- Stack and nests perfectly.
- Exceptional quality and longevity.
- Light and durable.
- Non-magnetic, for easy magnetic susceptibility readings.
- It will not corrode or contaminate the core.
- Designed with improved safety and handling features; there are no sharp edges.
- Locally manufactured, no import or freight charges.
- Cost effective.


# MPACT - Track and Trace

With the increased demand for connectivity and management through data MPC now offers IoT enabled products.

The evolution of our products led us to enhance our offering to the market by making our products intelligent through the fitment of Ultra High Frequency (UHF) and Low Frequency (LF) (applicable to Wheelie Bins only) Radio Frequency Identification (RFID) Tags.

## HOW DOES IT WORK?

These RFID Tags will either be ultrasonically welded to the product or sleeved into the product to provide longevity of the tag and ultimately Track and Trace.





# MPACT - Track and Trace

## THE READ RANGE

The read range of the UHF RFiD Tags is typically 5 to 10 meters. The read range of the low frequency (LF) tags (applicable to Wheelie Bins only) is 4 to 6 centimeters.

It must also be noted that in certain applications with dense or liquid product inside the crates and pallets, these products will more than likely require two tags to be fitted to ensure data collection integrity.

## READER PORTALS

The offering will also employ RFiD Reader Portals which are fixed at delivery or collection points of factories, warehouses, packhouses, distribution centers, and other facilities to read or scan assets in near real-time.

Where the fixed portal cannot be used, the offering also makes provision for handheld Readers and Scanners that are 3G/ 4G enabled to communicate the data in near real-time to the database.


The database is web based and can be accessed via any Chrome enabled device. The database can be installed on your local server.

## APPLICATION AND BENEFITS

- Visibility of Jumbo Bin pool
- Mitigates losses
- Efficient and effective management of Jumbo Bin pool
- Accurate resource planning
- Proof of receipt and delivery
- Date, time and location stamp of last scans/ reads

## CUSTOMISATION

- General reporting
- Age analysis of assets
- Crate content can be specified
- Age analysis of content
- Mapping & tracking process and progress
- Supply chain visibility
- Location management
- Item management
- Integration



# MPC Online-shop

The MPC Online-shop allows our customers to purchase quality products directly from the manufacturer.

- Save time
- Save money
- Convenience at your fingertips

Use the link below to shop Mpack Plastic Containers' wide range of products online.

<https://www.mpcsa.co.za/>

Follow the step-by-step guide on the following page to make an online purchase.



## STEP 1: Login to the MPC Online-shop

Visit the MPC 'Home Page' and navigate to 'Products' on the menu bar.

## STEP 2: Choose Your Product/s

From the dropdown menu select the product category and product of your choice. Select 'buy it now' if you wish to check out immediately or click 'add to cart' if you wish to continue shopping. Select the quantity of the product you wish to purchase by clicking on the +/- sign next to the product image in your cart

## STEP 3: The Check Out Process

Once you have selected everything you need, click on the 'check out' button. You will be asked to create an account if you are a first time user or to log in if you've bought from us before.

Enter your shipping address and select the delivery method. Select the payment option. We accept credit and Cheque cards, instant EFT and Zapper. Once all your details have been added, select 'complete order' and you will shortly receive confirmation of your order.

## STEP 4: Quick Turnaround Delivery

Online order deliveries usually take no longer than 4 working days and are often finalised earlier than this.

If you have any questions about the order, or the products themselves, feel free to reach out to us directly with your query at [online@mpcs.co.za](mailto:online@mpcs.co.za) or our live chat (bottom right corner of our Home Page). We'd be happy to help, and hope to have you returning to our online store again very soon.

# Index

Page 1

**mpact** 

plastic containers

## Pg. No. Product Description

### ATTACHED LID CONTAINERS (TOTES)

29	Attached Lid Container 6.4 Litre (Tote Bin)
29	Attached Lid Container 26 Litre (Tote Bin)
28	Attached Lid Container 55 Litre (Tote Bin)
28	Attached Lid Container 65 Litre (Tote Bin)
27	Attached Lid Container 70 Litre (Tote Bin)
27	Attached Lid Container 75 Litre (Tote Bin)

### AUTOMOTIVE

30	Automotive Stack Crate Large
30	Automotive Stack Crate Large - Complete
30	Automotive Stack Crate Small
30	Automotive Stack Crate Small - Complete

### CORNER PIECES

67	Corner Piece Solid 1000mm
67	Corner Piece Solid 1200mm

### ENVIRONMENTAL

54	Azteca Collection Bank
56	Composter
54	Dual Bin 240 Litre
52	Foot Operated Wheelie Bin 140 Litre
52	Foot Operated Wheelie Bin 240 Litre
55	Pole Bin 50 Litre
55	Utility Bin 70 Litre
51	Wheeled Bin 140 Litre
51	Wheeled Bin 240 Litre
53	Wheeled Container 770 Litre
53	Wheeled Container 1100 Litre
56	Wheelie Bin Wheel

### FOLDING CRATES

15	Lightweight Folding Crate 396x297x104
16	Lightweight Folding Crate 396x297x118
16	Lightweight Folding Crate 500x300x150
37	Retail Small Folding Crate 6416
37	Retail Small Folding Crate 6422
36	Small Folding Container 600x400x230

## Pg. No. Product Description

### GLASDON WASTE MANAGEMENT

58	Glasdon Litter Bins
59	Glasdon Recycling Bins
60	Glasdon Recycling Bins

### INDEX

74	Index Page 1
75	Index Page 2

### JUMBO BINS

07	Jumbo Bin 2 Way
07	Jumbo Bin 4 Way
08	Jumbo Bin Lid
08	Export Jumbo Bin
08	Shallow Jumbo Bin

### LINBIN

64	S1 Linbin 170x105x75mm
64	S2 Linbin 230x150x125mm
64	S3 Linbin 350x215x200mm
64	S4 Linbin 520x315x198mm

### MEAT TRAYS

41	Fish Box 35 Litre
41	Fish Box 55 Litre
34	Freezer Tray
34	Haverhill and Lid
33	Meat Box
32	Meat Tray Large - MT65285
32	Meat Tray Medium - MT64209
33	Meat Tray Small - MT85275

### MPC CONTACT

76	MPC Contact Info
----	------------------

### MPC ONLINE-SHOP

72	MPC Online-shop
----	-----------------



# Index

Page 2

**mpact** 

plastic containers

## Pg. No. Product Description

### OTHER

68	Bucket and Lid
68	Cash in Transit Box
14	Drying Rack Large
14	Drying Rack Small
57	Earthworm Farm
62	Hybrid Dolly for Small Drying Racks
62	Hygiene Dolly with Castors
48	Multitank
69	Rockbox BQ
69	Rockbox NQ
67	Shopping Basket

### PALLETS

23	Hygiene Pallet
22	Lightweight Pallet
21	Nestable Pallet - 1200 x 1000mm
21	Pallet Stringer
23	Stackable Pallet - Black Recycled
24	1210 Rackable Hygiene Pallet
25	1210 Rackable Pallet (3 Options)
24	Rackable Pallet 40" x 48"

### PROTEIN RANGE

42	Chicken Coop Complete
43	Chick Crate - Red, Blue, Black
44	Easi Tray 220
44	Easi Tray 255
45	Egg Setter 126 - Turquoise
45	Egg Setter 132 - White
46	Egg Setter 150 - White
46	Egg Setter 162 - White
43	Hatching Crate - White
43	Hygiene Separator
47	Poultry Freezer Crate
47	Rabbit Waste Tray

## Pg. No. Product Description

### RETAIL

37	Retail Small Folding Crate 6416
37	Retail Small Folding Crate 6422
63	Supanest 167
63	Supanest 253

### STACK CONTAINERS

10	Agrilug
13	Banana Crate SF6425
13	Banana Crate SF6428
35	Bread Crate 65166
35	Bread Crate 65185
17	Lightweight Punnet Crate 64090
17	Lightweight Punnet Crate 64094
18	Lightweight Rigid LWR53064
18	Lightweight Rigid LWR53280
64	Miniload Crate 280
64	Miniload Crate 320
40	Prop Tray
12	Stack Crate 75
12	Stack Crate 100
11	Stack Crate 185
11	Stack Crate 200
38	Stack Nest 43190
38	Stack Nest 64120
38	Stack Nest 64190
39	Stack Nest 64240
63	Supanest 167
63	Supanest 253

### TRACK AND TRACE

70	Mpact - Track and Trace
----	-------------------------

# Mpact Plastic Containers

## **ATLANTIS**

Neil Hare Rd, Atlantis, 7350  
South Africa  
Tel: +27 21 573 9400

## **BRITS**

9 Piet Pretorius St, Brits, 0250  
South Africa  
Tel: +27 12 250 9100

## **BRITS RECYCLING**

9 Spruit Street, Brits, 0250  
South Africa  
Tel: +27 12 250 9100

## **CASTLEVIEW**

1 Atom Road, Castleview, Johannesburg, 1401  
South Africa  
Tel: +27 12 250 9100

## **CYPRUS (EUROPE)**

101 Archiepiskopou Makariou III,  
Commercial Union House, Nicosia, 1071  
Tel: +30 69811 21111

Web: [www.mpcsa.co.za](http://www.mpcsa.co.za)

Email: [salesforce@mpcsa.co.za](mailto:salesforce@mpcsa.co.za)

