



## WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For marsgear.com | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **marsgear.com** as of Fri Oct 28 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	15	0	100%

### Code snapshots of some successful elements

```
<li class="dot is-selected " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 1" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5" aria-hidden="false" >Next carousel slide</span></li>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light is-active " data-product-index="1" style="left: 61%; top: 11%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span...>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="2" style="left: 62%; top: 62%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span></span>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="3" style="left: 43%; top: 77%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="fa
```

```
<button class="flickity-prev-next-button previous " type="button" role="button"><span data-="true" " aria-label=" previous " aria-hidden="false" >previous</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true"><path d...
```

```
<button class="flickity-prev-next-button next " type="button" role="button"><span data-="true" " aria-label=" next " aria-hidden="false" >next</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true"><path d="M 20,50 L ...
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

15

0

100%

### Code snapshots of some successful elements

```
<li class="dot is-selected " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 1" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5" aria-hidden="false" >Next carousel slide</span></li>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light is-active " data-product-index="1" style="left: 61%; top: 11%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="2" style="left: 62%; top: 62%" tabindex="0" role="button" data-acsb-actual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span></span>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="3" style="left: 43%; top: 77%" tabindex="0" role="button" data-acsb-actual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span></span>
```

```
<button class="flickity-prev-next-button previous " type="button" role="button"><span data-="true" " aria-label=" previous " aria-hidden="false" >previous</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true"><path d...
```

```
<button class="flickity-prev-next-button next " type="button" role="button"><span data-="true" " aria-label=" next " aria-hidden="false" >next</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true"><path d="M 20,50 L ...
```

- 
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

36

0

100%

### Code snapshots of some successful elements

```
<a href="/collections/brands" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use </> to navigate">BRANDS</a>
```

```
<a href="/collections/all-products" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">SHOP</a>
```

```
<a href="/collections/new-gear" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true">NEW GEAR<span class="Header__LinkSpacer">NEW GEAR</span></a>
```

```
<a href="/collections/special-deals" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true">SPECIAL DEALS<span class="Header__LinkSpacer ">SPECIAL DEALS</span></a>
```

```
<a href="/" class="Header__LogoLink" data-acsb-scrape-url="https://accesscan.accessibe.com">
```

```
<a href="/account/login" class="Header__Icon Icon-Wrapper Icon-Wrapper--clickable hidden-phone" ><span data-="true" " aria-label=" account " aria-hidden="false" >account</span><svg class="Icon Icon--account " role="presentation" viewBox="0 0 20 20...">
```

```
<a href="/search" class="Header__Icon Icon-Wrapper Icon-Wrapper--clickable " data-action="toggle-search" > <span data-="true" " aria-label=" Search " aria-hidden="false" >Search</span><span class="hidden-tablet-and-up" aria-hidden="true" >...
```

```
<a href="/cart" class="Header__Icon Icon-Wrapper Icon-Wrapper--clickable " data-action="open-drawer" data-drawer-id="sidebar-cart" aria-expanded="false" > <span data-="true" " aria-label=" Open cart " aria-hidden="false" >Open cart</span><...>
```

```
<a href="/collections/wiley-x" id="Slide9f1094f2-3fd7-479c-bcb0-469f067928b7" class="Slideshow__Slide Carousel__Cell is-selected" style="visibility: inherit; position: absolute; left: 0%; opacity: 1;" data-slide-index="0" data-acsb-scrape-url="htt...">
```

```
<a href="/collections/headwear" class="CollectionItem__Link Button " >SHOP</a>
```

- 
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

4

0

100%

### Code snapshots of some successful elements

```
<a href="https://www.facebook.com/MarsGearEDC" class="Link Link--primary" target="_blank" rel="noopener" data-acsb-tooltip="New Window" > <span data-="" true" " aria-label=" Facebook " aria-hidden="false" >FacebookNew Window</span><span clas...
```

```
<a href="https://www.instagram.com/mars_gear/" class="Link Link--primary" target="_blank" rel="noopener" data-acsb-tooltip="New Window" > <span data-="" true" " aria-label=" Instagram " aria-hidden="false" >InstagramNew Window</span><span cl...
```

```
<a href="https://www.pinterest.com/marsgear/" class="Link Link--primary" target="_blank" rel="noopener" data-acsb-tooltip="New Window" > <span data-="" true" " aria-label=" Pinterest " aria-hidden="false" >PinterestNew Window</span><span cla...
```

```
<a href="https://www.youtube.com/channel/UCtmFor33j7IJmNOa5LJZ9YQ" class="Link Link--primary" target="_blank" rel="noopener" data-acsb-tooltip="New Window" > <span data-="" true" " aria-label=" YouTube " aria-hidden="false" >YouTubeNew Window...
```

---

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<h1 class="Header__Logo"><a href="/" class="Header__LogoLink" data-acsb-scraper-url="https://accessscan.accessibe.com"><span data-="true" " aria-label=" Next carousel slide 1" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5" aria-hidden="false" >Next carousel slide</span></li>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light is-active " data-product-index="1" style="left: 61%; top: 11%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span>...
```



```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="2" style="left: 62%; top: 62%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span></span>
```

```
<span class="ShopTheLook__Dot ShopTheLook__Dot--light " data-product-index="3" style="left: 43%; top: 77%" tabindex="0" role="button" data-acsb-textual-ops="cart"><span data-="true" " aria-label=" Cart " aria-hidden="false" >Cart</span></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when	No	0	0	-



---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	2	0	100%
----	--	-----	---	---	------

#### Code snapshots of some successful elements

```
<nav class="Header__MainNav hidden-pocket hidden-lap" aria-label="Main navigation" role="navigation" data-acsb-main-menu="true"> <ul class="HorizontalList HorizontalList--spacingExtraLoose" data-acsb-menu="ul" ><li class="HorizontalList__It...
```

```
<ul class="Linklist" data-acsb-menu="ul" ><li class="Linklist__Item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="/pages/faq" class="Link Link--primary " data-acsb-menu="a" data-acsb-menu-root-link="true" data-a...
```

---

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	2	0	100%
----	--	-----	---	---	------

#### Code snapshots of some successful elements

```
<a href="/collections/brands" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use </> to navigate">BRANDS</a>
```

```
<a href="/collections/all-products" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">SHOP</a>
```

---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	2	0	100%
----	--	-----	---	---	------

#### Code snapshots of some successful elements

```
<a href="/collections/brands" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate">BRANDS</a>
```

```
<a href="/collections/all-products" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">SHOP</a>
```

18	<a href="#">Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.</a>	Yes	12	0	100%
----	--	-----	----	---	------

### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---

---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	49	0	100%
----	---	-----	----	---	------

### Code snapshots of some successful elements

```
<span class="LoadingBar" aria-hidden="true" data-acsb-force-hidden="true"></span>
```

```
<span class="Collapsible__Plus" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg class="Icon Icon--facebook " viewBox="0 0 9 17" aria-hidden="true" data-acsb-force-hidden="true" > <path d="M5.842 17V9.246h2.653l.398-3.023h-3.05v-1.93c0-.874.246-1.47 1.526-1.47H9V.118C8.718.082 7.75 0 6.623 0 4.27 0 2.66 1.408 2.66 3.9..." /></svg>
```

```
<span class="Header__CartDot " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span id="section-slideshow-end" class="Anchor" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="Image__Loader" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M 20,50 L 60,90 L 60,85 L 25,50 L 60,15 L 60,10 Z" class="arrow" ></path></svg>
```

```
<svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M 20,50 L 60,90 L 60,85 L 25,50 L 60,15 L 60,10 Z" class="arrow" transform="translate(100, 100) rotate(180) " ></path></svg>
```

---

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals	No	0	0	-

---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%
----	--	-----	------	---	------

### Code snapshots of some successful elements

```
<input type="email" name="contact[email]" class="Form__Input" aria-label="Enter your email" placeholder="Enter your email" required="true" aria-hidden="false" data-acsb-validation-uuid="a8gxmdhovi73" data-acsb-field-visible="true" aria-required="t...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
----	---	----	---	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	10	0	100%
----	---	-----	----	---	------

### Code snapshots of some successful elements

```
<svg xmlns="http://www.w3.org/2000/svg" role="img" viewBox="0 0 38 24" width="38" height="24" aria-labelledby="pi-american_express" aria-hidden="true" ><title id="pi-american_express" >American Express</title><g fill="none" ><path fill="#000" d="M...
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" role="img" x="0" y="0" width="38" height="24" viewBox="0 0 165.521 105.965" xml:space="preserve" aria-labelledby="pi-apple_pay" aria-hidden="true" ><title id="pi-apple_pay" >Apple Pay</title><p...
```

```
<svg viewBox="0 0 38 24" width="38" height="24" role="img" aria-labelledby="pi-discover" fill="none" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" ><title id="pi-discover" >Discover</title><path fill="#000" opacity=".07" d="M35 0H3C1.3 0 0...
```

```
<svg width="38" height="24" role="img" aria-labelledby="pi-metapay" viewBox="0 0 38 24" fill="none" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" ><title id="pi-metapay" >Meta Pay</title><path opacity=".07" d="M35 0H3C1.3 0 0 1.3 0 3v18c0 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" role="img" viewBox="0 0 38 24" width="38" height="24" aria-labelledby="pi-google_pay" aria-hidden="true" ><title id="pi-google_pay" >Google Pay</title><path d="M35 0H3C1.3 0 0 1.3 0 3v18c0 1.7 1.4 3 3 3h32c1...
```

```
<svg viewBox="0 0 38 24" xmlns="http://www.w3.org/2000/svg" role="img" width="38" height="24" aria-labelledby="pi-master" aria-hidden="true" ><title id="pi-master" >Mastercard</title><path opacity=".07" d="M35 0H3C1.3 0 0 1.3 0 3v18c0 1.7 1.4 3 3 ...
```

```
<svg viewBox="0 0 38 24" xmlns="http://www.w3.org/2000/svg" width="38" height="24" role="img" aria-labelledby="pi-paypal" aria-hidden="true" ><title id="pi-paypal" >PayPal</title><path opacity=".07" d="M35 0H3C1.3 0 0 1.3 0 3v18c0 1.7 1.4 3 3 3h32...
```

```
<svg xmlns="http://www.w3.org/2000/svg" role="img" viewBox="0 0 38 24" width="38" height="24" aria-labelledby="pi-shopify_pay" aria-hidden="true" ><title id="pi-shopify_pay" >Shop Pay</title><path opacity=".07" d="M35 0H3C1.3 0 0 1.3 0 3v18c0 1.7 ...
```

```
<svg viewBox="0 0 38 24" width="38" height="24" xmlns="http://www.w3.org/2000/svg" role="img" aria-labelledby="pi-venmo" aria-hidden="true" ><title id="pi-venmo" >Venmo</title><g fill="none" fill-rule="evenodd" ><rect fill-opacity=".07" fill="#000...
```

```
<svg viewBox="0 0 38 24" xmlns="http://www.w3.org/2000/svg" role="img" width="38" height="24" aria-labelledby="pi-visa" aria-hidden="true" ><title id="pi-visa" >Visa</title><path opacity=".07" d="M35 0H3C1.3 0 0 1.3 0 3v
```

---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

#### Code snapshots of some successful elements

```
<form method="post" action="/contact#footer-1554326921317" id="footer-1554326921317" accept-charset="UTF-8" class="Newsletter Form" data-acsb-form-uuid="adevxt0d8006" data-acsb-form-type="standard"><input type="hidden" name="form_type" value="custome...
```

---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements

```
<title>Your one-stop shop for tactical and EDC apparel & gear.</title>
```

---

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements



```
<html class="js supports-sticky supports-hover acsb-light-contrast hydrat
ed" lang="en" style="--window-height:1080px; --announcement-bar-height:42
px; --header-height:86px; --header-is-not-transparent:1;" id="acsb-light-
contrast"><head><style data-ac...
```

- |    |  |     |      |   |      |
|----|--|-----|------|---|------|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100% |
|----|--|-----|------|---|------|

#### Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, hei
ght=device-height, minimum-scale=1.0, user-scalable=0">
```

- |    |   |     |   |   |      |
|----|---|-----|---|---|------|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | 3 | 0 | 100% |
|----|---|-----|---|---|------|

#### Code snapshots of some successful elements

```
<main id="main" role="main" data-acsb-main="true"> <!-- BEGIN content_for
_index --><div id="shopify-section-slideshow" class="shopify-section shop
ify-section--slideshow" role="region" " aria-label="Carousel"><section id
="section-slideshow" d...
```

```
<footer id="section-footer" class="Footer " role="contentinfo" data-acsb-
page-footer="true" aria-label="Footer"> <div class="Container"><div class
="Footer__Inner"><div class="Footer__Block Footer__Block--text"><h2 class
="Footer__Title Heading u-h6 ...
```

- |    |   |     |      |   |      |
|----|---|-----|------|---|------|
| 35 | Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100% |
|----|---|-----|------|---|------|

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	37	0	100%
----	--	-----	----	---	------

### Code snapshots of some successful elements

```
<strong>free shipping on most orders of $49.95 and up </strong>
```

```
<a href="/collections/brands" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate">BRANDS</a>
```

```
<a href="/collections/all-products" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">SHOP</a>
```

```
<a href="/collections/new-gear" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true">NEW GEAR<span class="Header__LinkSpacer ">NEW GEAR</span></a>
```

```
<span class="Header__LinkSpacer ">NEW GEAR</span>
```

```
<a href="/collections/special-deals" class="Heading u-h6 " data-acsb-menu="a" data-acsb-menu-root-link="true">SPECIAL DEALS<span class="Header__LinkSpacer ">SPECIAL DEALS</span></a>
```

```
<span class="Header__LinkSpacer ">SPECIAL DEALS</span>
```

```
<h2 class="SectionHeader__Heading Heading u-h1 ">New Gear</h2>
```

```
<h2 class="SectionHeader__Heading SectionHeader__Heading--emphasize Heading u-h1 ">HEADWEAR</h2>
```

```
<a href="/collections/headwear" class="CollectionItem__Link Button " >SHOP</a>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100%

#### Code snapshots of some successful elements

```
<button class="flickity-prev-next-button previous " type="button" disabled="" aria-label="previous" tabindex="-1" ><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M 20,50 L 60,90 L 60,85 L 25,50 L 60,15 L 60..."
```

```
<button class="flickity-prev-next-button next " type="button" aria-label="next" tabindex="-1" ><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M 20,50 L 60,90 L 60,85 L 25,50 L 60,15 L 60,10 Z" class="arrow"...
```

```
<button class="flickity-prev-next-button previous " type="button" role="button"><span data-="" true" " aria-label=" previous " aria-hidden="false" >previous</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path ...
```

```
<button class="flickity-prev-next-button next " type="button" role="button"><span data-="" true" " aria-label=" next " aria-hidden="false" >next</span><svg viewBox="0 0 100 100" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M 20,50 L...
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the	No	0	0	-
----	--	----	---	---	---

cause screen readers to cut and skip announcements.

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

Yes

8

8

50%

### Code snapshots of some successful elements

```
<li class="dot is-selected " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 1" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 2" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 3" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 4" aria-hidden="false" >Next carousel slide</span></li>
```

```
<li class="dot " tabindex="0" role="button" data-acsb-carousel-paging="true"><span data-="true" " aria-label=" Next carousel slide 5" aria-hidden="false" >Next carousel slide</span></li>
```

### Code snapshots of some failed elements

```
<li class="dot is-selected " ></li>
```

```
<li class="dot " ></li>
```

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to

No

0

0

-

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100%

```
<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr&co=aHR0cHM6Ly9hY2Nlc3NzY2FuLmFjY2Vzc2liZS5jb206NDQz&hl=en&v=NJPGLzpIZgjszqy0ymHUP0XR&size=invisible&cb...
```

```
<iframe title="recaptcha challenge expires in two minutes" src="https://www.google.com/recaptcha/api2/bframe?hl=en&v=NJPGLzpIZgjszqy0ymHUP0XR&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr" name="c-twj9ikb2apzk" frameborder="0" scrolling="no" san...
```