

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **SEREN•DIP•ITY™ ACTIVATOR**
- Other product identifiers: No other identifiers

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Application of the substance / the mixture: Personal care product.
- Uses advised against: No further relevant information available.

1.3 Details of the supplier of the Safety Data Sheet

- Manufacturer/Supplier:
Forsythe Cosmetic Group, Ltd.
10 Niagara Avenue
Freeport, NY 11520
Phone: 800-221-8080


SEREN•DIP•ITY™

1.4 Emergency telephone number:

- ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following classifications are applicable only to OSHA (USA) regulations and not the specific CLP regulation: H373.

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

This product is a cosmetic product and is exempt from the Globally Harmonized System (GHS) labelling requirements below per (EC) No 1272/2008 Article 1: 5.(c) and 29CFR1910.1200(b)(5)(iii).

Hazard pictograms



GHS02 GHS07 GHS08

Signal word Danger

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 1)

- **Hazard-determining components of labelling:**

ethyl acetate

- **Hazard statements**

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H373.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

- **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 2)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components:

CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46-XXXX	ethyl acetate Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	>90%
CAS: 99-97-8 EINECS: 202-805-4 Index number: 612-056-00-9 Reg.nr.: 01-2119937766-23-XXXX	N,N-dimethyl-p-toluidine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Chronic 3, H412	0-2%

Additional information: For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.
 Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Wash with soap and water.
 Seek medical treatment in case of complaints.

After eye contact:

Remove contact lenses if worn.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache
 Nausea
 Gastric or intestinal disorders.
 Dizziness
 Coughing
 Causes eye irritation.
 Disorientation

Hazards:

Vapours have narcotic effect.
 May cause damage to the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 3)

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.

· **For safety reasons unsuitable extinguishing agents:** None.

5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour.

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information:**

Eliminate all ignition sources if safe to do so.

Cool endangered product with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

6.3 Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Open and handle receptacle with care.

Avoid breathing mist/vapours/spray.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 4)

Keep out of reach of children.

- **Information about fire - and explosion protection:**

Highly flammable liquid and vapour.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Flammable gas-air mixtures may form in empty receptacles.

Emergency cooling must be available in case of nearby fire.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Storage area should be dry and well-ventilated.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

141-78-6 ethyl acetate

IOELV (EU)	Short-term value: 1468 mg/m ³ , 400 ppm
	Long-term value: 734 mg/m ³ , 200 ppm
AGW (Germany)	Long-term value: 1500 mg/m ³ , 400 ppm
	2(I);DFG, Y
PEL (USA)	Long-term value: 1400 mg/m ³ , 400 ppm
REL (USA)	Long-term value: 1400 mg/m ³ , 400 ppm
TLV (USA)	Long-term value: 1440 mg/m ³ , 400 ppm

99-97-8 N,N-dimethyl-p-toluidine

WEEL (USA)	Long-term value: 0,5 ppm
------------	--------------------------

- **DNELs:** No further relevant information available.

- **PNECs:** No further relevant information available.

- **8.2 Exposure controls**

- **Engineering measures** Provide adequate ventilation.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 5)

- **Respiratory protection:**
Use suitable respiratory protective device in case of insufficient ventilation.
For spills, respiratory protection may be advisable.
- **Protection of hands:**
Gloves are advised for repeated or prolonged contact.
Wear protective gloves to handle contents of damaged or leaking units.
- **Eye protection:**



Safety glasses

- **Body protection:** Protection may be required for spills.
- **Limitation and supervision of exposure into the environment:**
No further relevant information available.
- **Risk management measures:** See Section 7 for additional information.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

Form:	Liquid
Colour:	Clear
Odour:	Ether-like
Odour threshold:	Not determined.

· pH-value: Not determined.

· Melting point/freezing point: Not determined.

· Initial boiling point and boiling range: >35°C (>95 °F)

· Flash point: <23°C (<73 °F)

· Flammability (solid, gas): Not applicable.

· Auto/Self-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· Explosion limits

Lower: Not determined.

Upper: Not determined.

· **Oxidising properties** Non-oxidising.

· Vapour pressure at 20°C (68 °F): 9-10 kPa

· Density:

Relative density: <1

Vapour density: Not determined.

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 6)

Evaporation rate:	Not determined.
· Solubility in / Miscibility with water:	Soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with acids, alkalis and oxidising agents.
Reacts with peroxides.
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
- **10.4 Conditions to avoid** Excessive heat.
- **10.5 Incompatible materials** Oxidisers
- **10.6 Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Nitrogen oxides

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

141-78-6 ethyl acetate

Oral	LD50	5620 mg/kg (rabbit)
Inhalative	LC50/4h	1600 mg/l (rat)

99-97-8 N,N-dimethyl-p-toluidine

Oral	LD50	139 mg/kg (mouse)
		1650 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4h	1400 mg/m ³ (rat)

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 7)

- **Primary irritant effect**
- **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.
- **Serious eye damage/irritation:**
Causes serious eye irritation.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable routes of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:**
May cause drowsiness or dizziness.
- **STOT-repeated exposure:**
May cause damage to the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number

· DOT, IATA

UN1263 (or ID8000)

· ADR, IMDG

UN1263

14.2 UN proper shipping name

· DOT, IATA

Paint related material (or Consumer Commodity)

· ADR, IMDG

PAINT RELATED MATERIAL

14.3 Transport hazard class(es)

· DOT



· Class

3 Flammable liquids (or 9 Miscellaneous)

· Label

3 (or 9)

· ADR



· Class

3 (F1) Flammable liquids.

· Label

3

· IMDG



· Class

3 Flammable liquids.

(Cont'd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 9)


· Label	3
· IATA	
	
· Class	3 Flammable liquids (or 9 Miscellaneous)
· Label	3 (or 9)


· 14.4 Packing group	
· DOT, ADR, IMDG, IATA	II


· 14.5 Environmental hazards:	
· Marine pollutant:	No


· 14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S</u> -E

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
---	-----------------

· Transport/Additional information:	
· DOT	
	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· ADR	
	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· IMDG	
	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· IATA	
	Limited Quantity for packages less than 30 kg gross and inner packagings less than 0,5 L each / 1 L net.

(Cont'd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 10)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- United States (USA)
- SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

99-97-8 | N,N-dimethyl-p-toluidine

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 27 July 2017

Revision: 27 July 2017

Trade name: SEREN•DIP•ITY™ ACTIVATOR

(Cont'd. from page 11)

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.
- H412 Harmful to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- LDLo: Lowest Lethal Dose Observed
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxique
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)
- OSHA: Occupational Safety & Health Administration
- Flam. Liq. 2: Flammable liquids – Category 2
- Acute Tox. 3: Acute toxicity – Category 3
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **Sources**

- Website, European Chemicals Agency (echa.europa.eu)
- Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
- Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
- Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
- Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
- Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com