

DS-LEDA27-4X4,
5X5, 6X6, 7X7, 8X8



SEAMLESS KITTED

Flat dvLED Mounting System


FOR ABSEN ACCLAIM, ACCLAIM PLUS, ACCLAIM PRO AND ICON

Peerless-AV's SEAMLESS Kitted Series Flat dvLED Mounting System is designed exclusively for Absen's Direct View LED Displays, offering slim, space-saving, and aesthetically appealing designs for multiple configurations. With integrated cable management, easy-hang hardware, and a lightweight aluminium frame, integrators can quickly and easily build the perfect video wall. Peerless-AV® also offers start to finish support through the SEAMLESS dvLED Video Wall Integration Program. The Peerless-AV dvLED Solutions Team is there every step of the way to ensure every customer receives SEAMLESS product support and service.



Abjen

DS-LEDA27-4X4 shown

- Lightweight aluminium frame is easy to install and minimises the wall load
- Modular design offers unlimited video wall display configurations
- Tight tolerances and wall plate spacers ensure the cabinets are properly positioned



SEAMLESS by Peerless-AV® - dvLED Video Wall Integration Program offers:



Visit Peerless-AV.com/SEAMLESS to get your project started!

✉ sales@peerless-av.eu.com
🌐 peerless-av.com

peerless-AV®
Driving Technology Through Innovation

DS-LEDA27-4x4 SEAMLESS Kitted Series Flat dvLED Mounting System for 4x4 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	COLOUR
DS-LEDA27-4x4	96.02" x 50.56" x 2.25"-3.00" (2439 x 1284 x 57-76mm)	57.6lb (26.1kg)	308lb (140kg)	Power Coat & Clear Anodized Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-4x4	66.50" x 29.00" x 8.00" (1689.1 x 736.6 x 203.2mm)	79.0lb (35.8kg)	735029326137	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 89mm to 150mm deep

All dimensions = inch (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-4x4 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-5x5 SEAMLESS Kitted Series Flat dvLED Mounting System for 5x5 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	COLOUR
DS-LEDA27-5x5	120.00" x 64.07" x 2.25"-3.00" (3048 x 1627 x 57-76mm)	74.0lb (33.6kg)	415lb (215kg)	Power Coat & Clear Anodized Finish	Black & Silver

Package Specifications


	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-5x5	66.50" x 29.00" x 8.00" 1689.1 x 736.6 x 203.2mm)	94.2lb (42.7kg)	735029326366	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep


All dimensions = inch (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-5x5 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-6x6 SEAMLESS Kitted Series Flat dvLED Mounting System for 6x6 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	COLOUR
DS-LEDA27-6x6	144.09" x 77.32" x 2.25"-3.00" (3660 x 1964 x 57-76mm)	97.7lb (44.3kg)	682lb (310kg)	Power Coat & Clear Anodized Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-6x6	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	129.3lb (58.6kg)	735029326359	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep

All dimensions = inch (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-6x6 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
 2300 White Oak Circle
 Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
 Unit 3 Watford Interchange
 Colonial Way, Watford
 Herts, WD24 4WP
 United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
 Av. de las Industrias 413
 Parque Industrial Escobedo
 General Escobedo, N.L.,
 México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-7x7 SEAMLESS Kitted Series Flat dvLED Mounting System for 7x7 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	COLOUR
DS-LEDA27-7x7	168.03" x 91.08" x 2.25"-3.00" (4268 x 2313 x 57-76mm)	120.3lb (54.6kg)	924lb (420kg)	Power Coat & Clear Anodized Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-7x7	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	151.0lb (68.5kg)	735029332206	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep

All dimensions = inch (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-7x7 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-8x8 SEAMLESS Kitted Series Flat dvLED Mounting System for 8x8 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	COLOUR
DS-LEDA27-8x8	192.05" x 104.34" x 2.25"-3.00" (4878 x 2650 x 57-76mm)	146.7lb (66.5kg)	1,210lb (550kg)	Power Coat & Clear Anodized Finish	Black & Silver

Package Specifications


	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-8x8	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	176.5lb (80.1kg)	735029325659	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep


All dimensions = inch (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-8x8 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360

