SAFETY DATA SHEET



1 – IDENTIFICATION

IDENTIFIER	LAUNDRY DETERGENT PURE (VARIOUS AROMAS)	
PRODUCT CODE		
RECOMMENDED USE	Laundry detergent	
RESTRICTIONS ON USE		
SUPPLIER / MANUFACTURER	TOTAL FABRICATION	
	511 Route 289	
	St-Alexandre-de-Kamouraska, Qc	
	GOL 2GO	
	418-970-0889	
EMERGENCY TELEPHONE	418-970-0889 Monday to Friday, 9h00 to 17h00	

2 – HAZARD IDENTIFICATION

CLASSIFICATION	Skin irritation 3 Eye irritation 2A Hazardous to aqua			
LABEL ELEMENTS	!	<u>(!</u>)		
SIGNAL WORD	WARNING			
HAZARD STATEMENT	H316 H319 H402	Causes mild skin irritation. Causes serious eye irritation. Harmful to aquatic life.		
PRECAUTIONARY STATEMENTS – PREVENTION	P280 P273	Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.		
PRECAUTIONARY STATEMENTS – RESPONSE	P332+P313 P305+P351+P338 P337+P313	If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
PRECAUTIONARY STATEMENTS – STORAGE				
PRECAUTIONARY STATEMENTS - ELIMINATION	P501	Dispose contents/containers according to municipal, provincial and federal regulations.		
OTHER HAZARDS	Not applicable.	Not applicable.		

3 – COMPOSITION / INFORMATION ON INGREDIENTS

Sodium laureth sulfate	68585-34-2	1-5*
Sodium carbonate	497-19-8	1-5*
Ethoxylated alcohol C10-C16	68002-97-1	1-5*
2-Propenoic acid, telomer with sodium hydrogen sulfite	66019-18-9	1-5*

^{*} TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.

4 – FIRST AID MEASURES

ROUTE OF EXPOSURE	Inhalation, eyes, skin, ingestion

INHALATION	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CONTROL CENTER or physician.
DERMAL	IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
OCULAR	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
ORAL	NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.
NOTE TO PHYSICIAN	Specific treatment: Treat symptomatically.

5 – FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA	Water spray, chemical foam, dry chemical powder, CO2.
UNSUITABLE EXTINGUISHING MEDIA	Direct water jet may cause formation of foam and disperse product.
SPECIFIC HAZARDS	Carbon oxides, sulphur oxides, acrid smoke.
PROTECTIVE EQUIPMENT	Fire-fighters must wear protective equipment and NIOSH approved self-contained breathing apparatus.
PRECAUTIONS	Do not let water run-off reach sewers, ditches or waterways.

6 – ACCIDENTAL RELASE MEASURES

PROTECTIVE EQUIPMENT	Wear appropriate respiratory equipment (See Section 8). Avoid direct contact with product. Remove non-essential personnel.
CONTAINMENT AND CLEAN UP	Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material for future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water runoff if applicable. Inform proper authorities if necessary.
ENVIRONMENTAL PRECAUTIONS	Avoid entering sewers, waterways or restricted areas. Eliminate according to municipal, provincial and federal regulations.

7 – HANDLING AND STORAGE

HANDLING	Containers must be identified correctly. Handle in a well-ventilated area. Avoid breathing dust, vapours or mists. Avoid contact with eyes, skin and clothes. Keep containers closed when not in use. Empty containers may contain residues and must be handled as hazardous waste. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse.
STORAGE	Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed.
INCOMPATIBLE MATERIALS	Strong oxidizing agents, strong acids, strong alkalis.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

CHEMICAL NAME	C.A.S.	SOURCE	VALUE
Sodium laureth sulfate	68585-34-2		No established limits.
Sodium carbonate	497-19-8		No established limits.
Ethoxylated alcohol C10-C16	68002-97-1		No established limits.
2-Propenoic acid, telomer with sodium hydrogen sulfite	66019-18-9		No established limits.

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels to an acceptable level.
RESPIRATORY PROTECTION	Maintain atmospheric concentrations below exposure limits. If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator. In case of spill or leak resulting in unknown concentration, use a NIOSH approved supplied air respirator.
PROTECTIVE EQUIPMENT AND CLOTHING	Wear chemical / impermeable gloves or other protective clothing to prevent repeated or continuous contact with the skin during handling and usage. Wear goggles to prevent mist, vapours or dust to contact eyes. Ensure that eyewash stations, showers and cleaning stations are near to workstation.
OCULAR PROTECTION	Chemical goggles; also wear a face shield if splashing hazard exists.
GENERAL HYGIENE RECOMMENDATIONS	Ensure that eyewash stations and safety showers are proximal to the work-station location. Avoid production of high concentrations of dust, vapours or mists. Avoid contact with skin and eyes. Avoid breathing dust, vapours or mists. Never eat, drink or smoke near workstations. Good hygiene is recommended after using this product. Clean clothing before reuse.

9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid, viscous, transparent, colourless.
ODOUR	Various aromas
ODOUR TRESHOLD	Not available.
рН	10.95 – 11.50
MELTING / FREEZING POINT	Not available.
INITIAL BOILING POINT	Not available.
FLASH POINT	Not applicable.
EVAPORATION RATE	Not available.

FLAMMABILITY	Not flammable.
LOWER FLAMMABLE/EXPLOVISE LIMIT	Not applicable.
UPPER FLAMMABLE/EXPLOSIVE LIMIT	Not applicable.
VAPOUR PRESSURE	Not available.
VAPOUR DENSITY	Not available.
RELATIVE DENSITY	1.04 – 1.07
SOLUBILITY (in water)	Soluble.
PARTITION COEFFICIENT (n-octanol/water)	Not available.
AUTO-IGNITION TEMPERATURE	Not available.
DECOMPOSITION TEMPERATURE	Not available.
VOC	Not available.
VISCOSITY	1000 – 1200 cPs

10 – STABILITY AND REACTIVITY

REACTIVITY	Stable under recommended usage.
CHEMICAL STABILITY	Stable under normal usage conditions.
HAZARDOUS REACTIONS	Polymerization will not occur.
CONDITIONS TO AVOID	Incompatible materials.
INCOMPATIBLE MATERIALS	Strong oxidizing agents, strong acids, strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS	Carbone oxides, sulphur compounds.
ADDITIONAL INFORMATION	None.

11 – TOXICOLOGICAL INFORMATION

ACUTE EFFECTS	
INHALATION	No adverse effects reported.
DERMAL	Causes mild skin irritation. Itching, drying of the skin.
OCULAR	Causes serious eye irritation. Redness, pain, tearing.
ORAL	Ingestion not likely in normal usage. Nausea, vomiting, diarrhea, abdominal pain.
CHRONIC EFFECTS	
INHALATION	No data.
DERMAL	No data.
OCULAR	No data.
ORAL	No data.
ADDITIONAL INFORMATION	
CARCINOGENIC EFFECTS (IARC)	Not classified.
MUTAGENIC EFFECTS	No data.
TERATOGEN EFFECTS	No data.
REPRODUCTION	No data.

SENSIBILISATION	No data.
TARGET ORGANS	No data.
AGGRAVATED CONDITIONS	No data.
SYNERGISTIC SUBSTANCES	No data.

CHEMICAL NAME	C.A.S.	LD50 ORAL mg/kg	LD50 DERMAL mg/kg	LC50 INHALATION
Sodium laureth sulfate	68585-34-2	>2000, rat	>2000, rabbit	No data.
Sodium carbonate	497-19-8	2800, rat	>2000, rabbit	2.3 mg/L, 2h, rat
Ethoxylated alcohol C10-C16	68002-97-1	>3200, rat	>2000, rabbit	No data.
2-Propenoic acid, telomer with sodium hydrogen sulfite	66019-18-9	>5000, rat	>5000, rabbit	No data.

12 – ECOLOGICAL INFORMATION

Sodium laureth sulfate	68585-34-2
EC50 2.33 – 4.81 mg/L, 48h	Ceriodaphnia dubia
LC50 2.3 mg/L, 96h	Fish

Sodium carbonate	497-19-8
LC50 300 mg/L, 96h	Lepomis
EC50 200 -227 mg/L, 48h	Ceriodaphnia sp.
EC50 265 mg/l, 48 h	Daphnia magna
EC50 242 mg/L, 5j	Algues

Ethoxylated alcohol C10-C16	68002-97-1
EC50 >1 – 10 mg/L, 48h	Daphnia magna
LC50 0.96 mg/L, 96h	Pimephales promelas
EC50 >0.1 – 1 mg/L, 72h	Pseudokirchneriella
EC50 >0.1 – 1 mg/L, 21d	Daphnia magna

2-Propenoic acid, telomer with sodium hydrogen sulfite	66019-18-9
CL50 700 mg/L, 96h	Oncorhynchus mykiss
CE50 > 1,000 mg, 48h	Daphnia magna
CE50 480 mg/L, 72h, Taux de croissance	Skeletonema costatum

PERSISTENCE AND DEGRADABILITY	Not available.
BIOACCUMULATIVE POTENTIAL	Not available.
SOIL MOBILITY	Not available.
OTHER ADVERSE EFFECTS	Not available.
ADDITIONAL INFORMATION	Do not let material or fire-fighting water run-off enter sewers or

5/7

waterways. Obstruct drains and ditches. Affected areas must be cleaned and restored to their original conditions or to the satisfaction of the
authorities.

13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations.
CONTAMINATED PACKAGING	Empty containers should be recycled or disposed of through an approved waste management facility.

14 – TRANSPORT INFORMATION

TRANSPORT OF DANGEROUS GOODS (CANADA)	
Not regulated for transport.	

MARINE POLLUTANT	No.
SPECIAL PRECAUTIONS	None.

15 – REGULATORY INFORMATION

CANADA	
СЕРА	All components of this product are either listed or exempt from listing on the Domestic substances List (DSL).
USA	
TSCA	All components of this product are either listed or exempt from listing on the Toxic Substances Control Act (TSCA) Inventory.

16 – OTHER INFORMATION

VERSION	1.0
DATE	September 14 2021
PREPARED BY	LABORATOIRE CAMPEAU INC. 61 rue des Menuisiers, local 106 Sainte-Anne-des-Plaines, QC JON 1H0 450-940-0644
ABBRÉVIATIONS	ABBREVIATIONS
ACGIH AIHA	American Conference of Governmental Industrial Hygienists American Industrial Hygiene Association
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
CIRC	Centre International pour la Recherche sur le Cancer
CL / LC	Concentration létale /Lethal concentration
DL / LD	Dose létale / Lethal dose

CE / EC Concentration efficace / Effective concentration IARC International Agency for Research on Cancer **LCPE** Loi Canadienne sur la Protection de l'Environnement LES/NDSL Liste extérieure des substances / Non domestic substances list LIS/DSL Liste intérieure des substances / Domestic substances list NIOSH National Institute for Occupational Safety and Health NTP National Toxicology Program (U.S.A.) Occupational Safety and Health Administration (U.S.A.) OSHA PEL Permissible Exposure Limit **SIMDUT** Système d'information sur les matières dangereuses utilisées au travail STEL Short-term Exposure Limit Specific target organ toxicity STOT TCOC Toxicité pour certains organs cibles TLV Threshold Limit Value **TSCA Toxic Substances Control Act TWA** Time Weighted Average **USEPA** United States Environmental Protection Agency VECD Valeur exposition courte durée **VEMP** Valeur exposition moyenne pondérée Workplace Hazardous Materials Information System **WHMIS** All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. NOTICE TO READER While the information is believed to be accurate, Laboratoire Campeau makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Laboratoire Campeau's control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its

use in combination with any other material or in any other process.