

SECTION 1 - IDENTIFICATION

Product identifier: Sodium Bicarbonate

Reccommended use: Chemical name: Chemical group:

Supplier identifier: TOTAL FABRICATION

511 Route 289

St-Alexandre-de-Kamouraska, Qc, G0L 2G0

(418) 970-0889

Manufacturer identifier: TOTAL FABRICATION

511 Route 289

St-Alexandre-de-Kamouraska, Qc, G0L 2G0

(418) 970-0889

Emergency phone: 418-970-0889, Lundi au Vendredi 9h00 à 17h00

SECTION 2 - HAZARD IDENTIFICATION

Classification Skin iritation - category 2

Eyes irritation - category 2B

Signal Word WARNING

Hazard statement H320 Causes eye irritation



SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENT			
Hazardous Product	No. CAS	% (weight)	
Sodium bicarbonate	144-55-8	99,5-100,5%	

SECTION 4 - FIRST AID MESURE

Inhalation:

IF INHALED: remover person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.

Skin contact:

IF ON SKIN: If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing/ jewellery and wash it before reuse. Apply moisturizing cream in case of dry skin.

Eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion:

NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two (2) glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.

Note to physician

No specific treatment. Treat according to symptoms. Contact a poison center immediately if large quantity has be ingested.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media: In case of fire: Use water, foam, CO2, dry chemical to extinguish.

Unsuitable extinguishing media: Stream of water directed into the product will generate large amounts of foam.

Hazardous combustion products:

Protective equipment: Fire-fighters must wear protective equipment and NIOSH approuved self-contained

breathing aparatus.

Precaution: Retain water run-off. Move containers away from fire area if without risk. Use water spray

to keep containers cool. In a fire or if heated, a pressure increase will occur and the

container may burst, with the risk of a subsequent explosion.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Protective equipment:



Wear plastic or rubber gloves if large quantities of bulk are handled. (See Section 8) wear respiratory equipment if ventilation is inadequate.

Containment and clean up:

Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material (sand, earth, vermiculite, diatomaceous earth) for future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water run-off if applicable. Inform proper authorities if necessary.

Environnement precaution:

Avoid entering sewers, waterways or restricted areas. Eliminate according to municipal provincial and federal regulation.

SECTION 7 - HANDELING AND STORAGE

Precaution for safe handeling:

Containers must be identified correctly. Handle in a well ventilated area. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse. Do not ingest. Avoid breathing vapours or mist. Wear appropriate respiratory equipment if ventilation is inadequate. Do no enter storage or enclosed areas if ventilation is inadequate.

Condition for safe storage:

Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed.

Incompatible materials:

Strong acids, oxidants. The product does not polymerise.

Incompatible condition:

Sources of ignition. Direct sunlight.

SECTION 8 - EXPOSURE CONTROLS / PERSONNAL PROTECTION

Exposure limits:

Ingredients	OSHA PEL			
iligiedielits	TWA	STEL	TWA	STEL
Sodium bicarbonate	No data	No data	No data	No data

Engineering controls:

Local ventilation system is recommended to maintain concentrations of contaminants below exposure limits.

Protection of airways:

Vapour density (air=1):

Not required if ventilation is adequate. Wear a NIOSH approved respiratory equipment if concentrations are superior to recommended maximal limits.

Protective equipment and clothing:

Wear chemical / impermeable gloves or other protective clothing to prevent repeated or continuous contact with the skin during handling and usage. Wear goggles to prevent mist, vapours or dust to contact eyes. Insure that eyewash stations, showers and cleaning stations are near to work station.

General hygiene recommendations:

Avoid contact with skin and eyes. Avoid breathing dust, vapours or mists. Never eat, drink or smoke near work stations. Good hygiene is recommended after using this product. Clean clothing before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid
Odour: Odourless
Odour threshold: Not available
pH (sol. 10%): 8,3 (0,1Mol solution)

Melting point: 270 C

Initial boiling point:

Flash point:

Evaporation rate (butyl acetate = 1):

Flammability:

Not applicable

Non flammable

LIL:

Not applicable

UIL:

Not applicable

Vapour pressure:

Not available

Not available



Relative density: 2,159 g/cm3

Solubility (water): 6,9 g/100mL (water)

Partition coefficient (n-octanol/water):Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not availableVolatiles:Not applicableViscosity:Not applicable

SECTION 10 - STABILITY AND REACTIVITY

Stability and reactivity: Stable under recommended conditions and expected usage.

Polymerisation: No.

Conditions to avoid : Direct Sunlight. Extremely high or low temperature Contact with incompatible materials.

Incompatible materials : Strong oxidants, acids.

Hazardous decomposition products : Carbon oxides

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological data:

Hazardous ingredient	No. CAS	% (weght)	LD ₅₀ (route, species)	LC ₅₀ (species)
Sodium bicarbonate	144-55-8	99,5-100,5%	>2000 mg/kg (oral, rat) >2000 mg/kg (dermal, rabbit)	No data

Short term exposure (acute):

Inhalation:No adverse reactions reported.Skin:Slight skin irritant. Redness, iching.

Eyes: Causes serious eyes irritation. Pain, redness, tearing.

Ingestion: Expected to be a low ingestion hazard.

Long term exposure (chronic):

Inhalation:No data availableSkin:No data availableEyes:No data availableIngestion:No data available

Carcinogenicity: Not carcinogen according to IARC

Teratogenicity:

Mutagenicity:
No data available
No data available
Target organ:
No data available
Conditions aggravated by exposure:
No data available

SECTION 12 - ECOLOGICAL INFORMATION

Hazardous ingredient	No. CAS	% (weght)	Value	Species
Sodium bicarbonate	144-55-8	99,5-100,5%	LC50 8250-9000 mg/kg EC50	fish Daphnia
Socialii bicarbonate	144-33-8	99,3-100,370	2350 mg/L	

Persistence and degradability:Not availableBioaccumulation potential:Not availableMobility in soil:Not availableOther adverse effects:Not available

Other information: Avoid release to the environnement.

SECTION 13 - DISPOSAL CONSIDERATION

Safe handling for disposal: Store materials for elimination and contaminated packaging as indicated in Section 7 Handling and

Storage.

Methods of disposal: Dispose contents/containers according to all municipal, provincial and federal regulations.

SECTION 14 - TRANSPORT INFORMATION

UN Number	Proper shipping name	Class	Packing group	Placard
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Not regulated for transport

Special Precaution: None known



Environnement Danger: Do not discharge into environnement.

SECTION 15 - REGULATION INFORMATION

Canadian Environmental Protection Act (CEPA): Components of this product are listed in the Domestic Substance List (DSL) or

the Non-Domestic Substance List (NDSL) or are exempt.

Others: Components of this product are listed on the TSCA or are exempt.

SECTION 16 - OTHER INFORMATION

Prepared by: TOTAL FABRICATION

511 Route 289

St-Alexandre-de-Kamouraska, Qc, G0L 2G0

Telephone: (418) 970-0889

Date: 16-mai-22

Version: 1.0

Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

AIHA American Industrial Hygiene Association

CAS Chemical Abstract Service

CL / LC Concentration létale /Lethal concentration

DL / LD Dose létale / Lethal dose

IARC International Agency for Research on Cancer
LES Liste extérieure des substances (NDSL)
LIS Liste intérieure des substances (DSL)

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit

SIMDUT Système d'information sur les matières dangereuses utilisées au travail

STEL Short-term Exposure Limit
TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

USEPA United States Environmental Protection Agency
WHMIS Workplace Hazardous Materials Information System

All information indicated in the present document are based on data supplied by recognized technical sources. While the information is believed to be accurate, the manufacturer makes no representations as to its accuracy or sufficiency. Users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.