

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Impact Partners Pain Cream with CBD Liquid

Matrix: Derivative

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA20819007-002 Harvest/Lot ID: 835303

> Batch#: B-PL3863 Seed to Sale# N/A

Batch Date: 08/11/22

Sample Size Received: 40 gram

Total Batch Size: N/A Retail Product Size: 30 gram

> Ordered: 08/12/22 Sampled: 08/12/22

Completed: 08/22/22

Sampling Method: SOP.T.20.010.FL

Page 1 of 1

Aug 22, 2022 | Cosmetic Solutions

6101 Park of Commerce Blvd Boca Raton, FL, 33487, US



PRODUCT IMAGE

COSMETIC SOLUTIONS

SAFETY RESULTS



Pesticides



Heavy Metals







Residuals Solvents



Filth





Moisture



MISC.

Terpenes NOT TESTED

PASSED



Cannabinoid


Reviewed On: 08/21/22 15:35:41

Batch Date: 08/19/22 09:34:53





Total Cannabinoids



Analyzed by: 3404, 1665, 3421 Extraction date: 08/19/22 12:26:53 Extracted by:

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA048646POT Instrument Used: DA-LC-007

Running on: 08/19/22 12:11:17 Reagent: 081622.R23; 071222.01; 081622.R22

Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



08/22/22

Signed On