AOK230524F41SR

SAFETY DATA SHEET

Supplier : GLUE MASTERS LLC

113 Cherry street, 72744, Seattle, WA, 98104-2205, USA

Manufacturer : GLUE MASTERS LLC

113 Cherry street, 72744, Seattle, WA, 98104-2205, USA

Prepared by : Shenzhen AOKT Technology Service Co., Ltd.

301, No. 2157-1, Bixin Road, Nanlian Community, Longgang Street, Longgang

District, Shenzhen, Guangdong, 518116 China

Product name

Glue Masters 2 Part Epoxy, 5 Minute Set, 0.81 Ounce Syringe, Clear -

Hardener

Model : 24MLEPOXYGM

Mark : /

SDS

Drafted by	Legler Test Testinology Service
Checked by	OIZT S
Approved by	UKI *
POLICIE STATE SHIP SHOWN	PROVED

Report Date : May 26, 2023

Report No. : AOK230524F41SR

AOK230524F41SR

SECTION 1- CHEMICAL PRODUCT INFORMATION

Product details:

Product name	Glue Masters 2 Part Epoxy, 5 Minute Set, 0.81 Ounce Syringe, Clear - Hardener	1
1000 00 00 00 00 00 00 00 00 00 00 00 00		0/-,T
Model	24MLEPOXYGM	201
Mark	1 PORKITER TERMINONS CHARGE	
End use	Household, workshops	
TEL COM NOON SOLVI	+1 883-458-6787	
Emergency telephone	+1 800-633-8253 (24- Hours)	
number	+1801-629-0667	
E-mail	sales@gluemasters.com	

Supplier/Manufacturer

Supplier	Cest Cechin	GLUE MASTERS LLC	KOK (Sept (Septing) May Septing
Address	1, 62, 160,	113 Cherry street, 72744, Seattle	e, WA, 98104-2205, USA

Manufacturer	LOF XIES	GLUE MASTERS LLC	MON TIES ST TES SHIPS OF OUT
Address	bo. K.	113 Cherry street, 72744, Seattle, W	/A, 98104-2205, USA

Summary:

As specified by the client, This safety data sheet was prepared in accordance with UN GHS Rev.9, 2021, The Regulation (EC) No 1272/2008 (CLP) (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830, and US OSH Hazard Communication Standards (29 CFR 1910.1200). Please refer to attached report for details.

SECTION 2- HAZARDS IDENTIFICATION

Hazard classification	This material is hazardous under the c	riteria of the Federal OSHA	
nazaru ciassilication	This material is hazardous under the criteria of the Federal OSHA		
	Hazard Communication Standard 29C	FR 1910.1200.	
	Acute toxicity - Category 4 - Oral	Acute toxicity - Category 4 - Oral	
	Acute toxicity - Category 4 - Inhalation Skin corrosion - Category 1B		
book lest legui	Serious eye damage - Category 1		
ADA TESTES	Skin sensitisation - Category 1		
	Reproductive toxicity - Category 2	MON Test Tes chicology Se	
Label elements	: Hazard pictograms:	Signal word:	
		DANGER!	
		be ok Lest Lecy Wor	
		LOK Les sties 941	
		POLKT Test Test	
28, 10°C	by 15 482 480, 200, 204, 384, 38	Part 185t 1	

AOK230524F41SR

SECTION 2- HAZARDS IDENTIFICATION

y, ice	POLITER TOWN WAS EAST TO BELLED
Hazards	: Carcinogenic Effects: No known carcinogenic effects
	Mutagenic Effects: No known mutagenic effects
	Harmful if swallowed or if inhaled
	Causes severe skin burns and eye damage.
	May cause an allergic skin reaction.
	Suspected of damaging fertility or the unborn child.Developmental
	Toxicity: No known developmental toxicity
Precautionary	Prevention
statements	Obtain special instructions before use.
T Lest Lection holosof	Do not handle until all safety precautions have been read and
	Sunderstood.
KOK, Les et Les equit	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	Wash skin thoroughly after handling.
AND YEST TO	Do not eat, drink or smoke when using this product.
	Use only outdoors or in a well-ventilated area.
	Contaminated work clothing should not be allowed out of the workplace.
	Wear protective gloves/ protective clothing/ eye protection/ face
RO OK	protection.
	Use personal protective equipment as required.
:.ce	eso personal protestivo equipment de requires.
	Response
	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
	feel unwell. Rinse mouth.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
	V. 10, 10, 10, 10, 10, 10, 10, 10, 10, 10,
	clothing. Rinse skin with water/ shower.
	IF INHALED: Remove victim to fresh air and keep at rest in a position
Cit Technology Servi	comfortable for breathing. Immediately call a POISON CENTER or
	doctor/ physician.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
	IF exposed or concerned: Get medical advice/ attention.
	If skin irritation or rash occurs: Get medical advice/ attention. Wash
POK Yest	contaminated clothing before reuse.
	Set tes stime door y set wice A COK Test tee throngon se
	Storage
	Store locked up.
	DK Lest Leg Hung Tody sen, lice BO, KI Lest Legy Hugh
	Disposal Control of the Dispos
110	Dispose of contents/ container to an approved waste disposal plant.
Other hazards	: no data available

AOK230524F41SR

SECTION 3- COMPOSITION /HAZARDOUS INGREDIENTS

This product is a mixture.

Chemical Name	CAS No.	Content (wt%)
Isophorone diamine	2855-13-2	7-13
Bisphenol A	80-05-7	0,1-1
Diethylenetriamine	111-40-0	_C 0,1-1
Tetraethylenepentamine	112-57-2	0,1-1

SECTION 4- FIRST AID MEASURES

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If not breathing, give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask, etc). If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.

Skin contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Seek medical attention if symptoms occur or irritation persists. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. Suitable emergency safety shower facility should be immediately available.

Eye contact: Wash immediately and continuously with flowing water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

Ingestion: Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully conscious.

Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

AOK230524F41SR

SECTION 4- FIRST AID MEASURES

Indication of any immediate medical attention and special treatment needed Notes to physician: Maintain adequate ventilation and oxygenation of the patient. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontamination. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5- FIGHTING MEASURES

NO 1 -21	0, 4, 5, 4, 9, 13, 4,
Suitable extinguishing : media	Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.
Unsuitable extinguishing : media	Do not use direct water stream. May spread fire.
Special hazards arising from the substance or mixture	Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Carbon monoxide. Carbon dioxide. Unusual Fire and Explosion Hazards: Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.
Advice for firefighters	Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.
Service Servic	Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

AOK230524F41SR

SECTION 6- ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Evacuate area. Only trained and properly protected personnel must be	
protective equipment	involved in clean-up operations. Keep upwind of spill. Ventilate area of	
and emergency	leak or spill. No smoking in area. Refer to section 7, Handling, for	
procedures	additional precautionary measures. Use appropriate safety equipment.	
shronglosh service	For additional information, refer to Section 8, Exposure Controls and	
(ec chino alogy ser spice	Personal Protection.	
Environmental	Prevent from entering into soil, ditches, sewers, waterways and/or	
precautions	groundwater. See Section 12, Ecological Information.	
Methods and	Contain spilled material if possible. Absorb with materials such as: Sand.	
materials for	Collect in suitable and properly labeled containers. See Section 13,	
containment and	Disposal Considerations, for additional information.	
cleaning up		

SECTION 7- HANDING AND STORAGE

e ROKKI	Keep away from heat, sparks and flame. Do not get in eyes, on skin, on
Precautions for safe	clothing. Avoid breathing vapor. Do not swallow. Avoid prolonged contact with eyes, skin and clothing. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.
handling	Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
Conditions for safe : storage	Store in a cool, dry place.
Storage temperature :	0 - 30 °C (32 - 86 °F)

SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls	60 100 7 28 Mice 6 60 1 1 28 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Engineering controls	Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.
Individual protection mea	asures red rolling service
Eye/face protection	: Use chemical goggles. If exposure causes eye discomfort, use a full-face respirator.

AOK230524F41SR

SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Butyl rubber. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl alcohol ("PVA"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive- pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIED

Physical State :	Liquid
Color	Amber
Odour (Control of the control of th	Not available
Flash point :	> 93°C
Solubility in Water :	Slightly soluble
pH Value	Not applicable Not applicable
Evapouration Rate :	Not applicable
Flammability (solid, gas)	Not applicable
Specific Gravity :	Not applicable
Boiling Point :	> 204°C
Partition coefficient (n-octanol / water) :	Not applicable
Density (water=1)	1.12 × 1.
Relative Vapor Density (air=1) :	

AOK230524F41SR

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIED

Vapor Pressure :	1.55 mmHg at 20°C	POOK TEST TO
Intrinsic viscosity, DL / g	Not applicable	LOK (185
Melting point, °C	Not applicable	, bold is
Terminal carboxyl content, mol / T	Not applicable	Po OK
Chromaticity b value :	Not applicable	L S
Chromaticity L value :	Not applicable	ice P
Moisture (mass fraction),%	Not applicable	Sela vice
≥ 10m agglutinated particles, PCs. / NG :	Not applicable	y cervice
Diethylene glycol content (mass : fraction),%	Not applicable	CON SELVICE
Dynamic Viscosity :	200- 400 cP at 25°C	40,000 A 284,4108
Iron content, mg / kg	Not applicable	SCHULOPOS SELVICE
Powder, mg / kg :	Not applicable	Lecy Much 1004 Permice
Abnormal slice (mass fraction),%	Not applicable	est & equicology ser ling

SECTION 10- STABILITY AND REACTIVITY

Reactivity	PC.	no data available	
Chemical stability	:	: Stable under recommended storage conditions. See Storage, Section 7.	
Possibility of hazardous reactions	:	Polymerization will not occur.	
Conditions to avoid	2	Exposure to elevated temperatures can cause product to decompose.	
Incompatible materials	; ,e	Avoid contact with: Acids. Halogenated hydrocarbons. Oxidizers. Avoid contact with metals such as: Brass. Bronze. Copper. Copper alloys.	
Hazardous decomposition products	ecomposition presence of other materials. Decomposition products can include and ar		

SECTION 11- TOXICOLOGICAL INFORMATION

Toxicological information on this product or its components appear in this section when such data is available.

AOK230524F41SR

SECTION 11- TOXICOLOGICAL INFORMATION

`_ajice	10/1 182 160 1460, 1001, 281, 100 By 14 165, 160
Acute toxicity Acute toxicity	 Acute oral toxicity Low toxicity if swallowed. Swallowing may result in gastrointestinal irritation or ulceration. Swallowing may result in burns of the mouth and throat. As product: Single dose oral LD50 has not been determined. Based on information for component(s): LD50, Rat, 1,000 mg/kg Estimated. Acute dermal toxicity Prolonged or widespread skin contact may result in absorption of
	potentially harmful amounts. The dermal LD50 has not been determined. Acute inhalation toxicity
OK TESTS TECHNOLOGY A CHITEST TEST TECHNOLOGY A CHITEST TEST TECHNOLOGY A CHITEST TEST TECHNOLOGY A CHITEST TEST TEST TECHNOLOGY A CHITEST TEST TEST TEST A CHITEST A CHITES	Excessive exposure may cause irritation to upper respiratory tract (nose and throat). May cause central nervous system depression. Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness. Prolonged excessive exposure may cause serious adverse effects, even death.
Skin corrosion/irritation	: Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage.
Serious eye damage/eye irritation	: May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur. Vapor may cause lacrimation (tears).
Sensitization	Skin contact may cause an allergic skin reaction. A component in this mixture has caused allergic skin reactions in humans. Contains component(s) which have caused allergic skin sensitization in guinea pigs. Contains component(s) which have demonstrated the potential for contact allergy in mice.
For respiratory sensitization:	: No relevant data found.
Specific Target Organ Systemic Toxicity (Single Exposure)	: Evaluation of available data suggests that this material is not an STOT-SE toxicant.
Specific Target Organ Systemic Toxicity (Repeated Exposure)	: For the component(s) tested: In animals, effects have been reported on the following organs: Central nervous system. Muscles. Thymus. Urinary tract.
	Thymus. Urinary tract. Respiratory tract. Liver. Kidney. Gastrointestinal tract.
Service	Testes.

AOK230524F41SR

SECTION 11- TOXICOLOGICAL INFORMATION

Carcinogenicity	: Contains component(s) which did not cause cancer in laboratory animals.
Teratogenicity	: Based on information for component(s): Has caused birth defects in laboratory animals only at doses toxic to the mother. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.
Reproductive toxicity	 In a three-generation reproduction study in rats, nonylphenol did not interfere with standard reproductive parameters. However, some additional endpoints which are considered markers of potential reproductive toxicity were affected at higher doses that produced systemic toxicity to the parent animals. Contains component(s) which did not interfere with fertility in animal studies. Contains component(s) which did not interfere with reproduction in animal studies.
Mutagenicity	: Contains component(s) which were negative in some in vitro genetic toxicity studies and positive in others. Contains a component(s) which were negative in in vitro genetic toxicity studies. Contains component(s) which were negative in animal genetic toxicity studies.
Aspiration Hazard	: Based on physical properties, not likely to be an aspiration hazard.

SECTION 12- ECOLOGICAL INFORMATION

Toxicity	Acute toxicity to fish
	Material is slightly toxic to aquatic organisms on an acute basis
	(LC50/EC50 between 10 and 100 mg/L in the most sensitive species
	rested).
	LC50, Leuciscus idus (Golden orfe), semi-static test, 96 Hour, 110 mg/l
	Technicology Services ROXX Tesset Tes ethic dos y Service
	Acute toxicity to aquatic invertebrates
	EC50, Daphnia magna (Water flea), Static, 48 Hour, 23 mg/l, OECD Tes
	Guideline 202 or Equivalent
	Acute toxicity to algae/aquatic plants
	EbC50, alga Scenedesmus sp., 72 Hour, Biomass, 37 mg/l
	Toxicity to bacteria
	EC10, Bacteria, 18 Hour, 1,120 mg/l

AOK230524F41SR

SECTION 12- ECOLOGICAL INFORMATION

Persistence and Biodegradability: Material is expected to biodegrade very slowly (in the degradability environment). Fails to pass OECD/EEC tests for ready biodegradability. 10-day Window: Fail Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 301A or Equivalent 10-day Window: Not applicable Biodegradation: 42 % Exposure time: 3 Hour Method: OECD Test Guideline 303A or Equivalent Theoretical Oxygen Demand: 3.38 mg/mg **Photodegradation** Test Type: Half-life (indirect photolysis) Sensitizer: OH radicals Atmospheric half-life: 0.126 d Method: Estimated. **Bioaccumulative** Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log potential Partition coefficient: n-octanol/water(log Pow): 0.79 Measured Mobility in soil : Potential for mobility in soil is medium (Koc between 150 and 500). Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process. Partition coefficient(Koc): 340 Estimated.

SECTION 13- DISPOSAL CONSIDERATIONS

Disposal methods

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN (M)SDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.

AOK230524F41SR

SECTION 14- TRANSPORT INFORMATION

DOT Proper shipping name: Amines, liquid, corrosive, n.o.s.(isophoronediamine, 1,3 benzenedimethanamine) UN number: UN 2735 Class: 8 Packing group: III Classification for SEA Proper shipping name: AMINES, LIQUID, CORROSIVE. transport (IMO-IMDG) N.O.S. (isophoronediamine, 1,3-benzenedimethanamine) UN number: UN 2735 Class: 8 Packing group: III Marine pollutant: 4-Nonviphenol, branched Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code: Consult IMO regulations before transporting ocean bulk Classification for AIR Proper shipping name: Amines, liquid, corrosive. transport (IATA/ICAO) n.o.s.(isophoronediamine, 1.3- benzenedimethanamine) UN number: UN 2735 Class: 8

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Packing group: III

SECTION 15- REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	Non-hazardous product, according to EU Regulations 1907/2006, 1272/2008 (REACH, CLP). SVHC (substances of very high concern): none of the components are listed.
Chemical safety assessment	Not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations for all EU Member states:

- •Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006. Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency with following amendments.
- •Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008. On classification, labelling and packaging of substances and mixtures (CLP), amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.

AOK230524F41SR

SECTION 15- REGULATORY INFORMATION

- •Regulation (EU) No 453/2010 of the Commission of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- •Regulation (EC) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- •Regulation (EC) 649/2012 of the European Parliament and of the Council of 4 July 2012. Concerning the export and import of hazardous chemicals.
- European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR)

Authorisation and/or restrictions on use:

•Substances of very high concern (SVHC) according to Article 59(10) of the REACH Regulation

Other Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods 》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

《Occupational Safety and Health Act》 (OSHA)

《Toxic Substances Control Act》(TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《The Oil Pollution Act》(OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313) 》(SARA)

《Resource Conservation and Recovery Act》(RCRA)

《Safety Drinking Water Act》(CWA)

《California Proposition 65 》

《Code of Federal Regulations 》 (CFR)

In accordance with all Federal, State and Local laws.

SECTION 16- OTHER INFORMATION

The information in this (M)SDS is obtained from sources we believe are reliable. However, the information provided does not make any warranty, express or implied, for its correctness. The conditions or methods of handling, storage, use or disposal of products are beyond our control. It may be that we are not familiar with the information of this product, and the data provided after this information may be modified. For this reason and other reasons, we are not responsible for any loss, damage or expense arising from or in any form related to the processing, storage, use or disposal of the product. This (M)SDS is only used for this product. If this product is used as a component of other products, this (M)SDS information may not be applicable.

***** THE END ****