EC Certificate Type Examination (Module B)



This is to certify that:

Germanischer Lloyd, a Notified Body under the terms of the Marine Equipment Directive 96/98/EC of 20 December 1996, notified by the German Federal Ministry of Transport, Building and Urban Development, did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the requirements of Marine Equipment Directive (MED) 96/98/EC as amended, subject to any conditions in the schedule attached hereto.

Certificate No.

95 019 - 14 HH

Applicant

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

Manufacturer

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

Product Description

Inflatable Liferafts (throw over-board type)

Product Name

TOB 6/8/10/12/15/16/20/25/30/35

Trade Name

DUARRY TOB 6/8/10/12/15/16/20/25/30/35

Specified Standards

SOLAS 74 as amended Reg. III/4, III/13, III/21, III/26, III/31, III/34 and X/3,

LSA-Code I and IV, IMO Res. MSC.81(70),

MSC/Circ.811.

1994 and 2000 HSC Code 8,

Related Directive

2012/32/EU

Equipment Section

Life-saving appliances

Annex A.1 Item No.

A.1/1.12

Date of Re-issue

2014-04-01

Expiry Date

Page

2019-03-31

Germanischer Lloyd

Notified Body No.: 0098

1 of 3



Nils Wegener



Certificate No: 95 019 - 14 HH Date of Re-issue: 2014-04-01

Schedule of Approval

Additional Standards

MSC.207(81), MSC.218(82), MSC.226(82) and MSC.295(87), MSC.323(89) and ISO 15738 (2002)

Approval Documentation

Test report from GL Zhoushan date 2011-06-10 and 2012-09-06

Audit report from GL Zhoushan dated 2010-12-30 with ref.11-097571 and from 2012-10-23 with ref. 13-006161; Audit report GL-Barcelona ref.14-009792

Drawings, blue prints and documentation for DUARRY TOB models,

Technical Data

Conditions of Certification:

	Persons	Weight [kg]	Weight [kg]	Required bollard pull [kN]		max.	
Type:	(82,5 kg)	SOLAS A	SOLAS B	(2 kn)	(3 kn)	Stowage Height	
TOB-6	6	76	66	0.30	0.80	50 m	
TOB-8	8	85	73	0.35	0.90	50 m	
TOB-10	10	98	82	0.40	0.90	50 m	
TOB-12	12	108	92	0.45	0.95	50 m	
TOB-15	15	122	97	0.50	1.30	50 m	
TOB-16	16	127	100	0.70	1.50	50 m	
TOB-20	20	149	120	0.80	1.80	50 m	
TOB-25	25	178	135	1.00	1.85	50 m	
TOB-30	30	205	140	1.10	2.00	50 m	
TOB-35	35	223	148	1.30	2.40	50 m	

- 1. The equipment and marking of the liferaft shall be in accordance with LSA-Code 4.1.5.
- The liferafts are to be serviced annually, provided where in any case this is impracticable, the administration may extend this period to 17 month. They shall be serviced at approved service stations which are authorised by the manufacturer.
- Production tests are to be conducted in accordance with IMO Resolution MSC.81(70) Part 2 and recorded by the manufacturer in accordance with the approved Production Quality Assurance system for Module D of the Marine Equipment Directive 2011/75/EU as amended.



Certificate No: 95 019 - 14 HH Date of Re-issue: 2014-04-01

Remarks

The liferafts TOB-30 and TOB-35 with SOLAS emergency pack type A have a mass of 205 kg / 223 kg and may not be used for positions where side to side transferability is required.

Limitations on the acceptance or use of the product

None

Notes:

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform Germanischer Lloyd, as the Notified Body, of any modifications or changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certifiate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body.

EC Certificate Type Examination (Module B)



This is to certify that:

Germanischer Lloyd, a Notified Body under the terms of the Marine Equipment Directive 96/98/EC of 20 December 1996, notified by the German Federal Ministry of Transport, Building and Urban Development, did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the requirements of Marine Equipment Directive (MED) 96/98/EC as amended, subject to any conditions in the schedule attached hereto.

Certificate No.

95 020 - 14 HH

Applicant

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

Manufacturer

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

Product Description

Inflatable Liferafts (davit launched type)

Product Name

DL 12/15/16/20/25

Trade Name

DUARRY DL 12/15/16/20/25

Specified Standards

SOLAS 74 as amended Reg. III/4, III/13, III/21, III/26, III/31, III/34 and X/3,

LSA-Code I and IV, IMO Res. MSC.81(70),

MSC/Circ.811,

1994 and 2000 HSC Code 8,

Related Directive

2012/32/EU

Equipment Section

Life-saving appliances

Annex A.1 Item No.

A.1/1.12

Date of Re-issue

2014-04-01

Expiry Date

2019-03-31

Germanischer Lloyd

Notified Body No.: 0098

Page

1 of 3



Nils Wegener



Certificate No: 95 020 - 14 HH Date of Re-issue: 2014-04-01

Schedule of Approval

Additional Standards

MSC.207(81), MSC.218(82), MSC.226(82) and MSC.295(87), MSC.323(89) and ISO 15738 (2002)

Approval Documentation

Test report from GL Zhoushan date 2012-09-07
Audit report from GL Zhoushan dated 2012-10-23 with ref. 13-006161,
Audit report of GL Barcelona ref. 14-009792
Drawings, blue prints and documentation for DUARRY DL models,

Technical Data

Conditions of Certification:

- southers	Persons	Weight [kg]	Weight [kg]	Required bollard pull [kN]		max.	
Type:	(82,5 kg)	SOLAS A	SOLAS B	(2 kn)	(3 kn)	Stowage Height	
DL-12	12	80	65	0.98	1.05	50 m	
DL-15	15	150	115	1.0	1.6	50 m	
DL-16	16	160	125	1.2	1.7	50 m	
DL-20	20	208	165	1.45	1.9	50 m	
DL-25	25	239	185	1.5	2.4	50 m	

- 1. The equipment and marking of the liferaft shall be in accordance with LSA-Code 4.1.5.
- The liferafts are to be serviced annually, provided where in any case this is impracticable, the administration may extend this period to 17 month. They shall be serviced at approved service stations which are authorised by the manufacturer.
- Production tests are to be conducted in accordance with IMO Resolution MSC.81(70) Part 2 and recorded by the manufacturer in accordance with the approved Production Quality Assurance system for Module D of the Marine Equipment Directive 2011/75/EU as amended.



Certificate No: 95 020 - 14 HH Date of Re-issue: 2014-04-01

Remarks

The liferafts DL-20 and DL-25 with SOLAS emergency pack type A have a mass of 208 kg / 239 kg and may not be used for positions where side to side transferability is required.

Limitations on the acceptance or use of the product

None

Notes:

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform Germanischer Lloyd, as the Notified Body, of any modifications or changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certifiate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body.

EC Certificate Type Examination (Module B)



This is to certify that:

Germanischer Lloyd, a Notified Body under the terms of the Marine Equipment Directive 96/98/EC of 20 December 1996, notified by the German Federal Ministry of Transport, Building and Urban Development, did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the requirements of Marine Equipment Directive (MED) 96/98/EC as amended, subject to any conditions in the schedule attached hereto.

Certificate No.

95 021 - 14 HH

Applicant

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9

28008 Madrid, SPAIN

Manufacturer

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

28008 M

Product Description

Open reversible liferafts (throw over-board type)

Product Name

ORIL 6/10/25/30/50/65/100

Trade Name

DUARRY ORIL 6/10/25/30/50/65/100

Specified Standards

SOLAS 74 as amended Reg. III/4, III/13, III/21, III/26, III/31, III/34 and X/3,

LSA-Code I,

1994 and 2000 HSC Code 8, Annex 10 and 11,

Related Directive

2012/32/EU

Equipment Section

Life-saving appliances

Annex A.1 Item No.

A.1/1.39

Date of Issue

2014-04-01

Expiry Date

2019-03-31

Germanischer Lloyd

1 of 3

Notified Body No.: 0098

Page

8



Nils Wegener



Certificate No: 95 021 - 14 HH Date of Issue: 2014-04-01

Schedule of Approval

Additional Standards

MSC.207(81), MSC.218(82), MSC.226(82) and MSC.295(87)

Approval Documentation

Test report from GL Zhoushan date 2011-06-10, Audit report from GL Zhoushan dated 2010-12-30 with ref.11-097571, Audit report GL Barcelona ref. 14-009792, Drawings, blue prints and documentation for DUARRY OR models,

Technical Data

Conditions of Certification:

	Persons	Weight [kg]	Required bol	max.	
Type:	(82,5 kg)	HSC pack	(2 kn)	(3 kn)	Stowage Height
ORIL-6	6	49	0.40	0.90	10 m
ORIL-10	10	56	0.50	1.00	10 m
ORIL-25	25	92	0.75	1.50	10 m
ORIL-30	30	109	1.00	1.90	10 m
ORIL-50	50	168	1.50	2.10	10 m
ORIL-65	65	215	1.70	2.65	10 m
ORIL-100	100	293	2.15	5.00	10 m

- 1. The equipment and marking of the liferaft shall be in accordance with LSA-Code 4.1.5.
- 2. The liferafts are to be serviced annually, provided where in any case this is impracticable, the administration may extend this period to 17 month. They shall be serviced at approved service stations which are authorised by the manufacturer.
- Production tests are to be conducted in accordance with IMO Resolution MSC.81(70) Part 2 and recorded by the manufacturer in accordance with the approved Production Quality Assurance system for Module D of the Marine Equipment Directive as amended.



Certificate No: 95 021 - 14 HH Date of Issue: 2014-04-01

Remarks

None

Limitations on the acceptance or use of the product

None

Notes:

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform Germanischer Lloyd, as the Notified Body, of any modifications or changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certifiate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body.

EC Certificate of Conformity Quality System (Module D)



Germanischer Lloyd as the notified body, notified by the German Federal Ministry of Transport, Building and Urban Development, performing the quality assessment procedures certifies that the manufacturer maintains and applies a quality system which is in compliance with the requirements of the Marine Equipment Directive (MED) 96/98/EC, as amended, ensuring that the equipment identified below is conform to the type as described in the EC Type Examination Certificate, subject to any conditions in the annex attached hereto.

Certificate No.

95 022 - 14 HH

Manufacturer

Auxiliar de Seguridad en la Mar S.A.

Plaza de Espana 9 28008 Madrid, SPAIN

Scope:

A.1/1.12

Inflatable liferafts

A.1/1.39

Open reversible liferafts

Related Directive

2012/32/EU

Date of Issue

2014-04-01

Expiry Date

2019-03-31

Germanischer Lloyd

Notified Body No.: 0098

Page

1 of 3





Certificate No: 95 022 - 14 HH Date of Issue: 2014-04-01

Remarks

None

Notes:

This certificate authorises the manufacturer in conjunction with the EC Type Examination (Module B) Certificate of the equipment listed before to affix the Mark of Conformity (wheelmark) to the product described herein.

This certificate loses its validity if the manufacturer makes any changes or modifications to the approved quality system, which have not been notified to, and agreed with the notified body named on this certificate and/or after lapse of time, withdrawal or revocation of the EC Type Examination (Module B) Certificate.

Wheelmark Format and application:



0098

уу

Notified Body number undertaking quality surveillance Last two digits of year in which the mark is affixed



Annex to

Certificate No: 95 022 - 14 HH Date of Issue: 2014-04-01

Item	Item Description Product Name Trade Name											
									Module B No.	Date of	Date of expiry	Notified Body
									USCG Approval No.	issue		
	Comment to USCG Approval (if applicable)											
	A.1/1.12	Inflatable liferafts										
		DL 12/15/16/20/25										
DUARRY DL 12/15/16/20/25												
95 020 - 14 HH		01.04.2014	31.03.2019	0098								
TOB 6/8/10/12/15/16/20/25/30/35												
DUARRY TOB 6/8/10/12/15/16/20/25/30/35												
95 019 - 14 HH		01.04.2014	31.03.2019	0098								
A.1/1.39	Open reversible liferafts											
	ORIL 6/10/25/30/50/65/100											
	DUARRY ORIL 6/10/25/30/50/65/100											
	95 021 - 14 HH	01.04.2014	31.03.2019	0098								