Material Safety Data Sheet Marine Liferafts

SECTION I - (	CHEMICAL PRODUC	T AND COMPAN	Y IDENTIFICATION	
PRODUCT NAME	Liferaft, Self Inflating, Marine Type			
TRADE NAMES/SYNONYMS				
	Model No.	Part No.	Model No.	Part No.
	Offshore Elite 4	45-OE4( )	Offshore Ocean 4	45-004( )
	Offshore Elite 6	45-OE6( )	Offshore Ocean 6	45-006()
	Offshore Elite 8	45-OE8()	Offshore Ocean 8	45-OO8( )
	Coastal Elite 4	45-CE4( )	Coastal Cruiser 6 Valise	45-96610316-V
	Coastal Elite 6	45-CE6()	Coastal Cruiser 6 Container	45-96610317-C
	Coastal Elite 8	45-CE8()	Coastal Cruiser 6 XT	45-CCXT6V
	Coastal Cruiser 2.0	45-CCZR6()	ISAF Rescue Racer XT 4	45-RRXT4( )
	Coastal Commander	45-COASTCO6()	ISAF Rescue Racer XT 6	45-RRXT6()
	Offshore Commander 4	45-OC4()	ISAF Rescue Racer XT 8	45-RRXT8()
	Offshore Commander 6	45-OC6()	ISAF Rescue Racer XT 10	45-RRXT10()
	Offshore Commander 8	45-OC8()	Ocean ISO 4	45-OISO4()
	Coastal Commander 2.0	45-COASTCO2- 6()	Ocean ISO 6	45-OISO6()
	Offshore Commander 2.0 / 4	45-OC2-4( )	Ocean ISO 8	45-OISO8()
	Offshore Commander 2.0 / 6	45-OC2-6()	Revere USCG/SOLAS	45-REV-CGS-4 – 45-REV-CGS-25
	Offshore Commander 2.0 / 8	45-OC2-8()	3Si USCG/SOLAS	45-3SI-CGS-4 – 45-3SI-CGS-25
PRODUCT USES	Inflatable liferaft for em	nergency use on red	creational/pleasure or com	mercial boats.
MANUFACTURER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Revere Survival Inc. 5323 Highway Ave. Jacksonville Florida, USA 32254 (INFOTRAC) Within US	SA/Canada 1-800-5	535-5053; International 1-3	352-323-3500
SUPPLIER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Same as manufactur	er listed above.		

Material Safety Data Sheet Marine Liferafts

SECTION II - COMPOSITION / INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENTS	% (by weight)	CAS Number	LD <sub>50</sub>	LC <sub>50</sub>
Not Applicable (N/A)				

Hazardous mixtures of other liquids, solids, or gases:

- 1.- Carbon Dioxide, Compressed, CAS# 124-38-9, UN1013
- 2.- Nitrogen, Compressed, CAS# 7727-37-9, UN1066
- 3.- Pyrotechnic Signaling Device (flares) including: Signal Devices, Hand, UN0191, 1.4G Cartridges, Signal, UN0405, 1.4S Signals, Smoke, UN0197, 1.4G Articles Pyrotechnic, UN0432, 1.4G Flares, Aerial, UN0403, 1.4G Cartridges, Signal, UN0312, 1.4G

#### **SECTION III – HAZARDS IDENTIFICATION**

**SECTION IV - FIRST AID MEASURES** 

Liferaft contains a steel or aluminum cylinder of gas under pressure which may discharge or rupture under extreme temperatures. Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire. Keep away from flame or flame producing sources.

SKIN CONTACT	N/A			
EYE CONTACT	N/A			
INHALATION	N/A			
INGESTION	N/A			
In general, liferafts p	resent no hazards that would require first aid	d measures.		
SECTION V - FIRE FIGHTING MEASURES				
Flammable: 🗆 No		Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire.		
Means of Extinction		Large volumes of water		
Special Fire Fighting Procedures:		Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.		
Flashpoint (°C) and	Method	N/A		
Upper Flammable Limit (% by volume)		N/A		
Lower Flammable Limit (% by volume)		N/A		
Autoignition Temperature (°C)		Auto Ignition > 175 °C (350 °F)		
Explosion Data - Sensitivity to Impact		N/A		
Explosion Data - Sensitivity to Static Discharge		N/A		
Hazardous Combus	stion Products	May form harmful fumes under fire conditions. Use airventilated full mask and full protective clothing when fighting fires.		

Material Safety Data Sheet Marine Liferafts

SECTION VI – ACCIDENTAL RELEASE MEASURES			
Leak and Spill Procedures	Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.		
	S	SECTION VII - HANDLING AND STORAGE	
Handling Procedures and Equipment	Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is packed in a hard container, lift from bottom. Opening the raft valise or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure relief device. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates.		
Storage Requirements	These units should be stored in a cool, dry area away from danger of sparks, heat or flame.		
SECTIO		- EXPOSURE CONTROLS, PERSONAL PROTECTION	
Exposure Limits:   ACGIH			
•		\	
Engineering Controls (speci		N/A	
Personal Protective Equipment: ☐ Gloves ☐ Respirator ☐ Eye ☐ Footware ☐ Clothing ☐ Other (if checked, specify type)  N/A			
SI	ECTIO	N IX - PHYSICAL AND CHEMICAL PROPERTIES	
Physical State		N/A	
Odor and Appearance		N/A	
Odor Threshold (ppm)		N/A	
Specific Gravity		N/A	
Vapor Density (air=1)		N/A	
Vapor Pressure (mmHg)		N/A	
		N/A	
Boiling Point (°C)		N/A	
Freezing Point (°C)		N/A	
pH		N/A n N/A	
Coefficient of Water/Oil Distribution		N/A	
SECTION X – STABILITY AND REACTIVITY  Chemical Stability:   Yes   No - Identify under which conditions			
Chemical Stability: ⊠ Yes □ No - Identify under which conditions Stable under normal temperatures and conditions.			
Incompatibility with other substances: ⊠ No □ Yes - Identify which ones N/A			
Reactivity, and under what conditions?  N/A			
Hazardous Decomposition Products  May form harmful fumes under fire conditions.			

Material Safety Data Sheet Marine Liferafts

			SECTION XI- TOXICOLOGY INFORMATION		
Effects of	Effects of Acute Exposure		N/A		
Effects of Chronic Exposure		Exposure	N/A		
Irritancy of	Irritancy of Product		N/A		
Respirato	Respiratory Sensitization		N/A		
Carcinog	Carcinogenicity – IARC		N/A		
Carcinogenicity – ACGIH		ACGIH	N/A		
Reproductive toxicity		ity	N/A		
Teratogei	Teratogenicity		N/A		
Embryoto	Embryotoxicity		N/A		
Mutageni	Mutagenicity		N/A		
Name of	synergisti	ic products/			
			SECTION XII – ECOLOGICAL INFORMATION		
Aquatic T	Toxicity N/A				
			SECTION XIII – DISPOSAL CONSIDERATIONS		
released will dissipa		released w	preferred method of disposal of pyrotechnic materials. Any compressed gas pate into the atmosphere and leave no hazardous waste. Other solid portions of disposed of as domestic waste in accordance with local laws and regulations.		
	SECTION XIV – TRANSPORT INFORMATION				
Special Shipping Information  Classified according to DOT, ADR, IMDG, and IATA:  UN2990  Class 9  Proper shipping name: Life Saving Appliance, Self Inflating		UN2990 Class 9			
DOT	See Above and 49CR172.101 and 49CFR173.219				
IMO	See Above				
IATA	See Above				
	SECTION XV – REGULATORY INFORMATION				
OSHA	As required by US federal regulations.				
SERA	N/A				
TSCA	N/A				

Material Safety Data Sheet Marine Liferafts

### **SECTION XVI– OTHER INFORMATION**

**Disclaimer Liability:** Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express of implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

**User Responsiblity:** This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.