Safety Data Sheet Marine Liferafts

PRODUCT NAME			Y IDENTIFICATION	
PRODUCT NAME	Liferaft, Self-Inflating	, Marine Type	Γ	
TRADE NAMES/SYNONYMS	Model No.	Part No.	Model No.	Part No.
TRADE NAMES, STROKT MIS	Offshore Elite 4	45-OE4()	Offshore Commander 3.0/ 4	45-OC3-4( )
	Offshore Elite 6	45-OE6()	Offshore Commander 3.0/6	45-OC3-6()
	Offshore Elite 8	45-OE8()	Offshore Commander 3.0/8	45-OC3-8()
	Coastal Elite 4	45-CE4( )	Coastal Cruiser 6 Valise	45-96610316-V
	Coastal Elite 6	45-CE6()	Coastal Cruiser 6 Container	45-96610317-C
	Coastal Elite 8	45-CE8()	Coastal Cruiser 6 XT	45-CCXT6V
	Coastal Cruiser 2.0	45-CCZR6()	ISAF Rescue Racer XT 4	45-RRXT4()
	Coastal Commander	45-COASTCO6()	ISAF Rescue Racer XT 6	45-RRXT6()
	Offshore Commander 4	45-OC4()	ISAF Rescue Racer XT 8	45-RRXT8()
	Offshore Commander 6	45-OC6( )	ISAF Rescue Racer XT 10	45-RRXT10()
	Offshore Commander 8	45-OC8()	Revere Regatta 4	45-RAF1300 – 45-RAF1305
	Coastal Commander 2.0	45-COASTCO2-6 ()	Revere Regatta 6	45-RAF1310 – 45-RAF1315
	Offshore Commander 2.0 / 4	45-OC2-4( )	Revere Regatta 8	45-RAF1320 – 45-RAF1325
	Offshore Commander 2.0 / 6	45-OC2-6()	Revere USCG/SOLAS	45-REV-CGS-4 – 45-REV-CGS-25
	Offshore Commander 2.0 / 8	45-OC2-8()	Revere USCG/SOLAS	45-REV-CPT-6 – 45-REV-CPT-16
	Revere IBA	45-REV-IBA-(4-50)	3Si IBA	45-3SI-IBA-(4-50)
PRODUCT USES	Inflatable liferaft for emergency use on recreational/pleasure or commercial boats.			mercial boats.
MANUFACTURER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Revere Survival Inc. 5323 Highway Ave. Jacksonville Florida, USA 32254 (INFOTRAC) Within US	SA/Canada 1-800-5	535-5053; International 1-3	352-323-3500
SUPPLIER'S NAME Street Address: City State/Province Emergency Telephone Number	Same as manufacturer	listed above.		

Safety Data Sheet Marine Liferafts

SECTION II - COMPOSITION / INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENTS	% (by weight)	CAS Number	LD <sub>50</sub>	LC <sub>50</sub>
Not Applicable (N/A)				

Hazardous mixtures of other liquids, solids, or gases:

- 1.- Carbon Dioxide, Compressed, CAS# 124-38-9, UN1013
- 2.- Nitrogen, Compressed, CAS# 7727-37-9, UN1066
- 3.- Pyrotechnic Signaling Device (flares) including:

Signal Devices, Hand, UN0191, 1.4G Cartridges, Signal, UN0405, 1.4S

Signals, Smoke, UN0197, 1.4G Articles Pyrotechnic, UN0432, 1.4G

Flares, Aerial, UN0403, 1.4G

Cartridges, Signal, UN0312, 1.4G Signals, Smoke, UN0507, 1.4S

Flares, Aerial, UN0505, 1.4G

### **SECTION III – HAZARDS IDENTIFICATION**

Liferaft contains a steel or aluminum cylinder of gas under pressure which may discharge or rupture under extreme temperatures. Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire. Keep away from flame or flame producing sources.

SECTION IV - FIRST AID MEASURES				
SKIN CONTACT	N/A			
EYE CONTACT	N/A			
INHALATION	N/A			
INGESTION	N/A			
In general, liferafts p	resent no hazards that would require first ai	d measures.		
SECTION V - FIRE FIGHTING MEASURES				
Flammable: □ No		Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire.		
Means of Extinction		Large volumes of water		
Special Fire Fightin	ng Procedures:	Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.		
Flashpoint (°C) and	Method	N/A		
Upper Flammable Limit (% by volume)		N/A		
Lower Flammable Limit (% by volume)		N/A		
Autoignition Temperature (°C)		Auto Ignition > 175° C (350° F)		
Explosion Data - Sensitivity to Impact		N/A		
Explosion Data - Sensitivity to Static Discharge		N/A		
Hazardous Combu	stion Products	May form harmful fumes under fire conditions. Use airventilated full mask and full protective clothing when fighting fires.		

Safety Data Sheet Marine Liferafts

SECTION VI - ACCIDENTAL RELEASE MEASURES				
Leak and Spill Procedures	Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.			
	S	SECTION VII - HANDLING AND STORAGE		
Handling Procedures and Equipment	Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is packed in a hard container, lift from bottom. Opening the raft valise or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure relief device. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates.			
Storage Requirements	<b>These units should be stored in a cool, dry area away from danger of sparks, heat or flame.</b>			
SECTIO		I – EXPOSURE CONTROLS, PERSONAL PROTECTION		
Exposure Limits:   ACGIH		□ OSHA PEL □ Other (specify) N/A		
Engineering Controls (speci				
Personal Protective Equipment: Gloves Respirator Eye Footwear Clothing Other (if checked, specify type)  N/A				
SE	CTIO	N IX - PHYSICAL AND CHEMICAL PROPERTIES		
Physical State		N/A		
Odor and Appearance		N/A		
Odor Threshold (ppm)		N/A		
Specific Gravity		N/A		
Vapor Density (air=1)		N/A		
Vapor Pressure (mmHg)		N/A		
Evaporation Rate		N/A		
Boiling Point (°C)		N/A		
Freezing Point (°C)		N/A		
pH		N/A		
Coefficient of Water/Oil Distribution				
Solubility in Water N/A				
SECTION X – STABILITY AND REACTIVITY  Chemical Stability:   Yes □ No - Identify under which conditions  Stable under normal temperatures and conditions.				
Incompatibility with other substances: ⊠ No ☐ Yes - Identify which ones N/A				
Reactivity, and under what conditions?  N/A				
Hazardous Decomposition Products  May form harmful fumes under fire conditions.				

Safety Data Sheet Marine Liferafts

SECTION XI- TOXICOLOGY INFORMATION				
Effects of Acute Exposure		posure	N/A	
Effects of Chronic Exposure		Exposure	N/A	
Irritancy of Product		t	N/A	
Respiratory Sensitization		ization	N/A	
Carcinogenicity – IARC		ARC	N/A	
Carcinogenicity – ACGIH		ACGIH	N/A	
Reproduc	Reproductive toxicity		N/A	
Teratogenicity			N/A	
Embryotoxicity			N/A	
	ıtagenicity		N/A	
Name of synergistic products/effects		c products/		
	SECTION XII – ECOLOGICAL INFORMATION			
Aquatic T	Toxicity N/A			
	SECTION XIII - DISPOSAL CONSIDERATIONS			
released will dissipa		released w	sipate into the atmosphere and leave no hazardous waste. Other solid portions of	
			SECTION XIV – TRANSPORT INFORMATION	
UN2 Clas		nformation	Classified according to DOT, ADR, IMDG, and IATA: UN2990 Class 9 Proper shipping name: Life Saving Appliance, Self-Inflating	
DOT	See Above and 49CR172.101 and 49CFR173.219			
IMO	See Above			
IATA	See Above			
	1			
OSHA				
	· · · · ·			
Special S  DOT  IMO	Incineration is the preferred method of disposal of pyrotechnic materials. Any compressed gas released will dissipate into the atmosphere and leave no hazardous waste. Other solid portions of the liferaft may be disposed of as domestic waste in accordance with local laws and regulations.  SECTION XIV – TRANSPORT INFORMATION  Classified according to DOT, ADR, IMDG, and IATA:			

Safety Data Sheet Marine Liferafts

#### **SECTION XVI- OTHER INFORMATION**

**Disclaimer Liability:** Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express of implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

**User Responsiblity:** This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.