

# NEW SureColor F170 Dye-Sublimation Printer

Contact Us  
800-241-5373

Mon-Fri 6am-6pm PT

---



**The complete dye-sub print solution for easy, high-quality results right from the start.**

Get fast, reliable dye-sub printing right out of the box with the SureColor F170. Ideal for personalizing awards, mugs, mousepads and more, this high-performance dye-sublimation printer delivers professional-quality prints using powerful PrecisionCore® technology. A truly turnkey solution, the SureColor F170 arrives with genuine Epson dye-sublimation ink technology, a 150-sheet auto-feed tray, and Mac and Windows print software. Plus, with its remarkably compact, space-saving design, you can maximize workshop space.

Epson strongly recommends the use of genuine ink to ensure optimal print quality and performance.\*

**Model:** C11CJ80201

## Overview

### Astounding print quality

PrecisionCore printhead offers Precision Droplet Control for outstanding clarity

### Genuine Epson dye-sublimation ink technology

Delivers extraordinary color saturation and high color contrast.

### Versatile media support

Includes a 150-sheet auto-feed tray for added efficiency.

### Replace ink less often

High-capacity ink bottles with auto-stop for easy, mess-free filling.

### Tackle a variety of print jobs

Epson DS Multi-Use transfer paper produces amazing images on both soft and rigid materials.

### Reliable performance

Backed by Epson world-class service and support.

- **Reliable performance** — backed by Epson world-class service and support
- **Easy printing right out of the box** — comes equipped with streamlined print software optimized for dye-sublimation
- **Flexible connectivity** — easily connect to the printer via USB, Ethernet or integrated wireless

## Eco Features

- RoHS compliant
- Recyclable product<sup>1</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>2</sup>

---

## Specifications

## Print:

---

**Printing Technology:**

PrecisionCore microTFP® printhead

**Maximum Print Resolution:**

1200 x 600 dpi

**Minimum Ink Droplet Size:**

Variable-Sized Droplet Technology

**Nozzle Configuration:**

784 nozzles; 400 nozzles Black, 128 nozzles x Cyan, Magenta, and Yellow

## Ink:

---

**Ink Type:**

Epson T49M Ink Bottles

**Ink Palette:**

4-color (C, M, Y, K)

**Replacement Ink:**

- Black Ink Bottle T49M120
- Cyan Ink Bottle T49M220
- Magenta Ink Bottle T49M320
- Yellow Ink Bottle T49M420

## General:

---

**Operating Systems:**

Windows® 10, Windows 8, 8.1 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit)

Mac® OS X® 10.6 – macOS® 10.15.x<sup>6</sup>

**Temperature:**

- Operating: 50 ° to 95 °F (10 ° to 35 °C)
- Storage: -4 ° to 104 °F (-20 ° to 40 °C)

**Humidity:**

- Operating: 20 – 80%
- Storage: 5 – 85% (no condensation)

**Sound Level:**

- Power: 6.6 B(A)
- Pressure: 53 dB(A)

**Dimensions:**

- Printing: 14.8" x 19.8" x 7.4"
- Storage: 13.7" x 13.7" x 7.4"

**Weight:**

10.2 lb

**Safety Approvals:**

Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B

**Country of Origin:**

Philippines

**Warranty:**

Standard 1-year unit exchange with toll-free phone support Monday through Friday

## Epson Intelligent Ink Cartridges:

---

**In-box Cartridge Fill Volume:**Bottle: C, M, Y, K: 140 mL each<sup>3</sup>**Retail Cartridge Fill Volume:**

Bottle: C, M, Y, K: 140 mL

**Ink Cartridge Shelf Life:**

2 years from printed production date or 6 months after opened

Printer is designed for use with Epson ink bottles only, not third-party ink bottles or ink.\*

## Printable Area and Accuracy:

---

**Maximum Paper Width:**

8.5"

**Minimum Paper Width:**

Sheet: 3.5"

**Maximum Printable Length:**Limited by application, OS and driver/RIP used<sup>4</sup>

## Sheet Media Handling:

---

**Sheet Loading:**

- **Max. Paper Size:** 8.5" x 47.2"
- **Paper Types:** Epson DS Multi Use transfer paper
- **Input Paper Capacity:** Up to 150 sheets

**Left/Right Margins:**

3 mm each (0.24" total)

## Printer Details:

---

**Display:**

2.4" color LCD with buttons

**Interfaces:****Standard Connectivity**

- Hi-Speed USB
- Wireless (802.11 b/g/n)<sup>4</sup>
- Wi-Fi Direct<sup>4</sup>
- Ethernet (10/100 Mbps)

**Power:**