

OUT OF STOCK

SureColor T3170M 24" Wireless Printer with Integrated Scanner

Contact Us
800-241-5373

Mon-Fri 6am-6pm PT



The sleek 24" wide printer/scanner/copier for CAD, Architecture, Engineering and Corporate Graphics.

Enhance the way you work with the all-new the SureColor T3170M 24" wide MFP printer. Featuring a 24" wide printer with an integrated scanner in a sleek, ultra-small footprint² up to 29% smaller than its competitors^{1,2}, the T3170M allows for seamless team collaboration. Engineered for productivity, the SureColor T3170M delivers A1/D-size prints in as fast as 34 seconds¹, supports a variety of media—including rolls and sheets—and features integrated wireless and Wi-Fi Direct[®] connectivity⁵ for easy printing from virtually anywhere in your home or office with a smart device⁴. From blueprints and technical documents to renderings and graphics, the T3170M consistently delivers durable, precise prints with Epson[®] PrecisionCore[®] MicroTFP[®] printhead technology and archival-quality, all-pigment-based UltraChrome[®] XD2 inks.

DOWNLOAD SALES REFERENCE GUIDE ►

Model: SCT3170M


[Write a review](#)

Overview

24" wide printer with ultra-fast print speeds

A1/D-size prints in as fast as 34 seconds¹

Streamline workflow with high-detail 24" wide integrated scanner

easily scan and share documents; up to 600 dpi scanner with highlight detection accurately scans annotated blueprints and drawings

Compact, Clean Design

sleek, ultra-small design² enhances workspaces

Durable, instant-dry prints

archival-quality, all-pigment-based UltraChrome XD2 inks deliver brilliant color, crisp lines, and smudge and water-resistant prints

Versatile Print media handling

accommodates rolls up to 24" wide and sheets up to 11" x 17" through the auto-sheet feeder

Easy to operate

large, intuitive 4.3" LCD screen simplifies operation

- **Print from virtually anywhere in your home or office** — easily print from USB thumb drives, tablets, smartphones⁴ and more with integrated wireless plus router-free Wi-Fi Direct printing⁵
- **Extreme print quality and precision** — PrecisionCore MicroTFP printhead with Precision Droplet Control for outstanding clarity; up to 2400 dpi resolution captures annotations and more with incredible accuracy
- **Outstanding productivity** — pchange cartridges less often with high-capacity ink cartridges up to 50 ml (color) and 80 ml (Black)
- **Enterprise security features and protocol support** — supports secure printing and scanning remotely and at home; secure PDFs and Internet servers

Epson strongly recommends the use of genuine ink to ensure optimal print quality and performance.*

Eco Features

- RoHS compliant
- Recyclable product¹⁰
- Epson America, Inc. is a SmartWay™ Transport Partner¹¹

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

What's In The Box:

- SureColor T3170M Printer

- Full Set of Initial Ink Cartridges (CMY – 26 mL/Black – 50 mL)
- Start Here Poster
- AC Power Cable
- Note: Media is not included with the printer

Specifications

Print:

Printing Technology:

PrecisionCore MicroTFP 4-channel, drop-on-demand printhead

Maximum Print Resolution:

2400 x 1200 dpi

Print Speed:

A1/D-sized print: 34 seconds¹

Minimum Ink Droplet Size:

Smallest Droplet Size: 4 picoliters; Variable Droplet Technology can produce up to three different sizes per line

Nozzle Configuration:

- Black: 800 nozzles (800 nozzles x 1 channels)
- Color: 2400 nozzles (800 nozzles x 3 channels)

Ink:

Ink Type:

UltraChrome XD2 pigment ink; 4-color (C, M, Y, K)

General:

Operating Systems:

- Mac® OS X® (10.6.8 or later)⁹
- Windows® 10, 8.1, 7 (32-bit, 64-bit)⁹

Temperature:

Storage: -4 ° to 104 °F (-20 ° to 40 °C)

Humidity:

- Operating: 20–80% (no condensation)
- Operating (Recommended): 45–60% (no condensation)
- Storage: 5–85% (no condensation)

Operating Temperature:

- Operating: 50 ° to 95 °F (10 ° to 35 °C)
- Operating (Recommended): 59 ° to 77 °F (15 ° to 25 °C)

Dimensions:

- Without Stand: 38.1" x 11.5" x 19.9"
- With Stand 38.1" x 19.5" x 46.9"

Weight:

- Without Stand: 75 lbs (34 kg)
- With Stand: 102.3 lb (46.5 kg)

Security:

IEEE802.1x, SNMP 3, TLS/SSL, SMTPs, POPs, FTPs, IPsec, Administrator Mode, WPA3

Safety Approvals:

USA and Canada (NRTL Certified, CSA/UL 62368-1)

Country of Origin:

Indonesia

Warranty:

Standard 1-year, Customer Care telephone support Monday through Friday and/or whole unit exchange**

General:

- Maximum Copies: Up to 99
- Reduction/Enlargement: 25% to 400%
- Auto Sheet Feeder: Up to 11" x 17"
- Sheet Feeder Capacity: 50 pages
- Memory: 1GB (Printer) + 8GB (Scanner)
- Acoustic Noise Level
 - Operating: Approx. 47 dB(A)
 - Sleep: Approx. 32 dB(A)
- Media Type: Plain Paper, Recycled Paper, Coated Paper, Tracing Paper, Film, Blueprint, Offset Printing Paper, Carrier Sheet
- Supported File Formats: JPEG, PDF (Single Page), PDF (Multi-Page), PDF/A, Encrypted PDF, TIFF

Ink Supply System:

In-box Ink Fill Volume:

- Colors (C,M,Y) 26 mL⁶
- Black (K) 50 mL⁶

Retail Ink Fill Volume:

- Colors (C,M,Y): 26 or 50 mL⁶
- Black (K): 50 or 80 mL⁶

Ink Shelf Life:

- 2 years from printed production date or 6 months after opened
- Printer is designed for use with Epson cartridges only, not third-party cartridges or ink.*

Printable Area and Accuracy:

Maximum Paper Width:

24"

Minimum Cut-sheet Size:

8.27 x 11" (1 sheet and ASF)

Minimum Paper Width:

- Roll: 13"
- Sheet: 8.26"

Line Accuracy:

±0.1% or ±0.26 mm

Maximum Printable Length:Up to 59'⁸

Specifications Scanner:

Sensor:

CIS Sensor (Sheetfed)

Maximum Resolution:

Up to 600 dpi, reprint 2400 x 2100 dpi

Color and Grayscale Scan Mode (Bit Depth):

Scan to Network Folder, FTP Server, Secure FTP Server, Mail Server, Secure Mail Server, USB Memory Stick

Maximum Scan Area:

- Width: Up to 24"
- Length: Up to 8.9'

Scanning Speed:

- Up to 1.5 ips (Color)
- Up to 4.5 ips (Monochrome)

Sheet Media Handling:

Thickness:

10.2 mil

Single Sheet, Top-loading:

Up to 24" wide

Left/Right Margins:

Minimum 3 mm each

Roll Media Handling:

Single Roll-to-Roll / Top-loading Roll:

24" wide

Media Core:

2" Core Diameter: User-adjustable roll media adapters

Maximum Roll Diameter:

Up to 4.6"

Maximum Roll Weight:

6.6 lb

Media Thickness:

Up to 8.6 mil

Roll Cutting:High-speed internal rotary cutter; auto or manual⁷**Roll Paper Remaining:**

The amount of remaining paper can be controlled from the control panel

Printer Details:

Display:

4.3" Touchscreen

Printer Language:

- ESC/P raster
- HP-GL/2, HP RTL *1

Interfaces:

SuperSpeed USB*1, Wired Ethernet 100BASE-TX /1000BASE-T, Wireless LAN IEEE802.11 b/g/n, USB memory stick, Wi-Fi Direct⁵

Power:

Power Consumption:

- Printing: Approx. 24 W
- Ready: Approx. 11 W
- Sleep: Approx. 2 W
- Power Off (Stand By): 0.2 W

Power Requirements:

- Voltage: AC 110–240 V
 - Frequency: 50–60 Hz
 - Current: 1.4 A
-

© 2021 Epson America, Inc.