

STAHL'S
Hobronix®



The World's Best Selling Heat Presses.

What To Look For In A Heat Press:



Auto-Opening to Prevent Over Application and Increase Production*

Hotronix® presses come equipped with a patented, magnetic assist lockdown and an auto-open feature to make your job easier than ever. Even if you apply just one transfer a day, you'll appreciate the convenience of an auto-open press.



"Over-the-Center" Pressure Adjustment Ensures Even Pressure

Hotronix presses are engineered with a patented "Over-the-Center" Pressure Adjustment and a flotation heat platen to ensure even pressure and a "no-pinch" application regardless of the thickness of the substrate.



Digital Readouts for Time, Temperature and Pressure**

Only Hotronix presses offer the convenience of a digital time, temperature, and pressure display. No more guessing about the correct pressure setting.



Cast-In, Tubular Cal-Rod Heating Element and Thick Platens for Even Heat

All Hotronix presses feature a cast-in, tubular cal-rod heating element spaced every 2" throughout the platen to ensure even heat and to eliminate cold spots. Plus, the thick 3/4" platens retain heat better and longer than thinner platens.



Quick Change Platens

Heat print just about anything with the right heat press platen. Rapidly switching between different sizes or specialty platens for shoes, sleeves and totes is easier than ever with the Quick Change platen feature. Simply flip the Quick Change latch open, lift out the platen and replace it with another platen. This tool-free process can be completed in just seconds.



Lifetime Heating Element Warranty

Hotronix presses feature both a lifetime heating element warranty and a five-year warranty on major components. Each press features a corrosion-resistant, laser cut steel framework and a powder coated finish.



Wide Opening for Easy Garment Placement

Hotronix clam presses have a wide 65 degree opening, which is 10% wider than most other clam-style presses on the market. This allows for safer, easier positioning of the garment on the lower platen, and safe positioning of transfers and other graphics. Swing and draw motion presses are also available for a heat and obstruction-free workspace.



Solid State Temperature Controller for Accurate Heat

Hotronix presses are equipped with a solid-state controller that maintains a consistent temperature and accurate heat for perfect application every time.

*Auto-Open feature not available on the Hotronix Fusion or MAXX® presses.

**Features not available in MAXX® heat presses.

Smarter technology from Hotronix®. Faster production for you.

Innovative. Reliable. Easy to Use.



15 Amps / 1800 Watts
37" x 25" x 24" • 150 lbs. ship weight

Hotronix® Fusion™ Threadable platen. Our best seller.

Threadability™ gives you the power to quickly and easily position garments on the lower platen, significantly increasing production speed. Simply position, press, then rotate to decorate any area on the garment — front, back or sides — without removing it from the platen. Save steps, save time. Whatever your style, user-friendly Touch Screen Technology lets you program an unlimited number of application settings, count production cycles, and turn your press on and off automatically — in English, Spanish or your choice of six other languages.

- Digital Time, Temperature, and Pressure Display
- Special Cast Aluminum Alloy Frame
- Dual Timer Makes Two-Step Applications a Breeze
- Auto-On, Auto-Off Presets
- Quick Change Lower Platen

Hotronix® Fusion 16" x 20"

1,950.00

One or more patent and/or patents pending.



The World's Only
Swinger/Draw Design



Touch Screen Technology

Smarter. Better. Here's Why:

- Made in the USA
- Automatic timer
- Quick Change lower platen
- Cast-in tubular heating element every 2" (5cm), eliminating cold spots
- 3/4" (2cm) Thick, coated upper platen
- 3/8" (1cm) Silicone rubber bottom pad
- Push-button controls
- Heavy-duty design
- Scratch-resistant, powder coat finish
- Coated heater – stress-relieved to prevent warping
- Optional platens available
- Platinum RTD heat sensor
- F° or C° available
- Temperature up to 430°F
- Available in 120V or 220V
- UL / ULC / CE / RoHS approved

Stahls' Hotronix® Premier Warranty:

- Lifetime on heating element
- 5-years on framework
- 2-years on circuit board
- 1-year parts and labor
- Free lifetime technical support



Hotronix® Auto Open Clam

The gold standard for multi-taskers.

The patented magnetic auto-open feature means you can turn away from the press to prep the next garment without worrying! No more ruined garments. Print perfection is yours with Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure, and a Twin Timer™ for preheating or two-step applications.

11" x 15"
8 Amps / 1000 Watts
36"L x 25"W x 21"H • 72 lbs. ship weight

16" x 16"
15 Amps / 1800 Watts
36"L x 25"W x 21"H • 90 lbs. ship weight

16" x 20"
15 Amps / 1800 Watts
36"L x 25"W x 21"H • 100 lbs. ship weight

- Patented, Magnetic Auto-Open Feature
- Patented, Magnetic Assist Lock Down
- Digital Time, Temperature, and Pressure Display
- Space Saving Clamshell Design
- Wide Opening for Easy Layout
- Patented, Over-the-Center Pressure Adjustment
- Quick Change Lower Platen

Hotronix® Auto Open Clam 11" x 15"	900.00
Hotronix® Auto Open Clam 16" x 16"	1,250.00
Hotronix® Auto Open Clam 16" x 20"	1,500.00

Hotronix® Hover Press™

A unique hover feature in an auto-open press.

Unique to this auto-open press, the hover feature is designed for pre-curing DTG inks, eliminating residue from the upper platen during the final curing process. The Hover Press can also be operated in standard mode for all other heat printing applications.



16" x 20"
15 Amps / 1800 Watts
36"L x 25"W x 21"H • 100 lbs. ship weight

- Two Modes: One for Contact. One for Pressure.
- Patented, Magnetic Assist Lock Down
- Digital Time, Temperature, and Pressure Display
- Space Saving Clamshell Design
- Wide Opening for Easy Layout

Hotronix® Hover Press™	1,600.00
------------------------	-----------------

Hotronix® Auto Open Cap

Avoid over-application—automatically.

This cap press automatically opens when the press cycle is complete, putting an end to over-application and ruined caps. Easily interchange lower platens to allow a snug fit for virtually any size cap.

4 Amps / 500 Watts
26"L x 15"W x 21"H • 41 lbs. ship weight



- Patented, Magnetic Auto-Open Feature
- Patented, Magnetic Assist Lock Down
- Digital Time, Temperature, and Pressure Display
- Under-the-Center Pressure Adjustment
- Generates Maximum Pressure with Less Effort
- Space Saving Clamshell Design

Hotronix® Auto Open Cap	800.00
-------------------------	---------------

Hotronix® Auto Open

Good things come in small packages.

If you're heat printing small items or small areas of apparel, here's the perfect press. Lightweight and portable, it's ideal for mobile heat printing opportunities at craft shows and festivals.

3 Amps / 360 Watts
26"L x 15"W x 21"H • 41 lbs. ship weight



- Patented, Magnetic Auto-Open Feature
- Patented, Magnetic Assist Lock Down
- Digital Time, Temperature, and Pressure Display
- Generates Maximum Pressure with Less Effort
- Space Saving Clamshell Design
- Wide Opening for Easy Layout

Hotronix® Auto Open Clam 6" x 6"	800.00
----------------------------------	---------------

Hotronix® LowRider

Ideal for applying personalized labels.

The reduced height of the Hotronix LowRider's platen makes it the ideal heat press for applying identification labels and patches to shirt collars and sleeve cuffs.

3 Amps / 360 Watts
26"L x 15"W x 21"H • 41 lbs. ship weight



- Patented, Magnetic Auto-Open Feature
- Patented, Magnetic Assist Lock Down
- Digital Time, Temperature, and Pressure Display
- Generates Maximum Pressure with Less Effort
- Two Additional Platens for Personalizing Labels
- 6" x 6" Upper Platen

Hotronix® LowRider	900.00
--------------------	---------------

Heat Press Accessories

Increase Productivity up to 40%

The must-have Heat Press Caddie™ is an adjustable pedestal stand that converts any Hotronix Auto-Open or MAXX® Clam into a threadable heat press. Threadability™ gives you the power to quickly and easily position garments on the lower platen, significantly increasing production speed. Self-leveling casters provide portability and stability, allowing you to take advantage of mobile heat printing opportunities.



Heat Press Caddie™

325.00

Shipping dimensions and weight - 33" L x 33" W x 11" H • 66 lbs.

The Power of Threadability™ in a Space Saving Model

The Counter Caddie™ allows you to thread your Hotronix Auto-Open or MAXX® Clam and maximize productivity with the time-saving advantage of threadability.



Heat Press Counter Caddie™

185.00

Shipping dimensions and weight - 24" L x 14" W x 7" H • 27 lbs. ship weight

Save counter space and stay organized.

Designed to attach to your Heat Press Caddie™, these sturdy, adjustable shelves are the solution for keeping your heat transfer products, blanks, and accessories organized and within reach.



Heat Press Caddie™ Shelves

140.00

Shipping dimensions and weight - 20" L x 15" W x 7" H • 25 lbs.



Quick Change Platens Make Your Job Easier!

7" Bagger – round for gym bags	100.00
6" x 10" Shortstop - left chest and youth garments	100.00
8" x 10" Tote Master	100.00
Best Value – Set of 3 (7", 6" x 10", 8" x 10")	270.00
11" x 15" MVP	135.00
6" x 20" Sleeve, Leg	235.00
6" x 15" Shoe	235.00



Interchangeable Cap Platens Make Decorating Headwear Easier!

2¾" x 6½" All-Star for low-profile caps	55.00
4" x 6½" Slugger for full-crown ball caps	55.00
4" x 8" Champ for oversized caps	55.00
3" x 5¾" Rookie for low-crown caps	55.00
Best Value – Set of 4	195.00

THE
MAXX
PRESS

Hotronix



Hotronix® Performance. MAXXimum Heat Printing Value.

You give MAXXimum effort, so should your heat press.



11" x 15"
8 Amps / 1000 Watts
 36" L x 25" W x 21" H • 72 lbs. ship weight

15" x 15"
15 Amps / 1800 Watts
 36" L x 25" W x 21" H • 78 lbs. ship weight

16" x 20"
15 Amps / 1800 Watts
 36" L x 25" W x 21" H • 104 lbs. ship weight

The MAXX® Clam

The perfect partner for your start-up business.

Trusting a budget-friendly machine that outperforms every press in its class is good for your business. Especially if you're just getting into heat printing, heat printing part-time, or need a back-up press. The MAXX features digital controls for easy operation and patented Over-the-Center Pressure Adjustment™ for even, edge-to-edge pressure and heating, eliminating cold spots.

- Digital Time and Temperature Display
- Patented Over-the-Center Pressure Adjustment
- Coated Non-Stick Heat Platen
- Laser Quality Steel Framework
- Smooth Shock Opening
- Scratch Resistant, Powder Coat Finish
- UL/ULC/CE/RoHS Compliant
- Quick Change Lower Platen

The MAXX® 11" x 15"	650.00
The MAXX® 15" x 15"	900.00
The MAXX® 16" x 20"	1,100.00



4 Amps / 500 Watts
 26" L x 15" W x 21" H • 41 lbs. ship weight

The MAXX® Cap

Cap decoration is easier than ever.

The smoother your decorating goes the more efficient and profitable you can be. That's why you need the MAXX Cap Press. One-of-a-kind features include an easy-to-operate clamshell design, digital time and temperature display and a cap lock-down device that keeps caps securely in place during heat printing. Print anything with optional platens that are easy to change, allowing you to print on a variety of headwear styles. MAXXimum Value. MAXXimum Performance.

- Digital Time and Temperature Display
- Under-the-Center Pressure Adjustment
- Wide Opening for Easy Layout
- Coated Non-Stick Heat Platen
- Laser Quality Steel Framework
- Smooth Shock Opening
- Scratch Resistant, Powder Coat Finish
- UL/ULC/CE/RoHS Compliant
- Cap Hold Down Device
- Quick Change Lower Platen

The MAXX® Cap	650.00
---------------	---------------

MAXX® Press Warranty:

- Lifetime on heating element
- 1-year parts and labor
- Free lifetime technical support

MAXX

Exclusive 365/24/7 Support Program

“Stahls’ Hotronix® proudly offers extended support hours with our Blue Ribbon Support program. Speak with a live person 24 hours a day, seven days a week, 365 days a year!”

- Ben Robinson
Stahls’ Hotronix® General Manager

Stahls’ Hotronix® • 800.727.8520



Worldwide
Customer
Support



a GroupeSTAHL company

