




## ECP-Premium polyester label



### Product information

Polyester label for any labelling purpose. Suitable for use in automotive, electronics industries, logistics, machine and plant construction, as well as in medical technology and in the chemical industry.

- Excellent adhesive properties on many surfaces.
- May also be used on powder coated surfaces
- UL and cUL recognised

Suitable for mp-TM series thermal transfer printers.

### Information, conformities and approvals



Article	Order No.	Color	Label size Length x width mm	Roll width mm	Recommen- ded Colour ribbon	Software Article	PU pcs.
<b>ECP-Premium labels, white</b>							
ECP-Premium 11x6	86511100	White	11 x 6	100	FB-TM 110 mm x 300 m	Q00	10000
ECP-Premium 11x9	86511101	White	11 x 9	100	FB-TM 110 mm x 300 m	Q01	10000
ECP-Premium 15x6	86511102	White	15 x 6	108	FB-TM 110 mm x 300 m	Q02	10000
ECP-Premium 18x6	86511103	White	18 x 6	108	FB-TM 110 mm x 300 m	Q03	10000
ECP-Premium 18x9	86511104	White	18 x 9	108	FB-TM 110 mm x 300 m	Q04	10000
ECP-Premium 20x8	86511114	White	20 x 8	108	FB-TM 110 mm x 300 m	Q12	10000
ECP-Premium 22x22	86511108	White	22 x 22	108	FB-TM 110 mm x 300 m	Q08	2500



## ECP-Premium polyester label

Article	Order No.	Color	Label size Length x width mm	Roll width mm	Recommen- ded Colour ribbon	Software Article	PU pcs.
ECP-Premium 27x12.5	86511105	White	27 x 12.5	108	FB-TM 110 mm x 300 m	Q05	5000
ECP-Premium 27x17.5	86511106	White	27 x 17.5	108	FB-TM 110 mm x 300 m	Q06	5000
ECP-Premium 27x27	86511107	White	27 x 27	108	FB-TM 110 mm x 300 m	Q07	2500
ECP-Premium 60x40	86511111	White	60 x 40	64	FB-TM 110 mm x 300 m	Q09	1500
ECP-Premium 90x60	86511112	White	90 x 60	94	FB-TM 110 mm x 300 m	Q10	1500
ECP-Premium 100x150	86511113	White	100 x 150	104	FB-TM 110 mm x 300 m	Q11	500
<b>ECP-Premium labels, silver</b>							
ECP-Premium 18x70	86511227	Silver	18 x 70	102	FB-TM 110 mm x 300 m	Q07	5000
ECP-Premium 11x6	86511200	Silver	11 x 6	100	FB-TM 110 mm x 300 m	Q26	10000
ECP-Premium 11x9	86511201	Silver	11 x 9	100	FB-TM 110 mm x 300 m	Q27	10000
ECP-Premium 15x6	86511202	Silver	15 x 6	108	FB-TM 110 mm x 300 m	Q28	10000
ECP-Premium 15x250	86511220	Silver	15 x 250	95	FB-TM 110 mm x 300 m	QN5	1500
ECP-Premium 17x40	86511221	Silver	40 x 17	63	FB-TM 110 mm x 300 m	QN6	5000
ECP-Premium 18x6	86511203	Silver	18 x 6	108	FB-TM 110 mm x 300 m	Q29	10000
ECP-Premium 18x9	86511204	Silver	18 x 9	108	FB-TM 110 mm x 300 m	Q30	10000
ECP-Premium 18x52	86511224	Silver	18 x 52	82	FB-TM 110 mm x 300 m	Q01	5000



## ECP-Premium polyester label

Article	Order No.	Color	Label size Length x width mm	Roll width mm	Recommen- ded Colour ribbon	Software Article	PU pcs.
ECP-Premium 19x250	86511219	Silver	19 x 250	92	FB-TM 110 mm x 300 m	QN4	1200
ECP-Premium 20x8	86511214	Silver	20 x 8	108	FB-TM 110 mm x 300 m	Q38	10000
ECP-Premium 22x22	86511208	Silver	22 x 22	108	FB-TM 110 mm x 300 m	Q34	2500
ECP-Premium 27x12.5	86511205	Silver	27 x 12.5	108	FB-TM 110 mm x 300 m	Q31	5000
ECP-Premium 27x17.5	86511206	Silver	27 x 17.5	108	FB-TM 110 mm x 300 m	Q32	5000
ECP-Premium 27x27	86511207	Silver	27 x 27	108	FB-TM 110 mm x 300 m	Q33	2500
ECP-Premium 27x86	86511218	Silver	86 x 27	93	FB-TM 110 mm x 300 m	QN3	2700
ECP-Premium 45x110	86511223	Silver	45 x 110	98	FB-TM 110 mm x 300 m	QN8	1400
ECP-Premium 54x125	86511222	Silver	54 x 125	58	FB-TM 110 mm x 300 m	QN7	600
ECP-Premium 54x190	86511216	Silver	54 x 190	58	FB-TM 110 mm x 300 m	QN1	400
ECP-Premium 54x250	86511217	Silver	54 x 250	58	FB-TM 110 mm x 300 m	QN2	300
ECP-Premium 60x40	86511211	Silver	60 x 40	64	FB-TM 110 mm x 300 m	Q35	1500
ECP-Premium 90x60	86511212	Silver	90 x 60	94	FB-TM 110 mm x 300 m	Q36	1500
ECP-Premium 100x150	86511213	Silver	100 x 150	104	FB-TM 110 mm x 300 m	Q37	500
ECP-Premium 108x442	86511215	Silver	108 x 442	108	FB-TM 110 mm x 300 m	QN0	250
<b>ECP-Premium labels, yellow</b>							



## ECP-Premium polyester label

Article	Order No.	Color	Label size Length x width mm	Roll width mm	Recommen- ded Colour ribbon	Software Article	PU pcs.
ECP-Premium 11x6	86511000	Yellow	11 x 6	100	FB-TM 110 mm x 300 m	Q13	10000
ECP-Premium 11x9	86511001	Yellow	11 x 9	100	FB-TM 110 mm x 300 m	Q14	10000
ECP-Premium 15x6	86511002	Yellow	15 x 6	108	FB-TM 110 mm x 300 m	Q15	10000
ECP-Premium 18x6	86511003	Yellow	18 x 6	108	FB-TM 110 mm x 300 m	Q16	10000
ECP-Premium 18x9	86511004	Yellow	18 x 9	108	FB-TM 110 mm x 300 m	Q17	10000
ECP-Premium 20x8	86511014	Yellow	20 x 8	108	FB-TM 110 mm x 300 m	Q25	10000
ECP-Premium 21x150	86511015	Yellow	21 x 150	94	FB-TM 110 mm x 300 m	Q02	500
ECP-Premium 22x22	86511008	Yellow	22 x 22	108	FB-TM 110 mm x 300 m	Q21	2500
ECP-Premium 27x12.5	86511005	Yellow	27 x 12.5	108	FB-TM 110 mm x 300 m	Q18	5000
ECP-Premium 27x17.5	86511006	Yellow	27 x 17.5	108	FB-TM 110 mm x 300 m	Q19	5000
ECP-Premium 27x27	86511007	Yellow	27 x 27	108	FB-TM 110 mm x 300 m	Q20	2500
ECP-Premium 45x250	86511016	Yellow	45 x 250	94	FB-TM 110 mm x 300 m	Q03	500
ECP-Premium 50x130	86511017	Yellow	50 x 130	108	FB-TM 110 mm x 300 m	Q05	500
ECP-Premium 60x40	86511011	Yellow	60 x 40	64	FB-TM 110 mm x 300 m	Q22	1500
ECP-Premium 70x400	86511018	Yellow	70 x 400	74	FB-TM 110 mm x 300 m	Q06	250
ECP-Premium 80x250	86511225	Yellow	80 x 250	84	FB-TM 110 mm x 300 m	Q04	250



## ECP-Premium polyester label

Article	Order No.	Color	Label size Length x width mm	Roll width mm	Recommen- ded Colour ribbon	Software Article	PU pcs.
ECP-Premium 90x60	86511012	Yellow	90 x 60	94	FB-TM 110 mm x 300 m	Q23	1500
ECP-Premium 100x150	86511013	Yellow	100 x 150	104	FB-TM 110 mm x 300 m	Q24	500

### Material properties



Polyester film

### Adhesive properties



Modified acrylate adhesive; Minimum processing temperature of 5 °C

### Thermal properties



Temperature / temperature range -40 °C – 150 °C

### General technical data



Can be labelled with thermal transfer printer, Roll core diameter 3 inch



Self-extinguishing after 15 seconds. Non-drip.

### Labelling technology



Thermal transfer

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.