




KSK (label plate adhesive)



Product information

High-quality, halogen-free, self-adhesive label. The KSK 22x22 is suitable for Siemens 3SB push-button and signal lamp holders.
Other available sizes of the self-adhesive KSK label are used with BT-SR

label holders as well as label holders of other manufacturers.

Base plate: GP3



Information, conformities and approvals



					No. cha- rac-					
Article	Order No.	Color	Label size * mm	Prin- table	ters/ lines	No. per Frame	Software Article	PU pcs.		
For Siemens 3SB push-button and signal lamp holders										
KSK 22x22	86361278	White	22 x 22	22 x 22	12 / 6	8	128	144		
KSK 22x22	86361280	Gray	22 x 22	22 x 22	12 / 6	8	129	144		
For BT-SR 27x12	.5									
KSK 27x12,5	86361266	White	12.5 x 27	12.5 x 27	15 / 3	12	115	216		
KSK 27x12,5	86361268	Gray	12.5 x 27	12.5 x 27	15 / 3	12	116	216		
For BT-SR 27x18	and BT-SR 27x18 Harn	nony								
KSK 27x18	86361270	White	18 x 27	18 x 27	15 / 5	10	117	180		
KSK 27x18	86361272	Gray	18 x 27	18 x 27	15 / 5	10	118	180		
For BT-SR 27x27										
KSK 27x27	86361274	White	27 x 27	27 x 27	15 / 7	6	119	108		





KSK (label plate adhesive)

Article	Order No.	Color	Label size * mm	Prin- table	No. cha- rac- ters/ lines	No. per Frame	Software Article	PU pcs.
KSK 27x27	86361276	Gray	27 x 27	27 x 27	15 / 7	6	127	108

Material properties

Polycarbonate (PC)

Adhesive properties



468 Adhesive

Thermal properties

Temperature / temperature range -40 °C – 130 °C

Fire properties

Fire classification V0

Technical information

HF Halogen-free

General technical data

[!]|

Single-line and multi-line labelling

Assembly method







KSK (label plate adhesive)

Labelling technology Plotter Laser devices

Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the products described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no signoshibility for the available information heing up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.