





LAM Circular blanks, 1x hole



Product information

Laser Alumatt consists of coated aluminium, suitable for laser engraving. The surface is coated for laser engraving. After laser marking with a Murrplastik mp-LM series laser marking system the engraving appears in black. Available in a material thickness of 0.5 mm or 1.0 mm.

A suction and filter unit is absolutely necessary to comply with legal regulations on health protection.


Information, conformities and approvals



Article	Order No.	Color	Material thickness mm	Hole patterns Number x Ø mm	Diameter mm	No. per Frame	Software Article	PU pcs.
Circular blanks (round version), 1 hole								
LAM D=59 SK, 1x22,5MM	8610140312	Yellow matte	1	1x 22.5	59	4	OA7	16
LAM D=100 SK, 1x18,5MM	8610140419	Silver	0.5	1x 18,5	100	1	PA5	4
LAM D=20 HF, 1x2,5MM	8610140158	Silver	1	1x 2.5	20	25	L9B	100
LAM ^o D=20 HF, 1x3,5MM	8610140013	Silver	0.5	1x 3.5	20	25	LB3	100
LAM D=20 HF, 1x3,5MM	8610140190	Silver	1	1x 3.5	20	25	MJ8	100
LAM ^o D=20 HF, 1x4,2MM	8610140016	Silver	0.5	1x 4.2	20	25	LB6	100
LAM D=23 HF, 1x3,5MM	8610140238	Silver	0.5	1x 3.5	23	16	MZ0	64
LAM D=25 HF, 1x3,2MM	8610140172	Silver	1	1x 3.2	25	16	MD5	64
LAM ^o D=25 HF, 1x3,5MM	8610140014	Silver	0.5	1x 3.5	25	16	LB4	64
LAM ^o D=25 HF, 1x4,2MM	8610140017	Silver	0.5	1x 4.2	25	16	LB7	64



LAM Circular blanks, 1x hole



Article	Order No.	Color	Material thickness mm	Hole patterns Number x Ø mm	Diameter mm	No. per Frame	Software Article	PU pcs.
LAM D=30 HF, 1x2,8MM	8610140220	Silver	1	1x 2.8	30	9	MU8	36
LAM [°] D=30 HF, 1x3,5MM	8610140015	Silver	0.5	1x 3.5	30	9	LB5	36
LAM [°] D=30 HF, 1x4,2MM	8610140018	Silver	0.5	1x 4.2	30	9	LB8	36

Laser labelling material dimensions table

Article	Order No.	Drill hole position	
		X1 mm	Drill hole position Y1 mm
Circular blanks (round version), 1 hole			
LAM D=59 SK, 1x22,5MM	8610140312	29.5	29.5
LAM D=100 SK, 1x18,5MM	8610140419	50	50
LAM D=20 HF, 1x2,5MM	8610140158	10	16.25
LAM [°] D=20 HF, 1x3,5MM	8610140013	10	15.9
LAM D=20 HF, 1x3,5MM	8610140190	10	14.75
LAM [°] D=20 HF, 1x4,2MM	8610140016	10	15.9
LAM D=23 HF, 1x3,5MM	8610140238	11.5	17.75
LAM D=25 HF, 1x3,2MM	8610140172	12.5	20.2
LAM [°] D=25 HF, 1x3,5MM	8610140014	12.5	20.9
LAM [°] D=25 HF, 1x4,2MM	8610140017	12.5	20.9
LAM D=30 HF, 1x2,8MM	8610140220	15	27
LAM [°] D=30 HF, 1x3,5MM	8610140015	15	25.9
LAM [°] D=30 HF, 1x4,2MM	8610140018	15	25.9



LAM Circular blanks, 1x hole

Material properties



Aluminium painted (ALU)

Adhesive properties



467, 5016 SK adhesive film with adhesive, SKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range -20 °C – 80 °C
short termshort term: 120 °C

Fire properties



Fire classification V0

General technical data



° Standard product, available from stock

Assembly method



Riveting system



Screw system

Labelling technology



Laser devices

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.