



**Part no.: 50130597**  
**MD 7XXP-11-88IO3-K030**  
**Distribution box**



Figure can vary

## Contents

- Technical data
- Circuit diagrams
- Operation and display
- Accessories



Part no.: 50130597 – MD 7XXP-11-88IO3-K030 – Distribution box

## Technical data


<b>Electrical data</b>	
Switching signal	PNP
<b>Performance data</b>	
Total current	12 A
<b>Connection</b>	
<b>Master connection</b>	
Type of connection	Cable
Function	Connection to the control
Cable length	3,000 mm
<b>Cable properties</b>	
Number of conductors	10 Piece(s)
Wire cross section	8 x 0.34 mm <sup>2</sup> , 2 x 0.75 mm <sup>2</sup>
AWG	22
Sheathing color	Gray
Shielded	No
Silicone-free	No
Sheathing material	PUR / PVC
Wire insulation	PVC
Suitability for drag chains	No
<b>Distribution box connections</b>	
Number of connections	8 Piece(s)
Thread size	M8
No. of pins	3 -pin
Encoding	A-coded
Type	Female
Material	Plastic
Material of O-ring seal	TPU
Material of contacts	Gold-plated
Operating current per contact	2 A
<b>Mechanical data</b>	
Design	Cubic
Dimension (W x H x L)	30 mm x 35 mm x 132 mm
Housing material	Plastic
Net weight	490 g
Bending cycles	2,000,000 Piece(s)
<b>Operation and display</b>	
Type of display	LED
<b>Environmental data</b>	
Ambient temperature, operation, flexible use	-5 ... 70 °C
Ambient temperature, operation, stationary use	-30 ... 80 °C
<b>Certifications</b>	
Degree of protection	IP 67, IP 65
Certifications	c UL US

**Classification**


eCl@ss 8.0	27279219
eCl@ss 9.0	27440108
ETIM 5.0	EC002585

Pin	Pin assignment	Conductor color
1	Socket 1-8 / contact 1	Brown
2	Socket 1-8 / contact 3	Blue
3	Socket 1 / contact 4	White
4	Socket 2 / contact 4	Green
5	Socket 3 / contact 4	Yellow
6	Socket 4 / contact 4	Gray
7	Socket 5 / contact 4	Pink
8	Socket 6 / contact 4	Red
9	Socket 7 / contact 4	Black
10	Socket 8 / contact 4	Violet

Pin	Pin assignment	Conductor color
1	+	Brown
3	-	Blue
4	S1	See table above



**Circuit diagrams**



**Operation and display**


**LEDs**

LED	Display	Meaning
1	Green, continuous light	Operating voltage applied
2	Yellow, continuous light	Signal 1
3	White, continuous light	Signal 2

Part no.: 50130597 – MD 7XXP-11-88IO3-K030 – Distribution box

## Accessories

### General

	Part no.	Designation	Article	Description
	50134479	CAP M8K-Set	Connection cap	Type: Cap for free sockets Thread size: M8 Material: Plastic