




## Type CSKV (conduit and cable fitting)



### Product information

### Information, conformities and approvals



| Article                            | Order No. | Color | UV | Connec-<br>ting thread | Suitable for<br>Murrflex | EH<br>mm | GL<br>mm | Clamping ran-<br>ge (LW) mm | SW 1 /<br>3 mm | PU<br>pcs. |
|------------------------------------|-----------|-------|----|------------------------|--------------------------|----------|----------|-----------------------------|----------------|------------|
| CSKV-M16x1,5/9                     | 83581850  | Black | 1  | M16x1,5                | M12/P09                  | 45       | 8        | 4 - 8                       | 19 / 19        | 50         |
| CSKV-M16x1,5/11                    | 83581852  | Black | 1  | M16x1,5                | M16/P11                  | 49       | 8        | 5 - 10                      | 22 / 22        | 50         |
| CSKV-M20x1,5/13,5-16               | 83581854  | Black | 1  | M20x1,5                | NW13                     | 50       | 9        | 6 - 12                      | 24 / 27        | 50         |
| CSKV M20X1.5/16/6-12 <sup>1)</sup> | 83980354  | Black | 1  | M20x1,5                | M20/P16(S)               | 50       | 9        | 6 - 12                      | 24 / 27        | 50         |
| CSKV-M20x1,5/16                    | 83581856  | Black | 1  | M20x1,5                | M20/P16(S)               | 50       | 9        | 10 - 14                     | 27 / 27        | 50         |
| CSKV-M25x1,5/21                    | 83581858  | Black | 1  | M25x1,5                | M25/P21(S)               | 60       | 11       | 13 - 18                     | 33 / 33        | 50         |
| CSKV-M32x1,5/29                    | 83581860  | Black | 1  | M32x1,5                | M32/P29(S)               | 69       | 11       | 18 - 25                     | 42 / 42        | 25         |
| CSKV-M40x1,5/36                    | 83581862  | Black | 1  | M40x1,5                | M40/P36(S)               | 88       | 13       | 22 - 32                     | 53 / 53        | 10         |
| CSKV-M63x1,5/48                    | 83581864  | Black | 1  | M63x1,5                | M50/P48(S)               | 109      | 14       | 37 - 44                     | 65 / 65        | 10         |
| CSKV-M16x1,5/9                     | 83581810  | Gray  | 0  | M16x1,5                | M12/P09                  | 45       | 8        | 4 - 8                       | 19 / 19        | 50         |
| CSKV-M16x1,5/11                    | 83581812  | Gray  | 0  | M16x1,5                | M16/P11                  | 49       | 8        | 5 - 10                      | 22 / 22        | 50         |



## Type CSKV (conduit and cable fitting)

| Article                  | Order No. | Color | UV | Connec-<br>ting thread | Suitable for<br>Murrflex | EH<br>mm | GL<br>mm | Clamping ran-<br>ge (LW) mm | SW 1 /<br>3 mm | PU<br>pcs. |
|--------------------------|-----------|-------|----|------------------------|--------------------------|----------|----------|-----------------------------|----------------|------------|
| CSKV-M20x1,5/13,5-16     | 83581814  | Gray  | 0  | M20x1,5                | NW13                     | 50       | 9        | 6 - 12                      | 24 / 27        | 50         |
| CSKV-M20x1,5/16          | 83581816  | Gray  | 0  | M20x1,5                | M20/P16(S)               | 52       | 9        | 10 - 14                     | 27 / 27        | 50         |
| CSKV-M25x1,5/21          | 83581818  | Gray  | 0  | M25x1,5                | M25/P21(S)               | 60       | 11       | 13 - 18                     | 33 / 33        | 50         |
| CSKV-M32x1,5/29          | 83581820  | Gray  | 0  | M32x1,5                | M32/P29(S)               | 69       | 11       | 18 - 25                     | 42 / 42        | 25         |
| CSKV-M40x1,5/36          | 83581822  | Gray  | 0  | M40x1,5                | M40/P36(S)               | 88       | 13       | 22 - 32                     | 53 / 53        | 10         |
| CSKV-M63x1,5/48          | 83581824  | Gray  | 0  | M63x1,5                | M50/P48(S)               | 109      | 14       | 37 - 44                     | 65 / 65        | 10         |
| CSKV-Pg 09               | 83581250  | Black | 1  | PG 09                  | M12/P09                  | 45       | 8        | 4 - 8                       | 19 / 19        | 50         |
| CSKV-Pg 11               | 83581252  | Black | 1  | PG 11                  | M16/P11                  | 49       | 8        | 5 - 10                      | 22 / 22        | 50         |
| CSKV-Pg 13,5/16          | 83581254  | Black | 1  | PG 13,5                | M20/P16(S)               | 52       | 9        | 6 - 12                      | 24 / 27        | 50         |
| CSKV-Pg 16               | 83581256  | Black | 1  | PG 16                  | M20/P16(S)               | 52       | 10       | 10 - 14                     | 27 / 27        | 50         |
| CSKV-Pg 21               | 83581258  | Black | 1  | PG 21                  | M25/P21(S)               | 60       | 11       | 13 - 18                     | 33 / 33        | 50         |
| CSKV-Pg 29               | 83581260  | Black | 1  | PG 29                  | M32/P29(S)               | 69       | 11       | 18 - 25                     | 42 / 42        | 25         |
| CSKV-Pg 36               | 83581262  | Black | 1  | PG 36                  | M40/P36(S)               | 88       | 13       | 22 - 32                     | 53 / 53        | 10         |
| CSKV-Pg 48               | 83581264  | Black | 1  | PG 48                  | M50/P48(S)               | 95       | 14       | 37 - 44                     | 65 / 65        | 10         |
| CSKV-Pg 09               | 83581210  | Gray  | 0  | PG 09                  | M12/P09                  | 45       | 8        | 4 - 8                       | 19 / 19        | 50         |
| CSKV-Pg 11               | 83581212  | Gray  | 0  | PG 11                  | M16/P11                  | 49       | 8        | 5 - 10                      | 22 / 22        | 50         |
| CSKV-Pg 13,5/16          | 83581214  | Gray  | 0  | PG 13,5                | M20/P16(S)               | 52       | 9        | 6 - 12                      | 24 / 27        | 50         |
| CSKV-Pg 16               | 83581216  | Gray  | 0  | PG 16                  | M20/P16(S)               | 52       | 10       | 10 - 14                     | 27 / 27        | 50         |
| CSKV-Pg 21               | 83581218  | Gray  | 0  | PG 21                  | M25/P21(S)               | 60       | 11       | 13 - 18                     | 33 / 33        | 50         |
| CSKV-Pg 29               | 83581220  | Gray  | 0  | PG 29                  | M32/P29(S)               | 69       | 11       | 18 - 25                     | 42 / 42        | 25         |
| CSKV-Pg 36               | 83581222  | Gray  | 0  | PG 36                  | M40/P36(S)               | 88       | 13       | 22 - 32                     | 53 / 53        | 10         |
| CSKV-Pg 48 <sup>1)</sup> | 83581224  | Gray  | 0  | PG 48                  | M50/P48(S)               | 95       | 14       | 37 - 44                     | 65 / 65        | 10         |



## Type CSKV (conduit and cable fitting)

| Article                    | Order No. | Color | UV | Connec-<br>ting thread | Suitable for<br>Murrflex | EH<br>mm | GL<br>mm | Clamping ran-<br>ge (LW) mm | SW 1 /<br>3 mm | PU<br>pcs. |
|----------------------------|-----------|-------|----|------------------------|--------------------------|----------|----------|-----------------------------|----------------|------------|
| CSKV 3/8"-09               | 83583250  | Black | 1  | 3/8"                   | M12/P09                  | 45       | 14       | 4 - 8                       | 19 / 22        | 50         |
| CSKV 1/2"-16               | 83583256  | Black | 1  | 1/2"                   | M20/P16(S)               | 52       | 13       | 10 - 14                     | 27 / 27        | 50         |
| CSKV 3/4"-21               | 83583258  | Black | 1  | 3/4"                   | M25/P21(S)               | 60       | 14       | 13 - 18                     | 33 / 33        | 25         |
| CSKV 1"-29                 | 83583260  | Black | 1  | 1"                     | M32/P29(S)               | 69       | 19       | 18 - 25                     | 42 / 42        | 25         |
| CSKV 3/8"-09 <sup>1)</sup> | 83583210  | Gray  | 0  | 3/8"                   | M12/P09                  | 45       | 14       | 4 - 8                       | 19 / 22        | 50         |
| CSKV 1/2"-16               | 83583216  | Gray  | 0  | 1/2"                   | M20/P16(S)               | 52       | 13       | 10 - 14                     | 27 / 27        | 50         |
| CSKV 3/4"-21 <sup>1)</sup> | 83583218  | Gray  | 0  | 3/4"                   | M25/P21(S)               | 60       | 14       | 13 - 18                     | 33 / 33        | 25         |
| CSKV 1"-29 <sup>1)</sup>   | 83583220  | Gray  | 0  | 1"                     | M32/P29(S)               | 69       | 19       | 18 - 25                     | 42 / 42        | 25         |

<sup>1)</sup> No stock goods, delivery time and minimum order quantities upon request



## Type CSKV (conduit and cable fitting)

### Material properties



mod. polyamide PA 6Perbunan (NBR)

### Thermal properties



Temperature / temperature range -40 °C – 110 °C  
short termshort term: 140 °C

### Protection class



Protection class IP65

### Fire properties



Fire classification acc. to UL94: V0 self-extinguishing



Fire properties as per EN 45545-2 C.I.T. R22 / R23 HL3 ; LOI R22 / R23 HL3 ; Ds (max.) R22 / R23 HL3 : 0,58,  $\geq 32\%$ , 57 NF X 70-100-1/-2  
600°C (1112 °F), ISO 4589-2, ISO 5659-2 (25 kBT/m<sup>2</sup>)

### Chemical resistance



Resistant to: Alcohol, Greases, Fuels, Mineral oils

### Technical information



Halogen-free

### Conformity



RoHS (EC Directive 2011/65/EU)

### Approvals and operating permits



EU railway approval



cURus approval

### General information



## Type CSKV (conduit and cable fitting)



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.