



Type RR (metal reducing bush)





Product information

The type RR thread reducing bush is made of brass with nickel plating. It is available with metric or Pg thread and depending on the type, as a knurled or hexagon version.

The following versions of the thread reducing bush are available:

- Metric/metric
- Metric/Pg
- Pg/Pg

Color: Silver



Information, conformities and approvals



Article	Order No.	AG	IG	EH mm	GL mm	SW 1 mm	Ø mm	PU pcs.
RR-M16/M12	83727610	M16x1,5	M12x1,5	2.5	6		18	100
RR-M20/M12	83727612	M20x1,5	M12x1,5	2.5	6.5		22	100
RR-M20/M16	83727614	M20x1,5	M16x1,5	2.5	6.5		22	100
RR-M25/M16	83727616	M25x1,5	M16x1,5	3	7		27	100
RR-M25/M20	83727618	M25x1,5	M20x1,5	3	7		27	100
RR-M32/M20	83727620	M32x1,5	M20x1,5	3.5	8		34	50
RR-M32/M25	83727622	M32x1,5	M25x1,5	3.5	8		34	50
RR-M40/M25	83727624	M40x1,5	M25x1,5	3.5	9		43	25
RR-M40/M32	83727626	M40x1,5	M32x1,5	3.5	9		43	25
RR-M50/M32	83727628	M50x1,5	M32x1,5	4	10		53	25
RR-M50/M40	83727630	M50x1,5	M40x1,5	4	10		53	10



Type RR (metal reducing bush)

Article	Order No.	AG	IG	EH mm	GL mm	SW 1 mm	Ø mm	PU pcs.
RR-M63/M40 ¹⁾	83727632	M63x1,5	M40x1,5	4	10		66	10
RR-M63/M50	83727634	M63x1,5	M50x1,5	4	10		66	10
RR-M16/Pg7	83727810	M16x1,5	PG 07	3	5	17		100
RR-M20/Pg9	83727812	M20x1,5	PG 09	3	6	22		100
RR-M25/Pg9	83727814	M25x1,5	PG 09	3	7	27		100
RR-M25/Pg11	83727816	M25x1,5	PG 11	3	7	27		100
RR-M25/Pg13,5	83727818	M25x1,5	PG 13,5	3	7	27		100
RR-M32/Pg13,5	83727820	M32x1,5	PG 13,5	3	8	34		50
RR-M32/Pg16	83727822	M32x1,5	PG 16	3	8	34		50
RR-M32/Pg21	83727824	M32x1,5	PG 21	3	8	34		50
RR-M40/Pg16 ¹⁾	83727826	M40x1,5	PG 16	4	8	43		25
RR-M40/Pg21	83727828	M40x1,5	PG 21	4	8	43		25
RR-M40/Pg29	83727830	M40x1,5	PG 29	4	8	43		25
RR-M50/Pg21 ¹⁾	83727832	M50x1,5	PG 21	4	9	55		25
RR-M50/Pg29	83727834	M50x1,5	PG 29	4	9	55		10
RR-M50/Pg36	83727836	M50x1,5	PG 36	4	9	55		10
RR-M63/Pg29 ¹⁾	83727838	M63x1,5	PG 29	4	10	65		10
RR-M63/Pg36	83727840	M63x1,5	PG 36	4	10	65		10
RR-M63/Pg42 ¹⁾	83727842	M63x1,5	PG 42	4	10	65		10
RR-Pg 09/07	83722610	PG 09	PG 07	2.5	6		17	100



Type RR (metal reducing bush)

Article	Order No.	AG	IG	EH mm	GL mm	SW 1 mm	Ø mm	PU pcs.
RR-Pg 11/07	83722612	PG 11	PG 07	2.5	6		20	100
RR-Pg 11/09	83722614	PG 11	PG 09	2.5	6		20	100
RR-Pg 13.5/09	83722616	PG 13,5	PG 09	2.5	6.5		22	100
RR-Pg 13.5/11	83722618	PG 13,5	PG 11	2.5	6.5		22	100
RR-Pg 16/09	83722620	PG 16	PG 09	3	6.5		24	100
RR-Pg 16/11	83722622	PG 16	PG 11	3	6.5		24	100
RR-Pg 16/13.5	83722624	PG 16	PG 13,5	3	6.5		24	100
RR-Pg 21/11	83722626	PG 21	PG 11	3	7		30	50
RR-Pg 21/13.5	83722628	PG 21	PG 13,5	3	7		30	50
RR-Pg 21/16	83722630	PG 21	PG 16	3	7		30	50
RR-Pg 29/21	83722632	PG 29	PG 21	3.5	8		39	25
RR-Pg 36/29	83722634	PG 36	PG 29	3.5	9		50	25
RR-Pg 42/36	83722636	PG 42	PG 36	4	10		57	25
RR-Pg 48/36	83722638	PG 48	PG 36	4	10		64	25

¹⁾ No stock goods, delivery time and minimum order quantities upon request

Material properties



Brass nickel-plated

Conformity



RoHS (EC Directive
2011/65/EU)

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.