





## Dual View sets new standards for unrestricted view in every situation.


The driver's cab concept allows the operator to turn the seat and console 180 degrees to determine the viewing and driving direction. The rotation can be conveniently performed from the driver's seat by simple unlocking the seat console and then turn it around.

- High driving and working position
- Hydrostatic drive
- More ease of use thanks to the ergonomic rotary console
- Comfort cabin

## DV60 Technical specifications

	Front tip skip	Swivel tip skip	
Operating data			
Payload kg	6,000	6,000	
Skip capacity - stroke l	2,700	2,350	
Skip capacity - heaped I	3,600	3,150	
Skip capacity - water messure I	1,900	1,600	
Engine / Motor			
Engine / Motor manufacturer	DEUTZ	DEUTZ	
Engine / Motor type	TD2.9 L4	TD2.9 L4	
Engine / Motor	water-cooled 4-cylinder turbo-diesel	water-cooled 4-cylinder turbo-diesel	
Engine performance kW	55.4	55.4	
Displacement cm <sup>3</sup>	2,900	2,900	
Engine RPM rpm	2200	2200	
Emissions	level 3b / Tier IV final	level 3b / Tier IV final	
Traction drive	4WD / hydrostatic	4WD / hydrostatic	
Travel speed max. km/h	30	30	
Articulation angle °	29	29	
Pendulum angle °	11	11	
Turning radius mm	6,100	5,980	
Gradeability %	55	55	
Tires	405/70-20	405/70-20	
LxWxH mm	4,450 / 2,230 / 3,377	4,450 / 2,230 / 3,377	
Steering pump	axial piston pump	axial piston pump	
Flow rate I/min	123	123	
Operating pressure bar	480	480	
Duty pump	gear pump	gear pump	
Flow rate I/min	70.2	70.2	
Operating pressure bar	240	240	
Tank capacity I	80	80	
Sound level (LwA) dB(A)	101	101	

## DV60 Dimensions



		Front tip skip	Swivel tip skip
Α	Overall length ROPS	4,448 mm	4,699 mm
Α	Overall length Cabin	4,448 mm	4,699 mm
В	Wheelbase	2,485 mm	2,485 mm
С	Rear overhang	1,157 mm	1,157 mm
E	Dumping distance	565 mm	456 mm
F	Width	2,230 mm	2,230 mm
G	Skip width	2,328 mm	2,218 mm
Н	Height ROPS	3,377 mm	3,377 mm
I	Height ROPS tilted	2,400 mm	2,400 mm
J	Height Cabin	2,940 mm	2,940 mm
K	Dump height max.	385 mm	1,100 mm
L	Skip height tilted	2,463 mm	3,639 mm
М	Skip height	1,828 mm	1,981 mm
Ν	Dumping distance to the side		69 mm
0	Ground clearance	370 mm	370 mm
-	Dump angle	50 °	48 °

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations. Copyright © 2019 Wacker Neuson SE.