



Bobcat®

Utility Vehicles

UV34, UV34XL



***One Tough
Animal***®



ALL-OUT PERFORMANCE FOR WHEN YOU'RE ALL ABOUT THE WORK

If you're reading this, there's a good chance that, to you, high performance means carrying heavy loads, hauling people, moving supplies and equipment, or clearing a path through a heavy snowfall. To put it another way, you need a utility vehicle for getting things done.

If that's the case, Bobcat® utility vehicles are made for people like you.

Built for hard work from front to back and top to bottom, these machines are the only utility vehicles fit to wear the Bobcat brand. They deliver fast-moving transportation, heavy-hauling ease of use and pure work-focused performance that take productivity higher.

When you need work-focused performance, look to the hardest-working brand on the planet: Bobcat.

WHAT BOBCAT PERFORMANCE MEANS TO YOU:

HAUL

A Bobcat utility vehicle can carry up to 1,250 pounds; that's nearly as much as a pickup. The 2-inch receiver hitch on Bobcat utility vehicles can easily tow up to 2,500 pounds of trailered equipment and materials.

TRANSPORT

For a fraction of the price of a pickup, you can easily transport passengers around jobsites in a Bobcat utility vehicle. Some models allow up to five passengers. If there's no road or limited access to the job, a utility vehicle works perfectly.

USE ATTACHMENTS

Add attachments, such as the optional snow blade or spreader, and get the job done from the comfort of your optional enclosed cab.



THE BOBCAT UV34 & UV34XL

The latest generation of Bobcat utility vehicles includes the UV34 and UV34XL, and they set standards for work vehicles – from their efficient, powerful performance to their incredible durability and ease of use.

35 MPH TOP SPEED

CARGO BOX CAPACITY **1,250** lb.

TOWING CAPACITY **2,500** lb.

Depending on model



UV34 & UV34XL HIGHLIGHTS

PROVEN ENGINE DURABILITY

The engine in our gas utility vehicle features high-performance power for the job, and it's designed for maximum durability against dust, debris and other harsh realities of the job.

Bobcat diesel utility vehicle engines are proven-reliable workhorses. They're designed to deliver high performance in challenging working conditions.

STRONG CHASSIS

A rigid chassis ensures better work performance, more durability and increased towing capacity. It also offers higher ground clearance.

CLEAN AIR INTAKE

Intake design pulls air from a cleaner location.

INDEPENDENT FRONT AND REAR SUSPENSION WITH SWAY BAR

The suspension system provides the best combination of work performance and comfort.

COMFORTABLE INTERIOR CAB SYSTEM

The cab offers ample creature comforts and intuitive operation. Convenient customization allows for a wide range of accessories and configuration options.

COMMON TIRES AND WHEELS

Save time when replacement tires are needed. A uniform tire and rim size allows interchangeability and more uptime.

NEW STYLING

Updated decals and vehicle design ensure your machine looks good while it works hard.

MAKE IT LOOK EASY.



Bobcat utility vehicles have massive capacities for remarkable productivity, so you can carry more equipment, bring more help along for the job, and save hours of manual labor.



STRONG CHASSIS

The chassis on both the standard and XL utility vehicles gives additional comfort, strength and performance for the job. The chassis design drastically improves ground clearance and off-road capability. Greater range of motion in the suspension provides superior ride quality, too.

With more material added to the frame, suspension components, cast wheel hubs, and sealed bearings and brushings, you'll get superior durability and 500 extra pounds of towing capacity, as well.

ENGINES

Confidently take on the job with gas- or diesel-powered performance.

Gas: Gas models include a 1000cc, two-cylinder SOHC engine with a generous 39.9 horsepower. They deliver hard-working performance with gas-engine convenience.

Diesel: With 24.5 horsepower, the three-cylinder engine in our diesel models delivers a flatter horsepower and torque curve for performance you can feel. And because the engine is under 25 horsepower, it does not require a diesel particulate filter (DPF), which means no regeneration.



INCREASED TOW RATING

The trailer hitch tongue weight rating is 250 pounds, giving you a powerful option for pulling heavy trailers and other equipment for the job. Tow up to 2,500 pounds with confidence.

TRUE ALL-WHEEL DRIVE

Three selectable drive modes give you more versatility with easy, push-button control:

- Single-wheel (turf) drive allows wheels to turn at different rpm, reducing ground disturbance to protect grass and other finished surfaces.
- Two-wheel mode provides power to both rear wheels.
- All-wheel drive provides the ultimate in traction.

TWO-RANGE TRANSMISSIONS

Low range provides maximum drive torque on hills, while towing heavy loads or when pushing snow. High range provides fast travel on hardpacked surfaces under light loads.

INDEPENDENT FRONT AND REAR SUSPENSIONS WITH REAR SWAY BAR

UV34 and UV34XL vehicles offer improved ride quality and handling – even when carrying or towing heavy loads. You can move through challenging jobs and improve your productivity without sacrificing ride quality, thanks to independent front and rear suspension geometry, forgiving shocks and springs, as well as stronger drive components.

VARIABLE SUSPENSION

The suspension can be adjusted to meet the demands of the job, improving load-carrying capacity for maximum towing and hauling performance.

CUSTOMIZABLE TOP SPEED

On gas models, you can set the top speed to suit your working conditions – from 15 to 35 mph in five-minute increments. Increase the top speed to 40 mph with an optional speed kit.

Diesel models have a standard top speed of 35 mph. Based on safety and worksite requirements, top speeds can be reduced to 15 or 25 mph with an optional speed reduction kit.



PRIMARY AND SECONDARY CLUTCHES

Primary and secondary clutches in Bobcat utility vehicles are matched to engine horsepower and torque curves for optimal drive performance in demanding applications. Improvements to low-speed control result in great performance for towing, traversing difficult terrain or pushing snow.

- Operators experience smooth engagement and precise control at low travel speeds with stronger belt engagement to minimize slippage. This makes hauling materials easy, and it provides a great experience for passengers.
- Controlled operating temperatures, plus careful alignment of the belt and clutch, allow for extended service intervals.

COMFORTABLY TRAVERSE **ANY** CHALLENGE.

Comfort matters, and Bobcat utility vehicles give you a firm, capable ride quality to tackle the job with ease and confidence. Ample interior space, a tilt steering wheel, power steering and more enable you to ride out the most difficult jobs in premium comfort.



ADAPTABLE CAB SYSTEM

Conveniently customize or upgrade to the optional enclosed cab with a wide range of configurations. Installation and removal of accessories are quick and simple. Improved cab sealing reduces dust and noise levels. The additional battery tender port helps maintain peak battery performance and life.

SUPERB FIT AND FINISH

Your cab is where you conduct the day's work, and Bobcat utility vehicles are packed with automotive-style comforts and amenities.

- Ample legroom and footroom
- Roomy glove compartment and plenty of in-cab storage
- Three ports include a USB, 12-volt accessory plugin and SAE charging port for easily maintaining your battery



ENHANCED INTERIOR

Get more creature comforts and more intuitive operation. Step into the low, wide cab opening that's designed for easy entry and egress, and you'll experience a Bobcat utility vehicle interior that makes every minute of the job more enjoyable.

A FIRM, CAPABLE AND COMFORTABLE RIDE

The ride quality on Bobcat utility vehicles keeps you comfortable during a long day's work, but it's firm enough to tackle the job with ease and confidence.



OPERATOR COMFORT

Seat contours have been enhanced for improved support and maximum comfort during operation. The tilt steering wheel easily adjusts to a comfortable position that provides optimal legroom. The low-effort power steering provides easy, responsive control – which is especially valuable when loaded with cargo or towing trailers. The three-point, spring-loaded seat belts with comfort strap enhance safe operation without sacrificing the experience in the cab.

Improved sealing on the optional enclosed cab keeps operators and interior shielded from dust and debris, and it ensures optimal heating performance. When you're in the mood to enjoy the outdoors, the cab doors offer roll-down windows.



ERGONOMIC CONTROLS

Controls are placed for ease of use. Large instrumentation and gauges provide simple and improved visibility.

THREE-PASSENGER BENCH SEATING

The comfortable bench seat, with retractable three-point shoulder harnesses, easily accommodates you and up to two passengers. Choose the XL model for additional rear seating and enough room for an operator and five passengers.

MODULAR CAB DESIGN

Remove or reinstall doors and windows in minutes, and easily customize the flow of fresh air to match the job – or to work in any season.

CAB STORAGE AND POWER FOR DEVICES

Impressive in-dash storage volume allows for numerous locations to store your items, including six cup holders on the UV34 and eight on the UV34XL. A flip-up seat provides stowaway convenience for larger items.

TILT AND POWER STEERING

The standard tilt steering wheel easily adjusts to a comfortable position for optimal legroom. The low-effort power steering provides easy, responsive control – which is especially valuable when loaded with cargo or towing trailers.



DURABILITY



IT'S A TOUGH JOB, BUT YOU'RE TOUGHER.

Many people stake their business reputation on the durability of Bobcat equipment. That's why we make sure it's built to last.

PROVEN ENGINE DURABILITY

The engine in our gas utility vehicle features high-performance power for the job, and it's designed for maximum durability against dust, debris and other harsh realities of the job.

Bobcat diesel utility vehicle engines are time-tested. This proven-reliable workhorse is the same engine that's used in our mini track loaders. The high-performance diesel engine is designed to excel in harsh and challenging working conditions.

PROTECTED, INSIDE AND OUT

Standard machine protection includes:

- Skid plate to protect undercarriage, engine and transmission
- Constant velocity (CV) joints have CV boot guards to further protect from debris and punctures

COMPOSITE CARGO BOX

The composite cargo box stands up to tough cargo and materials, retaining its strength (and good looks) for years.

CLEAN AIR INTAKES

Keeping your engine clean ensures maximum uptime. Air intake enhancements throughout the vehicle give you consistent performance for long durations in demanding environments.

- Clean flow to the engine with an oversized air filter keeps air filters cleaner overall and extends service intervals.
- Air intake enhancements to the clutch allow cooler, cleaner and drier airflow, minimizing dust and moisture, reducing component wear and tear, and preventing belt slippage for optimized vehicle performance.
- Air intake locations for the engine and clutches are carefully engineered to draw the cleanest, coolest, highest-quality air possible, even when operating in dirty, demanding environments.

VERSATILITY



STAY EQUIPPED FOR ANY SITUATION.

The name “utility vehicle” says it all. You want this machine to be utilized, and Bobcat utility vehicles earn their keep. You won’t find a comparable machine that does more or does it better.

900-WATT STATOR (GAS)

The large, 900-watt dual stator provides more power than previous Bobcat utility vehicles – a generous 75 amps of output for use with electric-powered accessories.

HIGH-OUTPUT ALTERNATOR (DIESEL)

A standard high-output alternator with a 140-amp peak provides generous power for high-demand attachments, electronic features and accessories.

LARGE CARGO BOX WITH ASSISTED OR POWERED LIFT

Made from a durable composite material, you can handle up to 1,250 pounds of supplies and materials in one of the industry’s largest cargo boxes – or carry pallets and large, heavy objects. A convenient, single-latch tailgate secures your load and allows for odd-shaped cargo and easy loading and dumping.

Integrated tie-downs and anchor points and the ability to add box dividers and extenders allow flexibility for whatever cargo you carry. A cylinder-assisted cargo box lift (or optional powered lift) allows for quick, easy dumping.

EASY OPERATION FOR HARD WORK

Bobcat utility vehicles provide simple controls that give you confidence to do the job.



ON-THE-FLY ALL-WHEEL DRIVE

When you’re in two-wheel mode, you can shift to all-wheel drive on the fly, right from the cab, with the push of a button.

RELIABILITY IN HEAT AND COLD, DAY OR NIGHT

Electronic fuel injection on gas models provides the best starting performance in all seasons. Automatic glow plugs in all diesel models warm the engine for reliable cold-weather starting.

INTUITIVE CONTROLS AND INSTRUMENTATION

- Larger controls and gauges are easier to use and see.
- Standard power steering provides low-effort, comfortable maneuverability.
- The LCD instrument panel displays information you need to operate safely and productively.
- Warning lights alert operators of potential issues.

UPTIME

UPTIME IS TIME WELL SPENT.

You buy a utility vehicle to make life easier. That's why Bobcat keeps maintenance simple.



EASY-TO-FIND COMPONENTS AND CHECKS

The conveniently located fuel tank, engine compartment and battery, plus easy-to-find daily checks – like engine oil and air filter – make maintenance easy.



EXTENDED SERVICE INTERVALS

Service intervals have doubled compared to previous models, ensuring that you enjoy longer periods of productivity and a lower cost of ownership.

SERVICE CODE AND WARNING DISPLAY

An easy-to-use LCD screen displays service codes to quickly identify issues.

LARGER HOOD ACCESS

A larger hood access provides panoramic serviceability for convenient fluid fills, as well as easy access for accessory installations and electrical connections.

FEWER GREASE POINTS

Maintenance-free suspension joints mean fewer grease points. This saves time on regular greasing.

ANYTIME ENGINE OIL CHECK

Bobcat utility vehicles allow you to perform an oil check when the cargo box is down or loaded, making it easy to watch your oil level.



ACCESSIBLE AIR, OIL AND FUEL FILTER LOCATIONS

Air, oil and fuel filter locations, easy-to-reach grease points, and convenient coolant and engine oil checks improve accessibility for quick oil changes and easier service.

SEALED ELECTRICAL ACCESSORY CONNECTION

Sealed electrical accessory connections provide trouble-free electrical performance for work, and simple electrical connections when installing accessories.



YOU ARE UNIQUE, AND SO IS YOUR UTILITY VEHICLE.

A wide variety of options lets you customize your Bobcat utility vehicle for the jobs you do – or tailor it to your personal style.

ADAPTABLE CAB SYSTEM

Conveniently customize or upgrade the optional enclosed cab with limitless configurations. Installation and removal of accessories are quick and simple.

DOOR OPTIONS

The optional deluxe door features a roll-down glass window. A clear door option features all-poly construction for higher visibility with optimal protection from dust, debris and the elements.

INTEGRATED ACCESSORY SYSTEM

Add a variety of optional, easy-to-secure accessories: a sealed, lockable tool box; tool holder; cargo box divider; and other job-matched add-ons like the chainsaw rack.

TIRE VERSATILITY

Adapt traction to terrain by picking mud, hard surface or turf tires.

COMMON TIRES AND WHEELS

Every wheel on Bobcat utility vehicles features a non-directional tire, mounted on a common-sized rim. There's no need to have front and rear spares on hand.

CUSTOMIZE YOUR UTILITY VEHICLE.

See more Bobcat utility vehicle accessories at Bobcat.com

SPECIFICATIONS



Vehicle	UV34 Diesel	UV34XL Diesel	UV34 Gas	UV34XL Gas
Engine				
Engine Model	Diesel	Diesel	1000cc Dual	1000cc Dual
Engine Cooling	Liquid	Liquid	Liquid	Liquid
Emissions Tier (EPA)	Tier 4	Tier 4	-	-
Engine Fuel	Diesel	Diesel	Gasoline EFI	Gasoline EFI
Horsepower	24.5 hp (18.2 kW)	24.5 hp (18.2 kW)	39.9 hp (29.7 kW)	39.9 hp (29.7 kW)
Displacement	55.0 cu. in. (0.9 L)	55.0 cu. in. (0.9 L)	61.0 cu. in. (1.0 L)	61.0 cu. in. (1.0 L)
Performance				
Operating Weight	1935 lb. (878 kg)	2165 lb. (982 kg)	1855 lb. (841 kg)	2085 lb. (945 kg)
Travel Speed - High	35.0 mph (56.3 km/hr.)	35.0 mph (56.3 km/hr.)	35.0 mph (56.3 km/hr.)	35.0 mph (56.3 km/hr.)
Travel Speed - Low	16.0 mph (25.0 km/hr.)	16.0 mph (25.0 km/hr.)	25.0 mph (40.0 km/hr.)	25.0 mph (40.0 km/hr.)
Travel Speed - Reverse	16.0 mph (25.0 km/hr.)	16.0 mph (25.0 km/hr.)	25.0 mph (40.0 km/hr.)	25.0 mph (40.0 km/hr.)
Capacities				
Fuel Tank	11.5 gal. (43.5 L)	11.5 gal. (43.5 L)	11.5 gal. (43.5 L)	11.5 gal. (43.5 L)
Cargo Box Length	43.5 in. (1105 mm)	43.5 in. (1105 mm)	43.5 in. (1105 mm)	43.5 in. (1105 mm)
Cargo Box Width	54.0 in. (1372 mm)	54.0 in. (1372 mm)	54.0 in. (1372 mm)	54.0 in. (1372 mm)
Cargo Box Bed Load Capacity	1250 lb. (567 kg)	1250 lb. (567 kg)	1250 lb. (567 kg)	1250 lb. (567 kg)
Cargo Box Height	11.5 in. (292 mm)	11.5 in. (292 mm)	11.5 in. (292 mm)	11.5 in. (292 mm)
Cargo Box Bed Load Height	38.0 in. (965 mm)	38.0 in. (965 mm)	38.0 in. (965 mm)	38.0 in. (965 mm)
Vehicle Rated Capacity*	1900 lb. (862 kg)	2075 lb. (941 kg)	1900 lb. (862 kg)	2075 lb. (941 kg)
Dimensions				
Length	123.0 in. (3124 mm)	155.0 in. (3937 mm)	123.0 in. (3124 mm)	155.0 in. (3937 mm)
Width	62.0 in. (1575 mm)	62.0 in. (1575 mm)	62.0 in. (1575 mm)	62.0 in. (1575 mm)
Height	76.0 in. (1930 mm)	76.0 in. (1930 mm)	76.0 in. (1930 mm)	76.0 in. (1930 mm)
Ground Clearance	11.7 in. (296 mm)	11.7 in. (296 mm)	11.7 in. (296 mm)	11.7 in. (296 mm)
Turning Radius	112.2 in. (2850 mm)	154.0 in. (3911 mm)	112.2 in. (2850 mm)	154.0 in. (3911 mm)
Features				
Under-Seat Storage	Std	Std	Std	Std
Seat Belt	3-point, Retractable	3-point, Retractable	3-point, Retractable	3-point, Retractable
Power Steering	Std	Std	Std	Std
ROPS Approval	Std	Std	Std	Std
EVAP (California only)	Opt	Opt	Opt	Opt
Hour Meter	Std	Std	Std	Std
Speedometer	Std	Std	Std	Std
Tilt Steering Wheel	Std	Std	Std	Std
Bed Lift (manual)	Std	Std	Std	Std
Frame Type	Steel	Steel	Steel	Steel
Receiver Hitch	2.0 in.	2.0 in.	2.0 in.	2.0 in.
Front Suspension	Independent	Independent	Independent	Independent
Rear Suspension	Independent	Independent	Independent	Independent
Headlights	Std	Std	Std	Std
Drive System				
Transmission Type (CVT)	P-R-N-L-H	P-R-N-L-H	P-R-N-L-H	P-R-N-L-H
Traction Type	4x4	4x4	4x4	4x4
4WD Selection	Switch	Switch	Switch	Switch
Differential Lock	Switch	Switch	Switch	Switch


*Vehicle rated capacity includes cargo box load, weight of occupant(s) and the weight of any accessories.



One Tough Animal®

B O B C A T T I M E L I N E

50





YOU ARE ONE TOUGH ANIMAL.®

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century. Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2023 Bobcat Company. All rights reserved.



Printed on 10% recycled paper

B-1887 (03/23)
EP-6M-0323-88927-F

Bobcat Company
250 East Beaton Drive • West Fargo, ND 58078

Bobcat.com



Bobcat®

One Tough Animal.