



Printing date 20.02.2019 Revision: 20.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Oxy Brosse
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU1 Agriculture, forestry, fishery
- · **Product category** PC8 Biocidal products (e.g. Disinfectants, pest control)
- · Application of the substance / the mixture Milking machine cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BouMatic Gascoigne Melotte

31 Rue Jules Mélotte

4350 Remicourt

Belgium

E: info@boumatic.com // T: +32 (0)19 54 42 66

· Further information obtainable from:

Legal Department

e-mail: rwolfer@boumatic.com

· 1.4 Emergency telephone number: NHS: dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidiser.



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 1)

· Hazard pictograms









GHS07

· Signal word Danger

· Hazard-determining components of labelling:

hydrogen peroxide solution peracetic acid

· Hazard statements

H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P234 Keep only in original container. P260 Do not breathe mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P284 In case of inadequate ventilation wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/-P310 P403+P235 Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Additional information:

EUH071 Corrosive to the respiratory tract.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7722-84-1 hydrogen peroxide solution EINECS: 231-765-0 **(b)** Ox. Liq. 3, H272; **(c)** Skin Corr. 1A, H314; **(!)** Acute Tox. 4, H302; Acute

Tox. 4, H332

(Contd. on page 3)

10-25%





Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Conto	d. of page 2)
CAS: 64-19-7 acetic acid	5-10%
EINECS: 200-580-7 🍪 Flam. Liq. 3, H226; 🍪 Skin Corr. 1A, H314; 🗘 Acute Tox. 4, H312	
CAS: 79-21-0 peracetic acid	3-5%
EINECS: 201-186-8 Flam. Liq. 3, H226; Ox. Liq. 2, H272; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302;	
Acute Tox. 4, H312; Acute Tox. 4, H332	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed -
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7722-84-1 hydrogen peroxide solution

WEL Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance:	I i mui d
Form: Colour:	Liquid Colourless
Odour:	Acrid
Odour threshold:	Not determined.
pH-value at 20 °C:	3.4
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	80 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	485 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	1.9 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 5)

VOC (EC)	7.50 %
Solids content: 9.2 Other information	0.0% No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

- $\cdot \textit{Respiratory or skin sensitisation} \ \textit{Based on available data, the classification criteria are not met.}$
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 6)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

· Class

· Label

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3149
14.2 UN proper shipping name ADR IMDG, IATA	3149 HYDROGEN PEROXIDE AND PEROXYACET. ACID MIXTURE, STABILIZED, ENVIRONMENTALI HAZARDOUS HYDROGEN PEROXIDE AND PEROXYACETIC AC MIXTURE, STABILIZED
14.3 Transport hazard class(es)	
Class Label	5.1 Oxidising substances. 5.1+8
IMDG	5.110
Class	5.1 Oxidising substances.
Label	5.1/8
IATA	

5.1 Oxidising substances.

5.1 (8)





Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

	(Contd. of page
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Oxidising substances.
Danger code (Kemler):	-
EMS Number:	F-H,S-Q
Segregation groups	Peroxides
Stowage Category	D
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SG16 Stow "separated from" class 4.1
	SG59 Stow "separated from" permanganates
	SG72 See 7.2.6.3.2.
Marpol and the IBC Code Transport/Additional information:	Not applicable.
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
Exceptea quantities (EQ)	Coue. E2
Exceptea quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
Exceptea quantities (EQ)	
Transport category	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
Transport category Tunnel restriction code	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
Transport category Tunnel restriction code IMDG	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E 1L Code: E2
Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E 1L Code: E2 Maximum net quantity per inner packaging: 30 ml

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms











· Signal word Danger

(Contd. on page 9)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 8)

· Hazard-determining components of labelling:

hydrogen peroxide solution peracetic acid

· Hazard statements

H272 May intensify fire; oxidiser.
 H290 May be corrosive to metals.
 H302+H332 Harmful if swallowed or if inhaled.
 H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P234 Keep only in original container. P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/-P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Legal Department
- · Contact: Mr. Wolfer

(Contd. on page 10)







Printing date 20.02.2019 Revision: 20.02.2019

Trade name: Oxy Brosse

(Contd. of page 9)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Ox. Liq. 2: Oxidizing liquids – Category 2 Ox. Liq. 3: Oxidizing liquids – Category 3 Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1