

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

THF - CBD TINCTURE (1200MG) - Cinnamon

Sample ID: G2I0362-15

Matrix: Hemp Products

Test ID: 1005845

Source ID:

Date Sampled: 09/22/22

Date Accepted: 09/22/22

Trichome Farms

Results at a Glance

Total THC: 0.093 %

Total CBD: 4.018 %





Eric Wendt Chief Science Officer - 9/28/2022



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

THF - CBD TINCTURE (1200MG) - Cinnamon

Sample ID: G2I0362-15

Matrix: Hemp Products

Test ID: 1005845

Source ID:

Date Sampled: 09/22/22

Date Accepted: 09/22/22

Trichome Farms

Potency Analysis

Date/Time Extracted: 09/23/22 11:42 Analysis Method/SOP: 215 Batch Identification: 2239055

Cannabinoids	LOQ (%)	mg/g	mg/unit	Cannabinoids Profile
Total THC	0.0049	0.927	27.8	
Total CBD	0.0049	40.18	1205.5	
THCA	0.0049	< LOQ	< LOQ	
delta 9-THC	0.0049	0.927	27.8	0.9
delta 8-THC	0.1867	< LOQ	< LOQ	
THCV	0.1457	< LOQ	< LOQ	
THCVA	0.2180	< LOQ	< LOQ	
CBD	0.0049	40.18	1205.5	
CBDA	0.0049	< LOQ	< LOQ	T this of THO LOG
CBDV	0.1499	< LOQ	< LOQ	delta 9-THC 0.9 ■ CBD 4.2
CBDVA	0.2059	< LOQ	< LOQ	Total: 5.1
CBN	0.1346	< LOQ	< LOQ	
CBG	0.1566	< LOQ	< LOQ	4.2
CBGA	0.2075	< LOQ	< LOQ	
CBC	0.1964	< LOQ	< LOQ	

Unit weight = 30 g as provided by client

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt

Chief Science Officer - 9/28/2022



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2239055 - 215-Products

Blank(2239055-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0010	%		09/23/22 11:42	09/23/22 22:49	
delta 9-THC	< LOQ	0.0010	%		09/23/22 11:42	09/23/22 22:49	
delta 8-THC	< LOQ	0.0184	%		09/23/22 11:42	09/23/22 22:49	
THCV	< LOQ	0.0100	%		09/23/22 11:42	09/23/22 22:49	
THCVA	< LOQ	0.0248	%		09/23/22 11:42	09/23/22 22:49	
CBD	< LOQ	0.0010	%		09/23/22 11:42	09/23/22 22:49	
CBDA	< LOQ	0.0010	%		09/23/22 11:42	09/23/22 22:49	
CBDV	< LOQ	0.0604	%		09/23/22 11:42	09/23/22 22:49	
CBDVA	< LOQ	0.0421	%		09/23/22 11:42	09/23/22 22:49	
CBN	< LOQ	0.0277	%		09/23/22 11:42	09/23/22 22:49	
CBG	< LOQ	0.0323	%		09/23/22 11:42	09/23/22 22:49	
CBGA	< LOQ	0.0427	%		09/23/22 11:42	09/23/22 22:49	
CBC	< LOQ	0.0404	%		09/23/22 11:42	09/23/22 22:49	

Reference(2239055-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	95.4	0.0099	%	90-110	09/23/22 11:42	09/23/22 23:12	
delta 9-THC	99.8	0.0099	%	90-110	09/23/22 11:42	09/23/22 23:12	
delta 8-THC	97.5	0.0892	%	90-110	09/23/22 11:42	09/23/22 23:12	
CBD	97.9	0.0199	%	90-110	09/23/22 11:42	09/23/22 23:12	
CBDA	94.9	0.0099	%	90-110	09/23/22 11:42	09/23/22 23:12	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117.

Quality Control samples were tested as received.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference



manually for all samples.