

CHARLES CHAPA FOOTREST



BOX INVENTORY

- > LEFT AND RIGHT FOOTREST
- LEFT AND RIGHT MALE CLEVIS

*HARDWARE TO ATTACH TO CHARLES CHAPA COMFORT PEG MOUNTS CONTAIN THE MOUNTING HARDWARE FOR THE FOOTRESTS

Safety:

• Ensure that the motorcycle is in a safe area to work. The motorcycle should be stable and on a flat surface.

Considerations:

- The stock Indian Motorcycle passenger pegs will **NOT** fit the Charles Chapa Comfort Peg Mounts.
- Hardware to attach the Charles Chapa Footrests are included in the Charles Chapa Comfort Peg Mount hardware package as it is required to install the Charles Chapa Footrests.




CHARLES CHAPA FOOTREST

Installation:

1. Locate the D shaped spring washer and the bolt to attach the footrests from the Charles Chapa Comfort Peg Mount hardware kit.




2. Place the spring washer into the female clevis of the comfort peg mount.






3. Place the male end of the of the clevis on the Charles Chapa Footrest into the female clevis while holding the spring washer in place.



4. Insert the bolt and crush washer. Tighten appropriately.





CHARLES CHAPA FOOTREST

5. The Charles Chapa Footrests are pitch adjustable. There is a bolt under the footrest that you can loosen to adjust the pitch of the floorboard. Once you have adjusted the footrest to your liking, tighten the bolt and torque to 25 ft. lb. to secure the bolt.

