

Skippi Plus

Order no.:

Skippi plus

Power wheelchair
for children (EKS55)

Max. load capacity: 50 kg/110 lbs

Article number: 490E55=00000_K



Standard equipment

- enAble50 with the ability to control three electric options
- 6 km/h
- 28 Ah (C5) AGM batteries
- Battery charger
- 8" PU caster wheels
- Standard seat with back support bag
- Seat cushion (seat cushion thickness: 30 mm)
- Telescoping side panels
- Individual telescoping leg supports
- Wheel cover for drive wheels
- Drive wheels with aluminium rim, black
- Lap belt with buckle
- Electric lighting for footpaths

☐ Provide estimate only

☐ Order

☐ Attachment for custom fabrication enclosed

Billing address/customer number

Delivery address

Sales person

Name

.....
Date


Signature

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Basic data (voluntary information)

Gender _____ Indication _____

Age _____ Paying party _____



* This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

Mandatory information*

User height in cm _____

User weight in kg _____

1 Seat depth _____

2 Trunk depth _____

3 Arm support height _____

4 Armpit height _____

5 Shoulder height _____

6 Head height _____

7 Forearm length to the middle of the palm _____

8 Trunk width _____

9 Lower leg length _____

10 Seat width _____

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.
Please use the spare parts catalogue for spare parts orders.

Information



EE 37 Lateral pads



EC 50 Electric seat tilt



EB 02 Individual leg supports




EU 15 Attendant control




EB 05 Single-panel leg support



EB 20 Mechanically elevating leg supports



ES 63 Bumper bar



EU 87 Mid-tray control, electrically swivelling

Settings for standard seat (SD 28 ... 38 cm, SW 30 ... 38 cm)			
Back support angle		<input type="checkbox"/> mechanical -9/1/11/21°	<input type="checkbox"/> mechanical 0 / 10 / 20 / 30°
Not available with electric back support angle adjustment!			
Seat depth SD in cm		<input type="checkbox"/> 28	<input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38
Seat width SW	 cm (30 ... 38 cm, SW 24 ... 29 cm possible with removable lateral pads)	
Lower leg length LL	 cm (15 ... 38 cm) without seat cushion	
Push handles			
ED 10	<input type="checkbox"/>	Height adjustable, detachable	Add. charge
Seat tilt			
EC 51	<input type="checkbox"/>	Mechanical, continuous, range 20°	Add. charge
EC 50	<input type="checkbox"/>	Electrical, continuous, range 20°	Add. charge
Seat height adjustment			
EC 57	<input type="checkbox"/>	Electrical, continuous, range 20 cm / 7.9"	Add. charge
Back support angle recline			
ED 50	<input type="checkbox"/>	Electrical, continuous, range 25° (not available in combination with seating shell adapter)	Add. charge
Seating system accessories			
EE 30	<input type="checkbox"/>	Mounting accessories for head support	Add. charge
EP 65	<input type="checkbox"/>	Lap belt with buckle	-
EE 37	<input type="checkbox"/>	Lateral pads, detachable, for side panel (pair, thickness 1.2"/3 cm)	Add. charge
ED 11	<input type="checkbox"/>	Back support extension (35 cm / 13.8" - 46 cm / 18.1")	Add. charge
Information on head supports, lap belts and other accessories can be found in the accessories catalogue			
Leg supports			
EB 02	<input type="checkbox"/>	Individual leg supports with aluminium foot plates (standard equipment, LL 23 ... 38 cm)	-
EB 05	<input type="checkbox"/>	Single-panel leg support with aluminium foot plate (LL 23 ... 38 cm)	Add. charge
EB 06	<input type="checkbox"/>	Individual leg supports for short lower leg length (LL 15 ... 22 cm)	Add. charge
EB 16	<input type="checkbox"/>	Single-panel leg support for short lower leg length with aluminium foot plate (LL 15 ... 22 cm)	Add. charge
EB 20	<input type="checkbox"/>	Mechanically elevating leg supports (LL 15 ... 33 cm)	Add. charge
EB 07	<input type="checkbox"/>	Without leg supports	-
Information on foot positioning can be found in the accessories catalogue			
Frame colour			
017	<input type="checkbox"/>	Yellow RAL 1023 (back support upholstery blue, wheel covers black)	-
018	<input type="checkbox"/>	Signal red RAL 3001 (back support upholstery blue, wheel covers yellow)	-
010	<input type="checkbox"/>	Marine blue (back support upholstery red, wheel covers yellow)	-
016	<input type="checkbox"/>	Silver metallic (back support upholstery black, wheel covers black)	-
037	<input type="checkbox"/>	Pink (back support upholstery black, wheel covers black)	-
Tyres			
EF 10	<input type="checkbox"/>	Puncture-proof 8" PU caster wheels, drive wheels 12 1/2 " pneumatic, black aluminium rims (standard equipment)	-
EG 06	<input type="checkbox"/>	Puncture-proof tyres for all wheels	Add. charge

Battery charger			
EU 91	<input type="checkbox"/>	Battery charger (standard equipment)	-
EU 92	<input type="checkbox"/>	Battery charger without fan (low-noise)	Add. charge
Control panel			
EU 85	<input type="checkbox"/>	Control panel "enAble50" with LCD and buttons for lighting	-
EU 86	<input type="checkbox"/>	Control panel with two external buttons Please indicate button type! <input type="checkbox"/> Piko button diameter 2" (50 mm) (red/black) <input type="checkbox"/> Piko button diameter 1.2" (30 mm) (red/black)	Add. charge
Control panel holder			
EU 19	<input type="checkbox"/>	Control panel holder (standard equipment)	-
EU 20	<input type="checkbox"/>	Swing-away in parallel control panel holder	Add. charge
Control panel holder mounting side (not for mid-tray control)			
	<input type="checkbox"/>	Right	
	<input type="checkbox"/>	Left	
Keypad module / LCD			
EU 07	<input type="checkbox"/>	Keypad module (control of 5 electrical options without LCD)	
EU 97	<input type="checkbox"/>	LCD programmable; IR environment control inclusive	Add. charge
EU 98	<input type="checkbox"/>	LCD programmable; IR environment and Bluetooth control	Add. charge
Special controls with LCD			
EU 09	<input type="checkbox"/>	Chin control with mini joystick, electrical swing away (standard control panel incl.) (recommended for lip- and tongue control, mini Joystick is very sensitive and not recommended for heavy chin control!) Please indicate: <input type="checkbox"/> Soft ball with elastomer <input type="checkbox"/> Soft ball with spring, hard <input type="checkbox"/> Soft ball with spring, soft Please indicate chin swivel arm installation version: <input type="checkbox"/> Chin swivel arm, left <input type="checkbox"/> Chin swivel arm, right <input type="checkbox"/> Chin swivel arm overhead, mounting side left (multifunction switch MFS right) <input type="checkbox"/> Chin swivel arm overhead, mounting side right (multifunction switch MFS left)	Add. charge
EU 81 EU 82		Please indicate multifunction switch installation version: <input type="checkbox"/> Satellite switch chin control for on/off, mode and swivel function <input type="checkbox"/> 2 x Piko button chin control for on/off, mode and swivel function	- Add. charge
EU 80	<input type="checkbox"/>	Chin control with midi joystick, electrical swing away (standard control panel incl.) (recommended for chin and head control) Please indicate chin swivel arm installation version: <input type="checkbox"/> Chin swivel arm, left <input type="checkbox"/> Chin swivel arm, right <input type="checkbox"/> Chin swivel arm overhead, mounting side left (multifunction switch MFS right) <input type="checkbox"/> Chin swivel arm overhead, mounting side right (multifunction switch MFS left) Please indicate multifunction switch installation version: <input type="checkbox"/> Satellite switch chin control for on/off, mode and swivel function <input type="checkbox"/> 2 x Piko button chin control for on/off, mode and swivel function	Add. charge
EU 81 EU 82			- -
EU 11	<input type="checkbox"/>	Sip and puff control (standard control panel included)	Add. charge
EU 83	<input type="checkbox"/>	Calibratable midi joystick for mounting at the arm support (incl. multifunction button) (standard control panel included)	Add. charge
EU 84	<input type="checkbox"/>	Calibratable midi joystick for mounting in tray (incl. multifunction button) (standard control panel included)	Add. charge

EU 40	<input type="checkbox"/>	Calibratable mini joystick, incl. multifunction button (standard control panel included) Please indicate: <input type="checkbox"/> Control knob with elastomer <input type="checkbox"/> Soft ball with elastomer <input type="checkbox"/> Soft ball with spring, hard <input type="checkbox"/> Soft ball with spring, soft	Add. charge
EU 59	<input type="checkbox"/>	Adapter cable for left/right mouse click please select: <input type="checkbox"/> Piko button (diameter 50 mm, red/black) <input type="checkbox"/> Piko button (diameter 30 mm, red/black)	Add. charge

The following options require the IR LCD display code EU 97 or EU 98:

EU 61	<input type="checkbox"/>	IR remote control hands-free telephone including mains adapter	Add. charge
--------------	--------------------------	-----------------------------------------------------------------------	--------------------

Special device accessories

EU 68	<input type="checkbox"/>	Adapter for button control (mandatory for switch driving)	Add. charge
EU 75	<input type="checkbox"/>	ON/OFF button for LCD module including adapter cable (mandatory for switch driving) Not available in combination with calibratable joystick or chin control.	Add. charge

Piko button diameter 50 mm (2")

EU 691	<input type="checkbox"/>	Red	Add. charge
EU 693	<input type="checkbox"/>	Black	Add. charge
EU 692	<input type="checkbox"/>	Yellow	Add. charge
EU 697	<input type="checkbox"/>	Silver	Add. charge

Piko button diameter 30 mm (1.2")

EU 701	<input type="checkbox"/>	Red	Add. charge
EU 702	<input type="checkbox"/>	Yellow	Add. charge
EU 703	<input type="checkbox"/>	Black	Add. charge
EU 704	<input type="checkbox"/>	Silver	Add. charge

Drive-away lock activation

	<input type="checkbox"/>	Yes
	<input type="checkbox"/>	No

Activation of the electronic steering lock (activation at standstill by pressing the warning flasher button)

	<input type="checkbox"/>	Yes
	<input type="checkbox"/>	No

Holder for LCD

EU 31	<input type="checkbox"/>	Holder for LCD standard (standard equipment for LCD)	-
EU 30	<input type="checkbox"/>	Holder for LCD, swing-away, height- and angle-adjustable	Add. charge
EU 32	<input type="checkbox"/>	Holder for LCD with gooseneck	Add. charge
EY 34	<input type="checkbox"/>	Holder for LCD with gooseneck for tray (enclosed only)	Add. charge

Control device accessories		
EU 96	<input type="checkbox"/>	Bluetooth module with up to 2 parallel BT interfaces Add. charge
EU 60	<input type="checkbox"/>	Adapter cable for left/right mouse click (Bluetooth module) Add. charge <input type="checkbox"/> Piko button (Ø 50 mm) (red/black) <input type="checkbox"/> Piko button (Ø 30 mm) (red/black)
EU 15	<input type="checkbox"/>	Attendant control Add. charge
EU 22	<input type="checkbox"/>	Protective bow for control panel standard Add. charge
EU 23	<input type="checkbox"/>	Fork for tetraplegics (hand width 4 - 8 cm/ 1.6"-3.1") Add. charge
EU 24	<input type="checkbox"/>	Stick S80 (joystick handle 80 mm/ 3.1") Add. charge
EU 25	<input type="checkbox"/>	Soft ball, black covered Add. charge
EU 26	<input type="checkbox"/>	Ball top, small (diameter 43 mm/1.7") Add. charge
EU 27	<input type="checkbox"/>	Ball top, large (diameter 48 mm/1.9") Add. charge
EU 28	<input type="checkbox"/>	Flexible extended joystick top with ball, large Add. charge
EU 35	<input type="checkbox"/>	Soft ball, coloured (diameter Ø 30 mm/1.2", 4 pieces) Add. charge
EU 50	<input type="checkbox"/>	Handheld programming device (dealer version, not subject to discount) Add. charge
EU 55	<input type="checkbox"/>	enAble programming software with USB adapter (not subject to discount, qualification required) Add. charge
EU 681	<input type="checkbox"/>	2-fold adapter cable with Piko button diameter 2" (50 mm, black) Add. charge (free assignment of 2 electrical functions) Please indicate function: <input type="checkbox"/> Chin swivel arm <input type="checkbox"/> Seat tilt <input type="checkbox"/> Back support angle adjustment <input type="checkbox"/> Seat height adjustment <input type="checkbox"/> Light <input type="checkbox"/> Warning flasher <input type="checkbox"/> Direction indicator, left <input type="checkbox"/> Direction indicator, right <input type="checkbox"/> Horn
EU 682	<input type="checkbox"/>	2-fold adapter cable with Piko button diameter 1.2" (30 mm, black) Add. charge (free assignment of 2 electrical functions) Please indicate function: <input type="checkbox"/> Chin swivel arm <input type="checkbox"/> Seat tilt <input type="checkbox"/> Back support angle adjustment <input type="checkbox"/> Seat height adjustment <input type="checkbox"/> Light <input type="checkbox"/> Warning flasher <input type="checkbox"/> Direction indicator, left <input type="checkbox"/> Direction indicator, right <input type="checkbox"/> Horn
General accessories		
ES 08	<input type="checkbox"/>	Electric lighting for footpaths (not available in combination with ES 05) -
ES 05	<input type="checkbox"/>	Lighting according to German Motor Vehicle Safety Standards (StVZO) Add. charge
ES 39	<input type="checkbox"/>	Manual horn (Kangaroo) Add. charge
ES 35	<input type="checkbox"/>	Tray, swing-away (including mounting accessory, cut-out for control panel has to be custom-made) Add. charge
ES 40	<input type="checkbox"/>	Pennant Add. charge
ES 63	<input type="checkbox"/>	Front bumper bar, detachable, silver (only up to LL 32 cm) Add. charge
EZ 52	<input type="checkbox"/>	Tool kit with air pump Add. charge
ES 60	<input type="checkbox"/>	Vehicle transport kit according to ISO 7176-19 Add. charge